

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCI)

(51) International Patent Classification 7:		(11) International Publication Number:	WO 00/40749
C12Q 100	A2	(43) International Publication Date:	13 July 2000 (13.07.00)

(21) International Application Number: PCT/CA00/00005

(22) International Filing Date: 5 January 2000 (05.01.00)

(30) Priority Data:
60/115,125
6 January 1999 (06.01.99)
09/477,148
4 January 2000 (04.01.00)
US

(71)(72) Applicant and Inventor: LIEW, Choong-Chin [CA/CA]; 81 Millersgrove Drive, Willowdale, Ontario M2R 3S1 (CA).

(74) Agent: DEETH WILLIAMS WALL; National Bank Building, Suite 400, 150 York Street, Toronto, Ontario M5H 3S5 (CA). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published


Without international search report and to be republished upon receipt of that report.

(54) Title: METHOD FOR THE DETECTION OF GENE TRANSCRIPTS IN BLOOD AND USES THEREOF

(57) Abstract

The present invention is directed to detection and measurement of gene transcripts in blood. Specifically provided is a RT-PCR analysis performed on a drop of blood for detecting, diagnosing and monitoring diseases using tissue-specific primers. The present invention also describes methods by which delineation of the sequence and/or quanitation of the expression levels of disease-associated genes allows for an immediate and accurate diagnostic/prognostic test for disease or to assess the effect of a particular treatment regimen.





FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL AM AT AU AZ BA BB BF BG BJ BR CCG CH CI CM CN CU CZ DE DK BE	Albania Armenia Austria Austria Australia Azerbaijan Bosnia and Herzegovina Barbados Belgium Burkina Faso Bulgaria Benin Brazil Belarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Cuba Czech Republic Germany Denmark Estonia	ES FI FR GA GB GE GH GN HU IE IL IS IT JP KE KG KP LC LI LK LR	Spain Finland France Gabon United Kingdom Georgia Ghana Guinea Greece Hungary Ireland Israel Iceland Italy Japan Kenya Kyngyzstan Democratic People's Republic of Korea Republic of Korea Republic of Korea Kazaktan Saint Lucia Llechtenstein Sri Lanka Liberia	LS LT LU LV MC MD MG MK ML MN MR MW MX NE NL NO NZ PL PT RO SC SC SC	Lesotho Lithuania Luxembourg Latvia Monaco Republic of Moldova Madagascar The former Yugoslav Republic of Macedonia Mali Mongolia Mauritania Malavi Mexico Niger Netherlands Norway New Zealand Poland Portugal Romania Russian Federation Sudan Sweden Singapore	SI SK SN SZ TD TG TJ TM TR UA UG US VN YU ZW	Slovenia Slovakia Senegal Swaziland Chad Togo Tajikistan Turkmenistan Turkey Trinidad and Tobago Ukraine Uganda United States of America Uzbekistan Vict Nam Yugoslavia Zimbabwe
---	--	--	--	--	---	--	--

METHOD FOR THE DETECTION OF GENE TRANSCRIPTS IN BLOOD AND USES THEREOF

BACKGROUND OF THE INVENTION

Cross-Reference to Related Application

This application claims the benefit of priority of provisional patent application U.S. Serial Number 60/115,125, filed January 6, 1999 and of a U.S. application entitled "Method for the Detection of Gene Transcripts in Blood and uses Thereof" filed on January 4, 2000 (application number not yet assigned).

Field of the Invention

5

. 10

15

20

25

The present invention relates generally to the molecular biology of human diseases. More specifically, the present invention relates to a process using the genetic information contained in human peripheral whole blood for the diagnosis, prognosis and monitoring of genetic and infectious disease in the human body.

Description of the Related Art

The blood is a vital part of the human circulatory system for the human body. Numerous cell types make up the blood tissue including monocytes, leukocytes, lymphocytes and erythrocytes. Although many blood cell types have been described, there are likely many as yet undiscovered cell types in the human blood. Some of these undiscovered cells may exist transiently, such as those derived from tissues and organs that are constantly interacting with the circulating blood in health and disease. Thus, the blood can provide an immediate picture of what is happening in the human body at any given time.

The turnover of cells in the hematopoietic system is enormous. It was reported that over one trillion cells, including 200 billion erythrocytes and 70 billion neutrophilic leukocytes, turn over each day in the human body (Ogawa 1993). As a consequence of continuous interactions between the blood and the body, genetic changes that occur within the cells or tissues of the body will trigger specific changes in gene expression within blood. It is the goal of the present invention that these genetic alterations be harnessed for diagnostic and prognostic purposes, which may lead to the development of therapeutics for ameliorating disease.

5

10

15

20

25

The complete profile of gene expression in the circulating blood remains totally unexplored. It is hypothesized that gene expression in the blood is reflective of body state and, as such, the resultant disruption of homeostasis under conditions of disease can be detected through analysis of transcripts differentially expressed in the blood alone. Thus, the identification of several key transcripts or genetic markers in blood will provide information about the genetic state of the cells, tissues, organs and systems of the human body in health and disease.

The prior art is deficient in non-invasive methods of screening for tissue-specific diseases. The present invention fulfills this long-standing need and desire in the art.

SUMMARY OF THE INVENTION

This present invention discloses a process of using the genetic information contained in human peripheral whole blood in the diagnosis, prognosis and monitoring of genetic and infectious disease in the human body. The process described herein requires a simple blood sample and is, therefore, non-invasive compared to conventional practices used to detect tissue specific disease, such as biopsies.

One object of the present invention is to provide a non-invasive method for the diagnosis, prognosis and monitoring of genetic and infectious disease in humans and animals.

In one embodiment of the present invention, there is provided a method for detecting expression of a gene in blood from a subject, comprising the steps of: a) quantifying RNA from a subject blood sample; and b) detecting expression of the gene in the quantified RNA, wherein the expression of the gene in quantified RNA indicates the expression of the gene in the subject blood.

5

10

15

25

In another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; and e) detecting expression of the genes in the ESTs, wherein the expression of the genes in the ESTs indicates the expression of the genes in the subject blood. Preferably, the genes are tissue-specific genes.

In still another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting DNA fragments from the blood sample; c) amplifying the DNA fragments; and d) detecting expression of the genes in the amplified DNA product, wherein the expression of the genes in the subject blood.

In yet another embodiment of the present invention, there is provided a method for monitoring a course of a therapeutic treatment in an individual, comprising the steps of: a) obtaining a blood sample from the individual; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; e) detecting expression of genes in the ESTs, wherein the expression of the genes is associated with the effect of

the therapeutic treatment; and f) repeating steps a)-e), wherein the course of the therapeutic treatment is monitored by detecting the change of expression of the genes in the ESTs. Such a method may also be used for monitoring the onset of overt symptoms of a disease, wherein the expression of the genes is associated with the onset of the symptoms.

5

10

15

20

25

In still yet another embodiment of the present invention, there is provided a method for diagnosing a disease in a test subject, comprising the steps of:

a) generating a cDNA library for the disease from a whole blood sample from a normal subject; b) generating expressed sequence tag (EST) profile from the normal subject cDNA library; c) generating a cDNA library for the disease from a whole blood sample from a test subject; d) generating EST profile from the test subject cDNA library; and e) comparing the test subject EST profile to the normal subject EST profile, wherein if the test subject EST profile differs from the normal subject EST profile, the test subject might be diagnosed with the disease.

In still yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) gene-specific primers; wherein the primers are designed in such a way that their sequences contain the opposing ends of two adjacent exons for the specific gene with the intron sequence excluded; and b) a carrier, wherein the carrier immobilizes the primer(s). Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease.

In yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) probes derived from a whole blood sample for a specific disease; and b) a carrier, wherein the carrier immobilizes the probes. Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease.

Furthermore, the present invention provides a cDNA library specific for a disease, wherein the cDNA library is generated from whole blood samples.

Other and further aspects, features, and advantages of the present invention will be apparent from the following description of the presently preferred embodiments of the invention. These embodiments are given for the purpose of disclosure.

5

10

15

20

25

BRIEF DESCRIPTION OF THE DRAWINGS

So that the matter in which the above-recited features, advantages and objects of the invention, as well as others which will become clear, are attained and can be understood in detail, more particular descriptions of the invention briefly summarized above may be had by reference to certain embodiments thereof which are illustrated in the appended drawings. These drawings form a part of the specification. It is to be noted, however, that the appended drawings illustrate preferred embodiments of the invention and therefore are not to be considered limiting in their scope not be considered to limit the scope of the invention.

Figure 1 shows the following RNA samples prepared from human blood; Figure 1A: Lane 1, Molecular weight marker; Lane 2, RT-PCR on APP gene; Lane 3, PCR on APP gene; Lane 4, RT-PCR on APC gene; Lane 5, PCR on APC gene; Figure 1B: Lanes 1 and 2. RT-PCR and PCR of βMyHC, respectively; Lanes 3 and 4, RT-PCR of βMyHC from RNA prepared from human fetal and human adult heart, respectively; Lane 5, Molecular weight marker.

Figure 2 shows quantitative RT-PCR analysis performed on RNA samples extracted from a drop of blood. **Forward** primer (5'-GCCCTCTGGGGACCTGAC-3', SEQ ID No. 1) of exon 1 and reverse primer (5'-CCCACCTGCAGGTCCTCT-3", SEQ ID No. 2) of exons 1 and 2 of insulin gene. Blood samples of 4 normal subjects were assayed. Lanes 1, 3, 5 and 7 represent overnight "fasting" blood sample and lanes 2, 4, 6 and 8 represent "non-fasting" samples.

Figure 3 shows quantitative RT-PCR analysis performed on RNA samples extracted from a drop of blood. Lanes 1 and 2 represent normal healthy person and lane 3 represents late-onset diabetes (Type II) and lane 4 represents asymptomatic diabetes.

Figure 4 shows multiple RT-PCR assay in a drop of blood. Primers were derived from insulin gene (INS), zinc-finger protein gene (ZFP) and house-keeping gene (GADH). Lane 1 represents normal person. Lane 2 represents lateonset diabetes and lane 3 represents asymptomatic diabetes.

5

10

15

20

25

Figure 5 shows standardized levels of insulin gene (Figure 5A) and ZFP gene (Figure 5B) expressed in a drop of blood. The first three subjects were normal, second two subjects showed normal glucose tolerance, and the last subject had late onset diabetes type II. Figure 5C shows standardized levels of insulin gene expressed in each fractionated cell from whole blood.

Figure 6 shows the differential screening of human blood cell cDNA library with different cDNA probes of heart and brain tissue. Figure 6A shows blood cell cDNA probes vs. adult heart cDNA probes. Figure 6B shows blood cell cDNA probes vs. human brain cDNA probes.

Figure 7 graphically shows the 1,800 unique genes in human blood and in the human fetal heart grouped into seven cellular functions.

DETAILED DESCRIPTION OF THE INVENTION

In accordance with the present invention, there may be employed conventional molecular biology, microbiology, and recombinant DNA techniques within the skill of the art. Such techniques are explained fully in the literature. See, e.g., Sambrook, Fritsch & Maniatis, "Molecular Cloning: A Laboratory Manual (1982); "DNA Cloning: A Practical Approach," Volumes I and II (D.N. Glover ed. 1985); "Oligonucleotide Synthesis" (M.J. Gait ed. 1984); "Nucleic Acid

Hybridization" [B.D. Hames & S.J. Higgins eds. (1985)]; "Transcription and Translation" [B.D. Hames & S.J. Higgins eds. (1984)]; "Animal Cell Culture" [R.I. Freshney, ed. (1986)]; "Immobilized Cells And Enzymes" [IRL Press, (1986)]; B. Perbal, "A Practical Guide To Molecular Cloning" (1984). Therefore, if appearing herein, the following terms shall have the definitions set out below.

A "cDNA" is defined as copy-DNA or complementary-DNA, and is a product of a reverse transcription reaction from an mRNA transcript. "RT-PCR" refers to reverse transcription polymerase chain reaction and results in production of cDNAs that are complementary to the mRNA template(s).

10

15

20

25

5

The term "oligonucleotide" is defined as a molecule comprised of two or more deoxyribonucleotides, preferably more than three. Its exact size will depend upon many factors which, in turn, depend upon the ultimate function and use of the oligonucleotide. The term "primer" as used herein refers to an oligonucleotide, whether occurring naturally as in a purified restriction digest or produced synthetically, which is capable of acting as a point of initiation of synthesis when placed under conditions in which synthesis of a primer extension product, which is complementary to a nucleic acid strand, is induced, i.e., in the presence of nucleotides and an inducing agent such as a DNA polymerase and at a suitable temperature and pH. The primer may be either single-stranded or double-stranded and must be sufficiently long to prime the synthesis of the desired extension product in the presence of the inducing agent. The exact length of the primer will depend upon many factors, including temperature, source of primer and the method used. For example, for diagnostic applications, depending on the complexity of the target sequence, the oligonucleotide primer typically contains 15-25 or more nucleotides, although it may contain fewer nucleotides. The factors involved in determining the appropriate length of primer are readily known to one of ordinary skill in the art.

As used herein, random sequence primers refer to a composition of primers of random sequence, i.e. not directed towards a specific sequence. These

sequences possess sufficient complementary to hybridize with a polynucleotide and the primer sequence need not reflect the exact sequence of the template.

"Restriction fragment length polymorphism" refers to variations in DNA sequence detected by variations in the length of DNA fragments generated by restriction endonuclease digestion.

5

10

15

20

25

A standard Northern blot assay can be used to ascertain the relative amounts of mRNA in a cell or tissue obtained from plant or other tissue, in accordance with conventional Northern hybridization techniques known to those persons of ordinary skill in the art. The Northern blot uses a hybridization probe, e.g. radiolabelled cDNA, either containing the full-length, single stranded DNA or a fragment of that DNA sequence at least 20 (preferably at least 30, more preferably at least 50, and most preferably at least 100 consecutive nucleotides in length). The DNA hybridization probe can be labelled by any of the many different methods known to those skilled in this art. The labels most commonly employed for these studies are radioactive elements, enzymes, chemicals which fluoresce when exposed to untraviolet light, and others. A number of fluorescent materials are known and can be utilized as labels. These include, for example, fluorescein, rhodamine, auramine, Texas Red, AMCA blue and Lucifer Yellow. A particular detecting material is antirabbit antibody prepared in goats and conjugated with fluorescein through an isothiocyanate. Proteins can also be labeled with a radioactive element or with an enzyme. The radioactive label can be detected by any of the currently available counting procedures. The preferred isotope may be selected from ³H, ¹⁴C, ³²P, ³⁵S, ³⁶Cl, ⁵¹Cr, ⁵⁷Co, ⁵⁸Co, ⁵⁹Fe, ⁹⁰Y, ¹²⁵I, ¹³¹I, and ¹⁸⁶Re. Enzyme labels are likewise useful, and can be detected by any of the presently utilized colorimetric, spectrophotometric. fluorospectrophotometric. amperometric gasometric techniques. The enzyme is conjugated to the selected particle by reaction with bridging molecules such as carbodiimides, diisocyanates, glutaraldehyde and the like. Many enzymes which can be used in these procedures are known and can be utilized.

The preferred are peroxidase, β -glucuronidase, β -D-glucosidase, β -D-galactosidase, urease, glucose oxidase plus peroxidase and alkaline phosphatase. U.S. Patent Nos. 3,654,090, 3,850,752, and 4,016,043 are referred to by way of example for their disclosure of alternate labeling material and methods.

As used herein, "individual" refers to human subjects as well as non-human subjects. The examples herein are not meant to limit the methodology of the present invention to human subjects only, as the instant methodology is useful in the fields of veterinary medicine, animal sciences and such.

5

10

15

· 20

25

In one embodiment of the present invention, there is provided a method for detecting expression of a gene in blood from a subject, comprising the steps of: a) quantifying RNA from a subject blood sample; and b) detecting expression of the gene in the quantified RNA, wherein the expression of the gene in quantified RNA indicates the expression of the gene in the subject blood. An example of the quantifying method is by mass spectrometry.

In another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; and e) detecting expression of the genes in the ESTs, wherein the expression of the genes in the ESTs indicates the expression of the genes in the subject blood. Preferably, the subject is a fetus, an embryo, a child, an adult or a non-human animal. The genes are non-cancer-associated and tissue-specific genes. Still preferably, the amplification is performed by RT-PCR using random sequence primers or gene-specific primers.

In still another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting DNA fragments from the blood sample; c) amplifying the DNA fragments; and d) detecting

expression of the genes in the amplified DNA product, wherein the expression of the genes in the amplified DNA product indicates the expression of the genes in the subject blood.

5

10

15

20

In yet another embodiment of the present invention, there is provided a method for monitoring a course of a therapeutic treatment in an individual, comprising the steps of: a) obtaining a blood sample from the individual; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; e) detecting expression of genes in the ESTs, wherein the expression of the genes is associated with the effect of the therapeutic treatment; and f) repeating steps a)-e), wherein the course of the therapeutic treatment is monitored by detecting the change of expression of the genes in the ESTs. Such a method may also be used for monitoring the onset of overt symptoms of a disease, wherein the expression of the genes is associated with the onset of the symptoms. Preferably, the amplification is performed by RT-PCR, and the change of the expression of the genes in the ESTs is monitored by sequencing the ESTs and comparing the resulting sequences at various time points; or by performing single nucleotide polymorphism analysis and detecting the variation of a single nucleotide in the ESTs at various time points.

In still yet another embodiment of the present invention, there is provided a method for diagnosing a disease in a test subject, comprising the steps of:

a) generating a cDNA library for the disease from a whole blood sample from a normal subject; b) generating expressed sequence tag (EST) profile from the normal subject cDNA library; c) generating a cDNA library for the disease from a whole blood sample from a test subject; d) generating EST profile from the test subject cDNA library; and e) comparing the test subject EST profile to the normal subject EST profile, wherein if the test subject EST profile differs from the normal subject EST profile, the test subject might be diagnosed with the disease.

In still yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) genespecific primers; wherein the primers are designed in such a way that their sequences contain the opposing ends of two adjacent exons for the specific gene with the intron sequence excluded; and b) a carrier, wherein the carrier immobilizes the primer(s). Preferably, the gene-specific primers are selected from the group consisting of insulinspecific primers, atrial natriuretic factor-specific primers, zinc finger protein genespecific primers, beta-myosin heavy chain gene-specific primers, amyloid precurser protein gene-specific primers, and adenomatous polyposis-coli protein gene-specific primers. Further preferably, the gene-specific primers are selected from the group consisting of SEQ ID Nos. 1 and 2; and SEQ ID Nos. 5 and 6. Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease by detecting the quantitative expression levels of specific genes associated with the disease in the test subject and then comparing to the levels of same genes expressed in a normal subject. Such a kit may also be used for monitoring a course of therapeutic treatment or monitoring the onset of overt symptoms of a disease.

5

10

15

20

25

In yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) probes derived from a whole blood sample for a specific disease; and b) a carrier, wherein the carrier immobilizes the probes. Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease by detecting the quantitative expression levels of specific genes associated with the disease in the test subject and then comparing to the levels of same genes expressed in a normal subject. Such a kit may also be used for monitoring a course of therapeutic treatment or monitoring the onset of overt symptoms of a disease.

Furthermore, the present invention provides a cDNA library specific for a disease, wherein the cDNA library is generated from whole blood samples.

The following examples are given for the purpose of illustrating various embodiments of the invention and are not meant to limit the present invention in any fashion.

5

10

15

EXAMPLE 1

Construction of a cDNA library

RNA extracted from human tissues (including fetal heart, adult heart, liver, brain, prostate gland and whole blood) were used to construct unidirectional cDNA libraries. The first mammalian heart cDNA library was constructed as early as 1982. Since then, the methodology has been revised and optimal conditions have been developed for construction of human heart and hematopoietic progenitor cDNA libraries (Liew et al., 1984; Liew 1993, Claudio et al., 1998). Most of the novel genes which were identified by sequence annotation can now be obtained as full length transcripts.

EXAMPLE 2

Catalogue of blood cell ESTs

20

Random partial sequencing of expressed sequence tags (ESTs) of cDNA clones from the blood cell library was carried out to establish an EST database of blood. The known genes as derived from the ESTs were categorized into seven major cellular functions (Hwang, Dempsey et al., 1997).

EXAMPLE 3

Differential screening of cDNA library

5

10

15

20

25

cDNA probes generated from transcripts of each tissue were used to hybridize the blood cell cDNA clones (Liew *et al.*, 1997). The "positive" signals which were hybridized with ³²P-labelled cDNA probes were defined as genes which shared identity with blood and respective tissues. The "negative" spots which were not exposed to ³²P-labelled cDNA probes were considered to be blood-cell-enriched or low frequency transcripts.

EXAMPLE 4

Reverse transcriptase-polymerase chain reaction (RT-PCR) assay

RNA extracted from samples of human tissue was used for RT-PCR analysis (Jin et al. 1990). Three pairs of forward and reverse primers were designed for human cardiac beta-myosin heavy chain gene (βMyHC), amyloid precurser protein (APP) gene and adenomatous polyposis-coli protein (APC) gene. The PCR products were also subjected to automated DNA sequencing to verify the sequences as derived from the specific transcripts of blood.

EXAMPLE 5

Detection of tissue specific gene expression in human blood using RT-PCR

The beta-myosin heavy chain gene (βMyHC) transcript (mRNA) is known to be highly expressed in ventricles of the human heart. This sarcomeric protein is important for heart muscle contraction and its presence would not be expected in other non-muscle tissues and blood. In 1990, the gene for human cardiac

βMyHC was completely sequenced (Liew et al. 1990) and was comprised of 4. ±xons and 42 introns.

The method of reverse transcription polymerase chain reaction (RT-PCR) was used to determine whether this cardiac specific mRNA is also present in human blood. A pair of primers was designed; the forward primer (SEQ ID No. 3) was on the boundary of exons 21 and 22, and the reverse primer (SEQ ID No. 4) was on the boundary of exons 24 and 25. This region of mRNA is only present in β MyHC and is not found in the alpha-myosin heavy chain gene (α MyHC).

A blood sample was first treated with lysing buffer and then undergone centrifuge. The resulting pellets were further processed with RT-PCR. RT-PCR was performed using the total blood cell RNA as a template. A nested PCR product was generated and used for sequencing. The sequencing results were subjected to BLAST and the identity of exons 21 to 25 was confirmed to be from βMyHC (Figure 1A).

10

15

20

25

Using the same method just described, two other tissue specific genes - amyloid precursor protein (APP, forward primer, SEQ ID No. 7; reverse primer, SEQ ID No. 8) found in the brain and associated with Alzheimer's disease, and adenomatous polyposis coli protein (APC) found in the colon and rectum and associated with colorectal cancer (Groden *et al.* 1991; Santoro and Groden 1997) - were also detected in the RNA extracted from human blood (Figure 1B).

EXAMPLE 6

Multiple RT-PCR analysis on a drop of blood from a normal/diseased individual

A drop of blood was extracted to obtain RNA to carry out quantitative RT-PCR analysis. Specific primers for the insulin gene were designed: forward primer (5'-GCCCTCTGGGGACCTGAC-3', SEQ ID No. 1) of exon 1 and reverse primer (5'-CCCACCTGCAGGTCCTCT-3", SEQ ID No. 2) of exons 1 and 2 of insulin gene. Such reverse primer was obtained by deleting the intron between the

exons 1 and 2. Blood samples of 4 normal subjects were assayed. It was found that the insulin gene is expressed in the blood and the quantitative expression of the insulin gene in a drop of blood is influenced by fasting and non-fasting states of normal healthy subjects (Figure 2). This very low level of expression of the insulin gene reflects the phenotypic status of a person and strongly suggests that there is a physiological and pathological role for its expression, contrary to the basal or illegitimate theory of transcription suggested by Chelly *et al.* (1989) and Kimoto (1998).

Same quantitative RT-PCR analysis was performed using insulin specific primers on RNA samples extracted from a drop of blood from a normal healthy person, a person having late-onset diabetes (Type II) and a person having asymptomatic diabetes. It was found that the insulin gene is expressed differentially amongst subjects that are healthy, diagnosed as type II diabetic, and also in an asymptomatic preclinical patient (Figure 3).

10

15

. 20

25

Similarly, specific primers for the atrial natriuretic factor (ANF) gene were designed (forward primer, SEQ ID No. 5; reverse primer, SEQ ID No. 6) and RT-PCR analysis was performed on a drop of blood. ANF is known to be highly expressed in heart tissue biopsies and in the plasma of heart failure patients. However, atrial natriuretic factor was observed to be expressed in the blood and the expression of the atrial natriuretic factor gene is significantly higher in the blood of patients with heart failure as compared to the blood of a normal control patient.

Specific primers for the zinc finger protein gene (ZFP, forward primer, SEQ ID No. 9; reverse primer, SEQ ID No. 10) were also designed and RT-PCR analysis was performed on a drop of blood. ZFP is known to be high in heart tissue biopsies of cardiac hypertrophy and heart failure patients. In the present study, the expression of ZFP was observed in the blood as well as differential expression levels of ZFP amongst the normal, diabetic and asymptomatic preclinical subjects (Figure 4); although neither of the non-normal subjects has been specifically diagnosed as

suffering from cardiac hypertrophy and/or heart failure, the higher expression levels of the ZFP gene in their blood may indicate that these subjects are headed in that general direction.

It was hypothesized that a housekeeping gene such as glyceraldehyde dehydrogenase (GADH) which is required and highly expressed in all cells would not be differentially expressed in the blood of normal vs. disease subjects. This hypothesis was confirmed by RT-PCR using GADH specific primers (Figure 4). Thus, GADH is useful as an internal control.

Standardized levels of insulin gene or ZFP gene expressed in a drop of blood were estimated using a housekeeping gene as an internal control relative to insulin or ZFP expressed (Figures 5A & 5B). The levels of insulin gene expressed in each fractionated cell from whole blood were also standardized and shown in Figure 5C.

15

20

25

10

5

EXAMPLE 7

Human blood cell cDNA library

In order to further substantiate the present invention, differential screening of the human blood cell cDNA library was conducted. cDNA probes derived from human blood, adult heart or brain were respectively hybridized to the human blood cDNA library clones. As shown in Figure 7, more than 95% of the "positively" identified clones are identical between the blood and other tissue samples.

DNA sequencing of randomly selected clones from the human whole blood cell cDNA library was also performed. This allowed information regarding the cellular function of blood to be obtained concurrently with gene identification. More than 20,000 expressed sequence tags (ESTs) have been generated and characterized to date, 17.6% of which did not result in a statistically significant match to entries in the

GenBank databases and thus were designated as "Novel" ESTs. These results are summarized in Figure 7 together with the seven cellular functions related to percent distribution of known genes in blood and in the fetal heart.

From 20,000 ESTs, 1,800 have been identified as known genes which may not all appear in the hemapoietic system. For example, the insulin gene and the atrial natriuretic factor gene have not been detected in these 20,000 ESTs but their transcripts were detected in a drop of blood, strongly suggesting that all transcripts of the human genome can be detected by performing RT-PCR analysis on a drop of blood.

In addition, approximately 400 novel genes have been identified from the 20,000 ESTs characterized to date, and these will be subjected to full length sequencing and open reading frame alignment to reduce the actual number of novel ESTs prior to screening for disease markers.

Analysis of the approximately 6,283 ESTs which have known matches in the GenBank databases revealed that this dataset represents over 1,800 unique genes. These genes have been catalogued into seven cellular functions. Comparisons of this set of unique genes with ESTs derived from human brain, heart, lung and kidney demonstrated a greater than 50% overlap in expression (Table 1).

20

25

5

10

15

TABLE 1

Overlap of Genes Expressed in Blood *

Tissues	ESTs**	Overlap in Blood
brain	134,000	60%
heart	65,000	59%
lung	60,200	58%
kidney 3	2,300	54%

* Estimated from limited known genes of about 1,800 as derived from the database of 6,297 ESTs from human blood cell library.

** Obtained from the National Centre of Biotechnology Information (NCBI), U.S.A.

5

10

15

20

EXAMPLE 8

Blood cell ESTs

The results from the differential screening clearly indicate that the transcripts expressed in the whole blood are reflective of genes expressed in all cells and tissues of the body. More than 95% of detectable spots were identical from two different tissues. The remaining 5% of spots may represent cell- or tissue-specific transcripts; however, results obtained from partial sequencing to generate ESTs of these clones revealed most of them not to be cell- or tissue-specific transcripts. Therefore, the negative spots are postulated to be reflective of low abundance transcripts in the tissue from which the cDNA probes were derived.

An alternative approach that was employed to identify transcripts expressed at low levels is the large-scale generation of expressed sequence tags (ESTs). There is substantial evidence regarding the efficiency of this technology to detect previously characterized (known) and uncharacterized (unknown or novel) genes expressed in the cardiovascular system (Hwang & Dempsey *et al.*. 1997). In the present invention, 20,000 ESTs have been produced from a human blood cell cDNA library and resulted in the identification of approximately 1,800 unique known genes (Table 2)

25

In the most recent GenBank release, analysis of more than 300,000 ESTs in the database (dbESTs) generated more than 48,000 gene clusters which are thought to represent approximately 50% of the genes in the human genome. Only 4,800 of the dbESTs are blood-derived. In the present invention, 20,000 ESTs have

been obtained to date from a human blood cDNA library, which provides the world's most informative database with respect to blood cell transcripts. From the limited amount of information generated so far (i.e. 1,800 unique genes), it has already been determined that more than 50% of the transcripts are found in other cells or tissues of the human body (Table 2). Thus, it is expected that by increasing the number of ESTs generated, more genes will be identified that have an overlap in expression between the blood and other tissues. Furthermore, the transcripts for several genes which are known to have tissue-restricted patterns of expression (i.e. βMyHC, APP, APC, ANF, ZFP) have also been demonstrated to be present in blood.

5

10

15

20

Most recently, a cDNA library of human hematopoietic progenitor stem cells has also been constructed. From the limited set of 1,000 ESTs, there are at least 200 known genes that are shared with other tissue related genes (Claudio *et al.* 1998).

Table 2 demonstrates the expression of known genes of specific tissues in blood cells. Previously, only the presence of "housekeeping" genes would have been expected. Additionally, the presence of at least 25 of the currently known 500 genes corresponding to molecular drug targets was detected. These molecular drug targets are used in the treatment of a variety of diseases which involve inflammation, renal and cardiovascular function, neoplastic disease, immunomodulation and viral infection (Drews & Ryser, 1997). It is expected that additional novel ESTs will represent future molecular drug targets.

TABLE 2

Comparison of 1,800 Unique Genes Identified in the Blood Cell cDNA Library to Genes Previously Identified in Specific Tissues

5

Gene Identification	No. of ESTs	Accession No.		Tissue Distribution							
			BI	I Br	TH						
100 kDa coactivator	2	U22055	- O	+	↓ _	K	Li	1	<u> </u>		
10kD protein (BC10)		AF053470	<u> </u>			1_		+			
14-3-3 epsilon	- 2	U54778		+	+		+	+			
14-3-3 protein		1		+	+			T +			
	11	U28964		T +	+		+	Τ-			
15 kDa selenoprotein (SEP15)	1	AF051894		+	+	T	1	+			
1-phosphatidylinositol-4- phosphate 5-kinase isoform C	1	578798									
23 kD highly basic protein	21	X56932	+	+	++	+	╁	+			
2-5A-dependent RNase	1	L10381	 	┼	╀	+-	+	Ľ	ļ		
2'-5'oligoadenylate synthetase 2 (OAS2)	4	M87284	В	 	 	╁	-	├			
26S proteasome subunit 11	1	AF086708	 	 	ļ	↓	—	 	ļ		
36 kDa phosphothyrosine		AJ223280	 	 	ـــ	↓	<u> </u>				
protein		70423200	'	ì	+		1	1			
3-7 gene product (non- exact 86%aa)	1	D64159		<u> </u>			<u> </u>				
3-phosphoglycerate dehydrogenase (PGAD)	1	AF006043	T	+	+	\vdash		+			
3-prime-phosphoadenosine 5-prime-phosphosulfate synthase 1 (PAPSS1)	2	U53447	+	+	+	+		+			
46kd mannose 6- phosphate receptor (MPR46) (low match)	1	X56257									
5-aminoimidazole 4- carboxamide ribonucleotide transformytase	1	D89976				 					
5'-nucleotidase	3	D38524	 	+	├	├	+				
6-phosphofructo-2- kinase/fructose-2,6-	1	D49818		+	-	\vdash					
biphosphatase 4 (PFKFB4) 6-phosphotructo-2-	1	AF041829		ļ		ļ	ļ				
kinase/fructose-2,6- bisphosphatase (PF2K) 71 kd heat shock cognate											
protein hsc70 76 kDa membrane protein	23	Y00371									
(P76) 8-oxoguanine DNA	2	U81006		+	+	+	+	+			
glycosylase (OGG1) a disintegrin and	1	U96710	В				+	+			
metalloprotease domain 10 (ADAM10)	1	AF009615					+	-			
a disintegrin and metalloprotease domain 8 (ADAM8)	1	D26579	В	+							
A kinase anchor protein 95 AKAP95)	2	Y11997	B, T activated		+			+			
A kinase anchor protein, 149kD (AKAP149)	2	X97335		+	+	+		+			

A4 differentiation-									FC1/CA00/00005
dependent protein (A4), triple LIM domain protein (LMO6), and synaptophysin (SYP); calcium channel alpha-1 subunit (CACNA1F)		U93305							
ABL and putative M8504 Met protein	1	U07561		├	+-	+	+	+-	
Absent in melanoma 1 (AlM1)	 	U83115	+	+	-	╀	+	+	
accessory proteins BAP31/BAP29 (DXS1357E)	2	Z31696		+	+	+	+	+	
acetyl-Coenzyme A acyltransferase (peroxisomal 3-oxoacyl- Coenzyme A thiolase) (ACAA)	2	X12966	+	+	+	+	+	+	
acetyl-Coenzyme A transporter (ACATN)	1	D88152	Tlymphoma	+	+	\dagger	╁	+	
acidic 82 kDa protein	4	U15552				+	┼─	╁	
acidic protein rich in leucines (SSP29)	1	Y07969	В	+	+	T	+	+	
Aconitase 2, mitochondrial (ACO2)	1	U80040	+	+	+	+	-	+	
actin binding protein MAYVEN	1	AF059569			_	-	+	├	
actin, beta (ACTB)	158	X04098	Т, В	+	+	├	+	 	ļ
actin, beta (ACTB) (non- exact, low match 73%)	1	M10277				_	 	┢	
actin, gamma (low score)	1	K00791			-	╁─	╫	├	
actin, gamma 1 (ACTG1)	4	X04098	+	+	+	+	+	+	high in many libraries
actin-binding LIM protein (ABLIM)	4	D31883		+	+	+		+	
Actinin, alpha 1 (ACTN1) actinin, alpha 4 (ACTN4)	8	M95178		+	+	+	+-	+	
activated p21cdc42Hs	1	D89980		+	+		+	_	
kinase (ACK)		L13738	В	+			T	+	
activated RNA polymerase II transcription cofactor 4 (PC4)	1	X79805	+	+	+	+		+	
activating transcription factor 1 (ATF1)	1	X55544			+		-	-	
activating transcription factor 2 (ATF2)	1	X15875		+	+		+		
activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4)	2	M86842					+	+	
active BCR-related gene (ABR)	1	U01147	+	+	+	+		+	
acyl-CoA oxidase (AOX)	1	U03254							
acyl-Coenzyme A dehydrogenase, C-4 to C- 12 straight chain (ACADM)	2	M16827							
acyl-Coenzyme A dehydrogenase, very long chain (ACADVL) acyloxyacyl hydrolase	3	D43682	+	+	+	+	+	+	
(neutrophil) (AOAH)	3	M62840	T		+	_	+	+	
adaptin, delta (ADTD)	2	U91930		+	+		+		
adaptin, delta (ADTD) (non-exact 59%)	1	AC005328		寸	\dashv			\dashv	
adaptin, gamma (ADTG)	1	Y12226		+	+	+		+	
adaptor complex sigma3B (AP3S3)	2	X99459		+	_	+	7	+	
adaptor protein p150 adducin 1 (alpha) (ADD1)	1	Y08991		\dashv	\dashv	-+	\dashv	\dashv	
auuucin i (Bidha) (ADD1) T	2	L07261		+ +	++		+		

PCT/CA00/00005

adducin 1 (alpha) (add1)	3	L29296	+	+	+	1+		1 +	
adducin 3 (gamma) (ADD3)		U37122	B.W	+	<u>'</u>	1	+	+	
adenine nucleotide		M57424		+	+	ļ	+	<u> </u>	
translocator 2 (fibroblast) (ANT2)	~	11107424		+	,		•		
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact 81%)	1	J02683							
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact, 79%)	1	J02683							
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact, 86%)	1	J02683							
adenine nucleotide translocator 3 (liver) (ANT3)	3	J03592		+	+	-	+	+	
adenosine deaminase, RNA-specific (ADAR)	6	U18121	 	+	+	_	+	-	
adenylate cyclase 3 (ADCY3)	2	AF033861		+	+	+	+	+	
adenylate cyclase 7 (ADCY7)	11	D25538		_		<u> </u>	-	\vdash	
adenylate kinase 2 (AK2)	2	U39945		+	+	┢	+	+	
adenylate kinase 3 (AK3) (non-exact, 67%)	1	X60673				-	_		
adenylyl cyclase- associated protein (CAP)	28	M98474	T		+		+		
adipose differentiation- related protein; adipophilin (ADFP)	1	X97324			+		+	+	
ADP-ribosylation factor 1 (ARF1)	13	M84326		+	+		+	+	
ADP-ribosylation factor 3 (ARF3)	2	M33384		+	+		+		
ADP-ribosylation factor 4 (ARF4)	1	M36341	Tlymphoma	+	+		-	+	
ADP-ribosylation factor 5 (ARF5)	1	M57567			+	+	+	+	
ADP-ribosylation factor domain protein 1, 64kD (ARFD1)	1	L04510		+					
ADP-ribosyltransferase (NAD+; poly (ADP-ribose) polymerase) (ADPRT) adrenergic, beta, receptor	4	M32721	+	+	+	+	+	+	
(kinase 1 (ADRBK1)	2	X61157	В	+			+		
adrenoleukodystrophy-like 1 (ALDL1)		AJ000327							
AÈ-binding protein 1 (AEBP1) (non-exact, 62%)	1	D86479							
[]	1	U07932							
A-gamma-globin A-gamma-globin	1	V00514							
(chromosome 11 alleie)	1 	J00176							
agammaglobulinaemia tyrosine kinase (ATK)	1	U78027							
AHNAK nucleoprotein (desmoyokin) (AHNAK)	4	M80899	+	+	+	+		+	
alanyl (membrane) aminopeptidase (aminopeptidase N.	1	X13276			+		.+		
aminopeptidase M, microsomal aminopeptidase, CD13,									
p150) (ANPEP) alcohol dehydrogenase 5	1	M29872	·						
(class III), chi polypeptide	····								
aldehyde dehydrogenase 1, soluble (ALDH1)	1	AF003341		+			+	+	

								r	C1/CA00/00005
aldehyde dehydrogenase 10 (fatty aldehyde dehydrogenase) (ALDH10)	2	U75286							
aldehyde reductase 1 (low Km aldose reductase) (ALDR1)	3	J04795	В	+	+	+	+		
aldo-keto reductase family 1, member A1 (aldehyde reductase) (AKR1A1)	2	J04794	В	+	+	-	+		
aldo-keto reductase family 1, member C3 (3-alpha	1	D17793		+	+	+		+	
hydroxysteroid dehydrogenase, type II) (AKR1C3)									
aldo-keto reductase family 7, member A2 (aflatoxin aldehyde reductase) (AKR7A2)	1	Y16675		+	+		+	+	
aldolase A, fructose- bisphosphate (ALDOA)	7	X12447		+	+	-	+		
aldolase C, fructose- bisphosphate (ALDOC)	2	X05196		+	+		+		
alkaline phosphatase, liver/bone/kidney (ALPL) ALL-1 (=L04731;L04284	1	4502062							
HRX)	4	269780							
isozyme alpha thalassemia/mental	3	D55649 U75653		+			+		
retardation syndrome X- linked (ATRX)			T	+	+	+		+	
alpha-2 macroglobulin	1	Z11711		1					
alpha-2-globin	2	V00516							
alpha-2-macroglobulin receptor/lipoprotein receptor protein (A2MR/LRP)	1	U06985							
alpha-polypeptide of N- acetyl-alpha- glucosaminidase (HEXA)	1	M13520				-,			
alpha-spectrin	1	X86901		╁╌┤					
alpha-subunit of Gi2 a (GTP-binding signal transduction protein)	1	X07854							
aminin receptor 1 (67kD); Ribosomal protein SA (LAMR1)	2	J03799	1	+	+		+	+	
aminolevulinate, delta-, dehydratase (ALAD)	1	X64467		+					
amino-terminal enhancer of split (AES) amino-terminal enhancer of	2	X73358	+	+	+	+		+	
split (AES) AMP deaminase isoform L	8	U04241 M91029	В	+	+		+	+	
(AMPD2) amphiphysin (Stiff-Mann	- 1	W91029 U07616	В	†				+	
syndrome with breast cancer 128kD autoantigen) (AMPH)	•	00/010	В	+				+	
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)(non-exact, 68%)	1	U07616							
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)(non-exact, 68%)	1	U07616							
amphiphysin II	4	U87558		++	+	\dashv	+	-	
amphiphysin II (67%aa amphiphysin?)	1	AF068915			-	-+	\dashv	\dashv	
amphiphysin II (non-exact 69% aa)	1	AF001383			_	7	_	+	
									

amphiphysin-like (AMPHL)	1 1	U68485							
amphiphysin-like (AMPHL)	 			+	+				
(low match)	'	AF068918					П	T	
AMY-1	1	D50692	В, Т	 	├	╁	+	 	
amyloid beta (A4)	1	L77864	 	+-	+	+	├	+	
precursor protein-binding, family B, member 1 (Fe65) (APBB1)									
amyloid beta (A4)	6	L27631	Tlymphoma	+	+	⊢	╁	+	
precursor-like protein 2 (APLP2) ankyrin 3, node of Ranvier									
(ankyrin G) (ANK) (non- exact, 50%)	1	U43965							
annexin I (lipocortin I) (ANX1)	1	X05908		+	+	+		+	
annexin II		D28364				 	 	 	-
annexin II (lipocortin II; calpactin I, heavy polypeptide) (ANX2)	7	D00017	+	+	+	+	+	+	high in many libraries
annexin IV (placental anticoagulant protein II) (ANX4)	1	M19383		+	+	+	+	+	
annexin V (endonexin II) (ANX5)	2	M21731		+	+	+	-	+	
annexin V (endonexin II) (ANXV)	1	M19384		+	+	+	-	+	
annexin VI (p68) (ANX6)	6	Y00097		+	+	+	-	+	
annexin VII (synexin) (ANX7)	1	J04543		+	+	+	_	+	
antigen identified by monoclonal antibodies	2	M16279		+	+	+		+	
12E7, F21 and O13 (MIC2) antigen identified by									
monoclonal antibodies 4F2, TRA1.10, TROP4, and T43 (MDU1)	3	J02939		+	+	+	+	+	
antigen TQ1	1								
anti-oxidant protein 2 (non- selenium glutathione peroxidase, acidic calcium- independent phospholipase A2) (KIAA0106)	1	D14662		+	+	+	+	+	
APEX nuclease (multifunctional DNA repair enzyme) (APEX)	5	X66133		+	+		+	+	
Apolipoprotein L (APOL) (59%aa)	1	Z82215							
apoptosis inhibitor 1 (API1)	1	L49431		+	+	+	7	+	
apoptosis inhibitor 4 (survivin) (API4)	1	U75285	B, W	+	+		+		
apoptosis inhibitor 5 (API5)	1	U83857	Tlymphoma	+			+		
apoptosis specific protein (ASP)	1	Y11588	В	+			+	+	
apoptotic protease activating factor (APAF1)	1	AF013263	В	+	+		+		
aquaporin 3 (AQP3)	1	AB001325	T				+		
aquaporin 9 (AQP9)	7	AB008775	T activated				+		
arachidonate 12- lipoxygenase (ALOX12)	1	M58704					+	+	
arachidonate 5- lipoxygenase-activating protein (ALOX5AP)	3	X52195	+	+		+		+	
anadne homolog (ARI)	1	AJ009771	+ +	+	+	+	\dashv	+	
ariadne-2 (D. melanogaster) homolog (all-trans retinoic acid inducible RING finger) (ARI2)	1	AF099149	+	+	+	+		+	

IADDI (and and and and and and and and and and								,	PC1/CAU	0/00005	•
ARP1 (actin-related protein 1, yeast) homolog A	1	X82206		+		Т	+	Τ	T		
(centractin alpha)		}	1		1			1			
(ACTR1A) ARP2 (actin-related protein				i	1		1	1			
12. yeast) homolog (ACTR2)	9	AF006082		+	+		+	+			
ARP2/3 protein compax	5	AF006085	T activated,	+	+	╄	+	╄	<u> </u>		
subunit 34 (ARC34) Arp2/3 protein compex			w	'	'						
Isubunit p41 (ARC41)	6	AF006084	monocyte stimulated	+	+		+		<u> </u>		
Arp2/3 protein compay	1	AF006084	sumulated	├—	 	┼	┼	 			
subunit p41 (ARC41)) (low match)							ł				
Arp2/3 protein complex	20	AF017807	<u> </u>	<u> </u>		<u> </u>					
subunit p16 (ARC16)		10007		+	+		+	+	1		
Arp2/3 protein complex subunit p20 (ARC20)	2	AF006087		+	+	T	+	+			
Arp2/3 protein complex	3	AF006086	 w -	_		╄	+	+			
subunit p21(ARC21) ARP3 (actin-related protein	11	1500000				}] '	Ι΄			j
13. yeast) homolog (ACTR3)		AF006083	W		+		+	+			
arrestin, beta 2 (ARRB2)	1	AF106941	B, T, W	+	+	├	+	-			
arsA (bacterial) arsenite	1	AF047469	В, Т	+		-	+	<u> </u>			
transporter, ATP-binding, homolog 1 (ASNA1)		1					'	1			
arvi hydrocarbon recentor	2	AF044288	В	+	+	├	+	<u> </u>			
nuclear translocator-like (ARNTL)				Ť	*		*				1
aryl hydrocarbon recentor-	1	U31913	+	+	+	L.	L				
Interacting protein (AIP)		L	Ī		*	+		+			
aryisulfatase A (ARSA)	1	X52151	activated	+			+				
asialoglycoprotein receptor 2 (ASGR2)	1	M11025					+	+		····	
asparaginyl-tRNA	3	D84273		+	+	<u> </u>	+				
synthetase (NARS) aspartyl-IRNA synthetase		INFANA -									
(DARS)	•	J05032	В	+	+		+				\neg
ataxia telangiectasia mutated (includes	1	U82828	В, Т		+		+				
complementation groups A,			!	ı							- 1
IC and D) (ATM)				j				ı			
ataxin-2-like protein A2LP (A2LG)	1	AF034373	В, Т	+	+			+			
ATF6	1	AF005887	activated	-							
ATP binding cassette	<u>i</u>	U88667	i				+				
transporter (ABCR) (non- exact 80%)	·	333337		ľ				l			
ATP synthase (F1-ATPase)	1	VEGOOO									ł
alpha subunit.	'	X59066									
mitochondrial ATP synthase beta subunit			<u>L</u> .					- 1			ļ
gene	7	M19482						\neg		_	1
gene ATP synthase, H+	1	X60221	+	+	+	+		+			
transporting, mitochondrial F0 complex, subunit b.						İ		`			- 1
isoform 1 (ATP5F1)				1	1						
ATP synthase, H+ transporting, mitochondrial	1	X69907	Tactivated	+	+	\dashv	+	+			_
ru complex, subunit c			j								
(Subunit 9), isoform 1								ı			
(ATP5G1) ATP synthase, H+	3	- D14-40]				
transporting, mitochondrial	١	D14710		T				\Box			
F1 complex, alpha subunit, isoform 1, cardiac muscle				- 1	ł		- [-]			
(ATP5A1)					į	- {					
ATP synthase, H+	1	D14710						\dashv			
transporting, mitochondrial F1 complex, alpha subunit,			ł		- 1						
8010rm 1. cardiac muscle		-	ļ		j						
(ATP5A1) (low match)				- 1							

WO 00/40/49									PCT/CA00/00005
ATP synthase, H+	2	M27132	T		1	_	_		
transporting, mitochondrial			1	l		1	1		
F1 complex, beta polypeptide (ATP5B)				1		1	1		[
ATP synthase, H+	 .			1	1	1	1	1	
transporting, mitochondrial	1	D16563	W	+	+	+	+	1	
F1 complex, gamma	1		İ	1		1	1	1	
polypeptide 1 (ATP5C1)	1		1	i	1	1	1		
ATP synthase, H+	 	AF092124	+	++	ــ	٠.	↓ -	١.,	
transporting, mitochondrial	•	71 002124	1	+	+	+	+	+	
F1F0, subunit g (ATP5JG)	1			1	1		i i		ł
ATP/GTP-binding protein	2	U73524	+	╅	+	+	┼	+	
(HEAB) ATPase, Ca++	<u> </u>	<u> </u>	I] `	`	l	Ι'	1
transporting, ubiquitous	5	Z69881		+	 	+		╈	
(ATP2A3)	l	İ	İ	ļ		1	l	1	ł
ATPase, H+ transporting,	2	Donner		Ь			<u> </u>	<u> </u>	1
IV80somal (vacuolar omton	-	D89052	+	+	+	+		+	
pump) 21kD (ATP8F)	1			ı			l		1
ATPase H+ transporting	1	X76228	 	╁┯	+	++	├—	 	_
lysosomal (vacuolar proton	j	1		1	*	*	l	+	1
pump) 31kD (ATP6E)	<u>L</u>			ļ	l l]	l	l	1
ATPase, H+ transporting, lysosomal (vacuolar proton	5	X69151	1	+	+	+	\vdash	+	
(DUMD) 42kD: Vacuolar	I		1	}		ı		1	
proton-ATPase,			İ	1		1			
subunit C: V-ATPase			1			1			ļ
subunit C (ATP6D)		1	1	l		1		1	
ATPase, H+ transporting,	3	L09235	 	+	├	+		├-	<u> </u>
lysosomal (vacuolar proton	ł			1	ļ	1.	Ι,		1
pump), alpha polypeptide, 70kD, isoform 1 (ATP6A1)				l	İ	1		i	ļ
ATPase, H+ transporting,				L		1		l	[
lysosomal (vacuolar proton	6	X62949	+	+	+	+		+	
(pump), beta polypeptide	1		1	l					
56/58kD, isoform 2				l	l				}
(ATP6B2)					1				
ATPase, H+ transporting,	2	AF038954	+	+	+	+		+	high in testis
lysosomal (vacuolar proton		į	i	i -	<u> </u>			ľ	ingii iii tesus
pump), member J (ATP6J) ATPase, H+ transporting,				L	1.				·
VSOSOMAL (Vacualer proton	1	D16469		Ŧ	+	+		+	
pump), subunit 1 (ATP6S1)					1	ll			1
A P-binding cassette 50	1	AF027302	 	+					
(TNF-alpha stimulated)	•	/11 02/002		7	+	+		+]
(ABC50)							ľ		
ATP-binding cassette	1	AF047690			-	-	\dashv		
protein M-ABC1 (mitochondrial)			1						ŀ
ATP-dependent RNA	1	1070070			L	L. I	j		1
helicase	•	AJ010840	lymphoma		+		+		
autoantigen (Hs.75528)	2	L05425	Tacking			╙			1
autoantigen (Hs.75528)		L,	Tactivated		+		- 1		
(non-exact 84%)	1	L05425							
autoantigen (Hs.75682)		U17474	 			oxdot			
autoantigen La/SS-B	;		В	+		L. I	_	+	
E	1	235127							
axin (AXIN1)	1	AF009874		+			_		
axonemai dynein heavy	1	AJ000522	 		—-	\vdash		+	
chain (DNAH17)							- 1	•	İ
BAI1-associated protein 3 (BAIAP3) (non-exact 54%)	1	AB017111					-		
basement membrane-									ļ Ī
		7777					_		
Induced gene (ICR1)	1	AF044896		J		ı	- 1		
induced gene (ICB1) basic leucine zinner									
induced gene (ICB1) basic leucine zipper nuclear factor 1 (IEM-1)	1	AF044896 U79751				_	\dashv		
induced gene (ICB1) basic leucine zipper nuclear factor 1 (IEM-1)							-		
induced gene (ICB1) basic leucine zipper nuclear factor 1 (JEM-1) (BLZF1) basic transcription factor 3		U79751	•					-	
induced gene (ICB1) basic leucine zipper nuclear factor 1 (JEM-1) (BLZF1) basic transcription factor 3 (BTF3)	2		+	+	+	+	+	+	
induced gene (ICB1) basic leucine zipper nuclear factor 1 (JEM-1) (BLZF1) basic transcription factor 3 (BTF3) basigin (BSG)	2	U79751	+	+	+	+		+	
induced gene (ICB1) basic leucine zipper nuclear factor 1 (JEM-1) (BLZF1) basic transcription factor 3 (BTF3)	5	U79751 X74070	+		+	+	++++	+	

10			_					•	C1/CA00/00003
B-cell CLL/lymphoma 6 (zinc finger protein 51) (BCL6)	1	U00115		+	+				
B-cell translocation gene 1, anti-proliferative (BTG)	L	X61123		1	+			+	
BCL2/adenovirus E1B 19kD-interacting protein 2 (BNIP2)	1	U15173	В	1+			+	+	
BCL2/adenovirus E1B 19kD-interacting protein 3- like (BNIP3L)	2	AF067396		+	+	+		+	
becin 1 (colled-coil, myosin-like BCL2- interacting protein) (BECN1)	1	AF077301	В	+	+		+		
beta-1,2-N- acetylglucosaminyltransfer ase II (MGAT2)	2	U15128							
beta-2-microglobulin (B2M)	63	S82297	+	+	+	+	+	+	high in invasive prostate tumor
beta-hexosaminidase alpha chain (HEXA)	1	M16411							prostate turnor
beta-tubulin	7	V00599	+	+	+	+	+	+	high in many libraries
beta-tubulin (non-exact, 76%)	1	AF070561							mg/ in many libraties
beta-tubulin, pseudogene	1	J00315	 	1					
BING4	1	Z97184		 					
biotinidase (BTD) (non-eact 62%)	1	U03274		-					
biotinidase (BTD) (non- exact 70%)	1	U03274							
biotinidase (BTD) (non- exact, 56%)	1	U03274							
BIOTINIDASE PRECURSOR	1	P43251		-					
biphenyl hydrolase-like (serine hydrolase) (BPHL)	1	X81372		+			+	_	
bone marrow stromal cell antigen 1 (BST1)	1	D21878					+		
box-dependent myc- interacting protein isoform BIN1-10 (BIN1)	1	AF043900							
box-dependent myc- interacting protein isoform BIN1-10 (BIN1) (non-exact, 64%)	1	AF043900							
brain my047 protein		AF063605	T	+ +	+		+		
branched chain keto acid dehydrogenase E1, alpha polypeptide (maple syrup urine disease) (BCKDHA)	. 3	Z14093	· T	+	+		+		
BRCA1 associated protein- 1 (ubiquitin carboxy-	1	D87462	+	+	+	+			
terminal hydrolase) (BAP1) BRCA1, Rho7 and vati	1	L78833						_	
genes, and ipf35					İ	J	j		ļ
breakpoint cluster region protein, uterine lelomyoma, 1; barrier to autointegration factor (BCRP1)	2	AF044773		+	+				
breakpoint cluster region protein, uterine leiomyoma, 2 (BCRP2)	2	AF044774		+	+		+	+	
breast cancer anti-estrogen resistance 3 (BCAR3) (non-exact 73%)	1	U92715							
bromodornain-containing protein, 140kD (peregrin) (BR140)	2	M91585		+					
Bruton's agammaglobulinemia tyrosine kinase (Btk)	1	U13424							

								•	C1/CA00/00005
Bruton's tyrosine kinase (BTK)	1	U78027				T		T	·-
Bruton's tyrosihe kinase (BTK), alpha-D- galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3)	1	U78027							
BS4	1	AF108083		1-	 	1	1	_	
BTG2 (BTG2)	6	Y09943	+	+	+	+	┼	+	
BTK region clone ftp	1	U78027	+	++	+	+	 	+	
BTK region clone ftp-3	1	U01923		+	+	┼	+	├	
BUB3 (budding uninhibited by benzimidazoles 3, yeast) homolog (BUB3)	4	AF053304	+	+	+	1		+	
butyrate response factor 1 (EGF-response factor 1) (BRF1)	4	X79067	+	+	+	+		+	
butyrophilin (BTF1)	7	U90543		+	+	 	+	-	
butyrophilin like receptor	1	AB020625.1		+-	 	†	-	 	
CAG repeat containing (CTG4A) CAGH32	2	U80744		+	+	\vdash			
	2	U80743		+	+		+		
calcium channel, voltage- dependent, L type, alpha 1D subunit (CACNA1D) (low match)	1	M83566							
calcium/calmodulin- dependent protein kinase (CaM kinase) II gamma (CAMK2G)	1	AF069765		+	+	+		+	
calcium/calmodulin- dependent protein kinase kinase (KIAA0787) calmodulin (=M19311)	1	AF101264	8	+	+		+		
	7	D45887							
calmodulin 1 (phosphorylase kinase, delta) (CALM1)	6	M27319	В	+	+		+	+	
calnexin (CANX)	3	M94859		+			+	+	
calpain, large polypeptide L1 (CAPN1) calpain, large polypeptide	5	X04366		+	+		+	+	
L2 (CANP2)	5	M23254		+	+				
calpain, small polypeptide (CAPN4)	1	X04106		+	+		+	+	
calpastatin (CAST)	3	D16217		1			+		
Calponin 2	2	D83735		+		+		+	
calponin 2 (CNN2)	1	D83735	В, Т	+			+		
calponin 2 (CNN2) (low score)	1	D83735					-		
calumenin (CALU)	3	AF013759	В	4	+	<u> </u>	ļ_		
cAMP response element-	-4-	L05912		igspace	+	L	+	+	
(H_GS165L15.1)		L03912							
cAMP-dependent protein kinase type II (Ht31) canicular multispecific	1	M90360							
organic anion transporter (CMOAT2)	1	AF009670				+	+	+	
capping protein (actin filament) muscle Z-line, alpha 1 (CAPZA1)	6	U56637	В, Т		+			+	
capping protein (actin filament) muscle Z-line, alpha 2 (CAPZA2)	2	U03269	В	+	+				
capping protein (actin filament) muscle Z-line, beta (CAPZB)	1	U03271	+	+	+	+		+	

8	M94345	+	+		+		+	
1	D78586	+	+	+	+		+	
1	L19297		+			+	_	
3	U65090	R	+	+	-			
					\vdash	+		
2	X3/110	1						
1	L37042	+	+	+	+		+	
2	M55265	В	+			+	+	
1	AF049090.1							
1	X69951	•						
4	AF015450		+	+	+	+	+	
7	U13697	+			+			
1		lymph		T -		+		
			+	+	+	+		
		+	+	+	+		+	·
1				+				
2	X98173		+		+		+	
1	U56390	В			+	+		
5	X04076	В	+	+		+		
1	M65213		+	+		+		
6	D14705		+	+				
1	X89658	В						
4	L16510			+		+	+	
3	U79415		+	+	+		+	
4	M11233		+	+		f		
1	J05036			L^-	Γ	1+		
1	M16117	1		+				
34	M86553	B, Monocyte stimulated, 1 lymphoma				+	+	
4							+	
1	AF098297							
	1	1	1	1	1 D78586 + + + + 1 L19297 + 3 U65090 B + + 1 Y10319 + + 2 X57110 1 L37042 + + + 2 M55265 B + 1 AF049090.1	1 D78586 + + + + + + + 1 1 L19297 +	1	1

ICCA ATTONIO									PCT/CA00/00005
CCAAT/enhancer binding protein (C/EBP), alpha (CEBPA)	3	X87248		+	+	T		+	
CCAAT/enhancer binding protein (C/EBP), delta (CEBPB)	1	S63168			+	1	+	+	
CCAAT-box-binding transcription factor (CBF2)	2	M37197	Tlymphoma		-	+	+	\vdash	
CCR5 receptor (CCR5) (non-exact?)	1	AF011504				\vdash			
CD14 antigen (CD14)	11	M86511	+	+	+.	+	┼	+	
CD18 (=M95293)	4	X64071			╆	\vdash	-	┼-	
CD1C antigen, c polypeptide (CD1C)	2	M28827				T		+	
CD2 antigen (cytoplasmic tail)-binding protein 2 (CD2BP2)	1	AF104222							
CD2 antigen (p50), sheep red blood cell receptor (CD2)	4	M14362	+		+	+		+	
CD2 cytoplasmic tail- binding protein 1 (CD2BP1) CD20 antigen (CD20)	2	AF038602			i		+		
CD20 receptor (S7)	1	X12530							
CD22 antigen (CD22)	1	X07203						\vdash	
	1	U62831	В						
CD24 signal transducer CD33 antigen (gp67)	1	M58664							
(CD33)	1	M23197					+	_	
CD33 antigen-like 2; OB binding protein-2 (CD33L2) (non-exact, 68%)	1	U71383							
CD33L2 (61% aa)	1	D86359						<u> </u>	
CD36 antigen (collagen type I receptor, thrombospondin receptor) (CD36)	7	M98398	T lymphoma		+		+	+	
CD37 antigen (CD37)	5	X14046	+		-	+		+	
CD38 alt	1	D84277						ب	
CD39 antigen (CD39)	1	U87967	В	+			+	+	
CD3D antigen, delta	1	X03934			+	+		+	
polypeptide (TiT3 complex) (CD3D)					•	·		*	
CD3E antigen, epsilon polypeptide (TiT3 complex) (CD3E)	1	X03884	+			+			
CD3G antigen, gamma polypeptide (TiT3 complex) (CD3G)	2	X06026	W				+		
CD3Z antigen, zeta polypeptide (TiT3 complex) (CD3Z)	2	J04132	+			+			
CD3-Zera (clone b92 MK1)	1	X55510				-	\dashv		
CD4 (low match)	1	S68043		\dashv			\dashv		
CD4 antigen (p55) (CD4)	4	M12807		+	+	\dashv	+		
CD44 antigen (homing function and Indian blood group system (CD44)	6	X56794	w				+	+	
CD48 antigen (B-cell membrane protein) (CD48)	3	X06341	+	+	+	+	1	+	
CD53 antigen (CD53)	10	L11670	+	+		+		+	
CD53 antigen (CD53) (low match)	1	M60871				\dashv	7	7	
CD63 antigen (melanoma 1 antigen) (CD63)	3	M59907		1		7	+	7	
CD68 antigen (CD68)	2	S57235		+	+	\dashv	+	+	

Dolypeptide of major instructionary interest (Instructionary interest	WO 00/40/49]	PCT/CA00/00005
(CD74) (CD74) (CD79A mitigen (CD79A) (CD79B mitigen (CD79B mitigen (CD79B mitigen (CD79B) (CD79B mitigen (CD79B) (CD79B mitigen (CD79B) (CD79B mitigen (CD79B) (CD79B) (CD79B) (CD79B) (CD79B) (CD79B) (CD79B) (CD79B) (CD79B) (CD79B) (CD79B) (CD79B) (CD81) (CD81) (CD81 mitigen (larget of antipeniterative antibody 1 (CD81) (CD81 mitigen (larget of antipeniterative antibody 1 (CD81) (CD81 mitigen (larget of antipeniterative antibody 1 (CD81) (CD81 mitigen (larget of antipeniterative antibody 1 (CD81) (CD81 mitigen (larget of antipeniterative antibody 1 (CD81) (CD81 mitigen (larget of antipeniterative antibody 1 (CD81) (CD81 mitigen (larget of antipeniterative antibody 1 (CD81) (CD81 mitigen (larget of antipeniterative antibody 1 (CD81) (CD81 mitigen (larget of antipeniterative antip	histocompatibility complex		K01144	+	+	+	1+	T +	+	high in many libraries
((Immunoglobulin-associated alpha) (CD79A) (CD79B antigen (Immunoglobulin-associated alpha) (CD79B) (CD79B antigen (Corpo) (CD79B) (CD8 antigen (Corpo) (CD8A)	(CD74)			1						
CD79B antigen	(immunoglobulin- associated alpha) (CD79A)	2	M80462			+		-	\vdash	
Dolypeptide (932) (CDBA)	CD79B antigen (immunoglobulin- associated beta) (CD79R)	2	M89957	+		 	1			
Dob/peptide 1 (p37)	polypeptide (p32) (CD8A)			_L	1	1	+	1	+	
Intiproliferative antibody 1 (CCD81)	polypeptide 1 (p37) (CD8B1)		X13445	W						
Iymphocytes, mmunoglobulin Superfamily) (CD83) CD84 antigen (leukocyte 1 U82988	antiproliferative antibody 1 (CD81)	1	M33680		+	+			+	
antigen (CD84) CD98 antigen (p24) (CD9) 2 M38690 + + + + + + + + + + + + + + + + + +	lymphocytes, mmunoglobulin superfamily) (CD83)	1	Q01151	В	+	+			+	
CD9 antigen (p24) (CD9)	lantigen) (CD84)	1	U82988		+	+	1		+	
CD97 antigen (CD97)		1	1.25259		+	 	╁─	+		
D97 antigen (CD97)		2	M38690		+	+	+-	+	+	
CD97 antigen (CD97)		12	X84700	+	+	-	+	├		
CD97 antigen (CD97) (non- exact 62'92) CDC23 (cell division cycle 1	CD97 antigen (CD97) (noin-exact 59%)	1	P48960			-	╁	-		
23, yeast, homolog	CD97 antigen (CD97) (non- exact 62%)	1	X94630	+	+	-	+	 		
CdC42 effector protein 3	(CDC23)	1	AF053977		+		-	+	+	
CDC-like kinase (CLK)		1	U63131	В	+	+	 	+	+	
CDC-like kinase 2 (CLK2)	(CEP3)	2	AF104857	В	+	+	-	+		
CDW52 antigen		1	L29219		+	+	+		+	
(CAMPATH-1 antigen) (CDW52) cell dycle progression restoration 8 protein(CPR8) cell division cycle 10 (homologous to CDC10 of S. cerevisiae) (CDC10) cell division cycle 20, S. cerevisiae homolog (CDC20) cell division cycle 25B (CDC25B) cell division cycle 2-like 1 (PITSLRE proteins) (CDC2L1) (non-exact 42%) cell division cycle 42 (GTP-binding protein, 25kD) (CDC42) cell division protein (non-exact 42%) cell division protein (non-exact 42%) cell division cycle 42 (GTP-binding protein, 25kD) (CDC42) cell division protein (non-exact 42%) cell division cycle 42 (GTP-binding protein, 25kD) (CDC42) cell division cycle 42 (GTP-binding protein, 25kD) (CD	CDC-like kinase 2 (CLK2)	1	AF023268	В	+	+	╁──	-		
Cell division cycle 10	(CAMPATH-1 antigen) (CDW52)	13	X15183	Tactivated	+	+		+		
(homologous to CDC10 of S. cerevisiae) (CDC10) S. cerevisiae homolog (CDC20) Cell division cycle 25B 6 Z68092 + + + + + + + + + + + + + + + + + + +	restoration 8 protein(CPR8)		AF011794							
S.Cerevisiae nomolog (CDC20) (CDC25B) 6 Z68092 + + + + + + + + + + + + + + + + + + +	(homologous to CDC10 of S. cerevisiae) (CDC10)			+	+	+	+		+	
(CDC25B) cell division cycle 2-like 1 (PITSLRE proteins) (CDC2L1) (non-exact 42%) cell division cycle 42 (GTP- binding protein, 25kD) (CDC42) cell division protein (non- exact 68%) CELL-CYCLE NUCLEAR AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN) centromere protein B (S0kD) (CENPB) CENTROME AF067514 AF067514 AF067514 CH + + + + + + + + + + + + + + + + + + +	S.cerevisiae homolog (CDC20)		U05340		+	+	+			
(PITSLRE proteins) (CDC2L1) (non-exact 42%) cell division cycle 42 (GTP- binding protein, 25kD) (CDC42) cell division protein (non- exact 68%) CELL-CYCLE NUCLEAR AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN) centromere protein B 1 X55039 + + cep2/50 centmsome	(CDC25B)	6	Z68092	+	+	+	+		+	
binding protein, 25kD) (CDC42) (CDC42) (CDC42) (CDC42) Exact 68%) CELL-CYCLE NUCLEAR AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN) (S/G2 NUC	(PITSLRE proteins) (CDC2L1) (non-exact 42%)	1	AF067514							
exact 68%) CELL-CYCLE NUCLEAR AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN) centromere protein B	binding protein, 25kD) (CDC42)	5	M35543	+	+	+	+		+	
AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN) centromere protein B 1 X55039 + + + (80kD) (CENPB) cep250 centmagne	exact 68%)	1	AF063015	·				\dashv	1	
(80kD) (CENPB)	AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN)									
cepz50 centrosome 3 AF022655 B + +	(80kD) (CENPB)				+			+	\dashv	
	cep250 centrosome associated protein	3	AF022655	В	+		7	+	\dashv	

								ı	CT/CA00/00005
ceroid-lipofuscinosis, neuronal 2, late infantile (Jansky-Bielschowsky disease) (CLN2)	7	AF017456	+	+	+	+	+	+	high in bone
c-fgr (=M63877	6	X52206		-		\vdash	╀-	-	
nonreceptor protein- tyrosine kinase (fgr))							1		
CGI-19 protein	3	AF132953.1		 	_	十一	t	 	
chaperonin containing TCP1, subunit 3 (gamma) (CCT3)	1	X74801		+	+	T		+	
chaperonin containing TCP1, subunit 4 (delta) (CCT4)	1	AF026291		+	+		+	+	
chaperonin containing TCP1, subunit 6A (zeta 1) (CCT6A)	4	L27706	В	+	+		_		
chaperonin containing TCP1, subunit 7 (eta) (CCT7)	4	AF026292	В	+				+	
Chediak-Higashi syndrome 1 (CHS1)		U67615	B, T lymphoma	+	+	 	+		
Chediak-Higashi syndrome 1 (CHS1) (low score)	1	U67615	- yprionig			一			
chemokine (C-C motif)	4	U03905					-		
chemokine (C-C motif) receptor 4 (CCR4) (low match) (may contain repeat)	1	X85740							
chemokine (C-C motif) receptor 7 (CCR7)	6	L31581				-			
chemokine (C-X3-C) receptor 1 (CX3CR1)	5	U20350		+					
chemokine (C-X-C motif), receptor 4 (fusin) (CXCR4)	5	M99293	+	+	+	+		+	
chitinase 3-like 1 (cartilage glycoprotein-39) (CHI3L1)	2	M80927		+		+		+	
chitinase 3-like 2 (CHI3L2)	2	U49835		+		+	-	+	
chlonde channel 1 , skeletal muscle (CLCN1)	1	G18280							
chloride channel 6 (CLCN6)	1	D28475		+	+				
Chloride intracellular channel 1 (CLIC1)	1	U93205	+	+	+	+		+	
chondroitin sulfaté proteoglycan 2 (versican) (CSPG2)	5	X15998			+				
chondroitin sulfate proteoglycan core protein	2	J02814			+			+	
chromatin assembly factor 1 p48 subunit (CAF-1 P48 subunit) (retinoblastoma binding protein p48) (retinoblastoma-binding protein 4) (MSI1 protein homolog)	1	Q09028							
chromodomain helicase DNA binding protein 1 (CHD1)	2	AF006513							
chromodomain helicase DNA binding protein 1-like (CHD1L)	1	AF054177							
chromodomain helicase DNA binding protein 2 (CHD2)	1	AF006514	В	+	+		+		
chromodomain helicase DNA binding protein 3 (CHD3)	1	AF006515					\top		
chromodomain helicase DNA binding protein 4 (CHD4)	5	X86691	+	+	+	+	1	+	

chromosome 1 open reading frame 7 (C10RF7)	1	AF054176							
chromosome 1 specific transcript KIAA0493	1	AB007962							
chromosome 17 open reading frame 1B (C17ORF1B)	1	AJ008112		+					
chromosome 4 open reading frame 1 (C4ORF1)	1	AF006621		+	+	+		+	
chromosome condensation 1-like (CHC1L)	2	AF060219		+	+	+		+	
chromosome X open reading frame 5 (CXORF5)	1	Y15164	В	+	+		+		
chromosome-associated polypeptide C(CAP-C)	2	AF092564	В	+	+		+	+	
cig42	1	AF026944		1 1	\neg				
cig5	3	AF026941		┼┼		-			
citrate synthase (CS)		AF047042	В	╀┼	+		+	+	
		1	В	1					
class I major histocompatibility antigen (HLA-Cw3)	2	U31372							
class I major histocompatibility antigen (HLA-Cw3) (low match)	1	U31372							
clathrin assembly protein lymphoid myeloid leukemia (CALM)	3	U45976	В	+	+			+	
clathrin heavy chain	1	X55878		1 1					
clathrin, heavy polypeptide- like 2 (CLTCL2)	1	D21260							
clathrin, light polypeptide (Lca) (CLTA) (low match)	1	M20472							
clathrin- associated/assembly/adapt or protein, medium 1	3	D63475		+	+	+	+	+	
(CLAPM1) Cleavage stimulation factor, 3' pre-RNA, subunit 2 64kD	1	M85085							
(CSTF2) (non-exact 82%) cleavage stimulation factor, 3' pre-RNA, subunit 3, 77kD (CSTF3)	1	U15782	В	+	+		+		
clk3		L29220	В	++	+	\vdash	├	-	
clone 23815 (Hs.82845)		U90916		+	+			+	
1	•					<u>ا</u>		<u> </u>	
clone 24592 mRNA sequence	1	D88378	+	+	+	+		+	
Clq/MBUSPA receptor C1qR(p) ()	1	U94333				L	_	ļ.,	
clusterin (complement lysis inhibitor, SP-40,40, sulfated glycoprotein 2, testosterone-repressed prostate message 2, apolipoprotein J) (CLU)	1	M64722	+	+	+	+	+	+	
CMP-sialic acid transporter (CMPST)	1	D87969	В	+	+				
CMRF35	3	X66171						$oldsymbol{oldsymbol{oldsymbol{eta}}}$	
c-myc oncogene containing coxIII	1	X54629							
coagulation factor II (thrombin) receptor (F2R)	1	M62424		+	+			+	
coagulation factor V (proaccelerin, labile factor) (F5)	1	M14335		+		+	+		
coagulation factor XIII a subunit	3	M21998							
coagulation factor XIII, A1 polypeptide (F13A1)	6	M14354		+	+	+		I	
coated vesicle membrane protein (RNP24)	1	X92098	+	+	+	+	L		

5 13 7	U24105 X95404	+	+			+	Π	
	X95404	+ +						
7			*	+	+	+	+	high in fetal brain
	D78134		*	*	-		÷	
3	X95325		+	+				
3	AF019406	В						
3	X03663		+			+	+	
5	M59941							
1	M59941							
16	X55720		+					
1	M62505	L.						
2	AF000152	· · · · · · · · · · · · · · · · · · ·	+	+	+		+	
2	AF031647	· · · · · · · · · · · · · · · · · · ·	+	+			+	
2	U51205	В	+	+	+	+	+	
4	X97064		+	+				
2	U83246	В	+	+	-	+	-	
1	U83246							
1	D16611			+		+	+	
1	L20298		+					
22	X89109	T, W	++	+	\vdash	+		
1	U34690	 	+					· · · · · · · · · · · · · · · · · · ·
1	X89109		1		-	<u> </u>		
1	D14497		+	+	+		+	
1	D84657		+	+			+	
1	AF081287		+	+	+		+	
1	U37408	В	+	+	Щ	+		
2	AF016507		+	+		+		
3	U63289		+	+	+		+	
	Henna							
	1		الصلا	+	+		+	
			+	+	+		+	
1		В	+					
	3 3 5 16 1 2 2 2 4 2 1 1 1 1 1 1	3 AF019408 3 X03663 5 M59941 1 M59941 16 X55720 1 M62505 2 AF000152 2 AF031647 2 U51205 4 X97064 2 U83246 1 U83246 1 U83248 1 D16611 1 L20298 22 X89109 1 U34690 1 X89109 1 D14497 1 D84657 1 AF081287 1 U37408 2 AF016507 3 U63289 3 U58087 2 U58087 2 U580889 1 M74099	3	3	3	3	3	3

								•	CI/CAUU/UUUU
cyclin D2 (CCND2)	2	D13639		+	+	+		+	:
cydin D3 (CCND3)	5	M92287	B, T lymphoma		+		+	Π	
cyclin G1 (CNNG1)	1	D78341	В	+	+	1	-	+	
cyclin I	3	D50310	В	+	 	 	+	 	
cyclin T2 (CNNT2)	1	AF048732	B, T lymphoma	В					
cyclin-dependent kinase 2 (CDK2)	1	X62071	7					-	
cyclin-dependent kinase inhibitor (p27Klp1)	1	S76986							
cyclin-dependent kinase inhibitor 1A (p21, Cip1) (CDKN1A)	2	S67388	+	+	+	+	+	+	
CYP2D7-CYP2D8 intergenic region (partial)	1	X90926							
cystatin B (stefin B) (CSTB)	1	L03558			+	-	+	+	
cysteine and glycine-rich protein 3 (cardiac LIM protein) (CSRP3)	5	L54057			+	-			
cytidine deaminase (CDA)	2	L27943					+	-	
cytochrome b	1	AF042500	 		-	 		\vdash	
cytochrome b (CYTB) (isolate Aus5)	1	AF042518						-	
cytochrome b(-245) beta chain N-terminal region (X- linked granulomatous disease gene)	2	X05895							
cytochrome b-245, beta polypeptide (chronic granulomatous disease) (CYBB)	2	X04011	+			+		+	
cytochrome C	1	P00001							
cytochrome c oxidase subunit IV (COX4)	1	U90915	1	+	+	_	+	+	
cytochrome c oxidase subunit Vb (COX5B)	2	M59250					+		
cytochrome c oxidase subunit VII-related protein (COX7RP)	6	AB007618	+	+	+	+		+	
cytokine suppressive anti- inflammatory drug binding protein 1 (p38 MAP kinase) (CSBP1)	7	L35263	lymphocyte	+	+		+		
Cytoplasmic antiproteinase=38 kda intracellular serine proteinase inhibitor	1	S69272			+				
cytotoxic granule- associated RNA-binding protein p40-TIA-1	1	S70114							
D123 (D123)	1	D14878	+	+		+		+	
D2-2	1	AF019226				\dashv			
D38	1	X74802					$\neg \neg$		
damage-specific DNA binding protein 1 (127kD) (DDB1)	2	AJ002955	+	+	+	+	+	+	
DCHT (low match)		AF017635							
DEAD/H (Asp-Glu-Ala- Asp/His) box binding protein 1 (DDXBP1)	1	U78524		+	+	+	+	+	
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide (72KD) (P72)	2	U59321		+	+		+.	+	
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 1 (DDX1)	1	X70649		+	+			+	

IDEAD/Gramma								P	CT/CA00/00005
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 15 (DDX15)	2	AB001636					Τ		
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 16 (DDX16)	2	AB011149	+	+	+	+	+	+	
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 3 (DDX3)	L	U50553	+	†	+	+	-	+	
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 5 (RNA helicase, 68kD) (DDX5)	37	X15729	+	+	+	+		+	
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 5 (RNA helicase, 68kD) (DDX5) (low match)	1	AF015812						-	
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 6 RNA helicase, 54kD) DDX6)		D17532	+	+					
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 8 RNA helicase, 54kD) DDX8)	1	D50487		+	+	+		+	
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide 9 RNA helicase A, nuclear DNA helicase II; eukophysin) (DDX9)	3	L13848	+	+	+	+		+	
DEAD/H (Asp-Glu-Ala- Asp/His) box polypeptide, / chromosome (DBY)	1	AF000985		+	+		+		
Death associated protein 3 DAP3) leath effector domain-	2	X83544	+	+	+	+	+	+	
containing protein (DEDD) leath-associated protein 6	1 2	AF083236		+	+	+		+	
DAXX) ledicator of cyto-kinesis 2		AF039136		+	+	+		+	
DOCK2) lefender against cell death	4	D86964	+	+		+		+	
(DAD1) letensin, alpha 1, myeloid-	1	D15057			+		+	+	
Blated sequence (DFFA1) i	4	L12690				+	+	+	
EK gene (D6S231E)	1	X64229	В		+		+	╁	
elta sleep inducing eptide, immunoreactor OSIPI)	4	Z50781	+	+	+	+		+	
endritic cell protein GA17)	3	AF064603	+	+	+	+		+	
eoxycytidine kinase DCK)	1	M60527				7			
eoxyribonuclease II, sosomal (DNASE2)	3	AB004574					_		
GS-I	2	L77566		+		\dashv			
acylglycerol kinase	3	D16440	 		┝──┤		\dashv	\vdash	
acylglycerol kinase alpha DAGK1) (clone 24)	3	AF064771		+		\dashv	\dashv		
acylglycerol kinase alpha DAGK1) (clone 24) (low atch)	1	AF064771				\dashv			
aphánous (Drosophila, omolog) 1 (DIAPH1)	1	AF051782	B, monocyte stimulated	+	+	\dashv	+	+	
aphorase (NADH) ytochrome b-5 reductase) IA1)	1	Y09501	+	+	+	+	+	+	
ferentiated Embryo hondrocyte expressed one 1 (DEC1)	1	AB004066		+	\dashv		+	+	

rainte-parent								ŀ	PCT/CA00/00005
differentiated Embryo Chondrocyte expressed		AB004066				T	T	T	
gene 1 (DEC1) (low match) differentiation antigen	 	L23415	ļ		<u> </u>	\perp	_	\perp	
CD20	1				1	-			
DiGeorge syndrome critical region gene 2 (DGCR2)	1	X84076		+	+	\top	\top	†+	
dihydrolipoamide dehydrogenase (E3	2	J03620	† 	+	+	╁	+	+	
Component of pyruvate				1					
dehydrogenase complex, 2-oxo-glutarate complex,				1	1	}			
branched chain keto acid		ļ		1					
dehydrogenase complex) (DLD)				1]				
dihydrolipoamide S-	1	Y00978	Н в	++	├	↓_	╁	╄	<u> </u>
acetyltransferase (E2 component of pyruvate		ľ		1			[]	İ	
(defividrogenase complex)					l				
(DLAT) dihydropynmidinase-like 2		D78013		ļ		L			
(DPYSL2)	•			+	+		+	+	
dinG gene diptheria toxin resistance	1	Y10571		\top		1	<u> </u>	†	
protein required for	3	AF053003	В	+	+		+	+	
diphthamide biosynthesis (Saccharomyces)-like 2				i				İ	
(DPH2L2)							Ì		
disintegrin-protease (non- exact 72%)	1	Y13323		 	-	├	-	┢	
DJ-1 protein	2	AF021819	+	+	+	+	L	+	
Dmx-like 1 (DMXL1)	1	AJ005821		<u> </u>	+	+	ļ	广	-
DNA (cytosine-5-)-	3	X63692	Tactivated,	+	<u> </u>	Ė	+	+	
methyltransferase 1 (DNMT1)			lymphoma						
DNA fragmentation factor, 40 kD, beta subunit (DFFB)	1	AF064019		 -			-	-	
DNA fragmentation factor	2	U91985	 	+	+			<u> </u>	
45 kD, alpha subunit (DFFA)	-	301005	<u>'</u>		+			+	
DNA mismatch repair		U17840	<u> </u>					L.	
protein (hMLH1) DNA segment on									
Chromosome X (unique)	3	M64241	+	+	+	+	+	+	high in many libraries
648 expressed sequence DNA segment, single copy				1					
IDFODE LNS-CAI/I NS-CAII	3	M73547		+	+	+		+	
(deleted in polyposis (D5S346)									
DNA-damage-inducible	1	L24498		-		_			
transcript 1 (DDIT1) (low match)]]					
DnaJ protein	1	AJ001309		\vdash					
DnaJ protein	1	AJ001309							
docking protein 2, 56kD (DOK2)	1	AF034970							
dolichvi		D89060							
Idiphosphooligosaccharide	•	009000	+	+	+	+	+	+	activated T cell
protein glycosyltransferase (DDOST)			;						
dollchyl-phosphate	1	D86198	activated	+	+		+		
mannosyltransferase polypeptide 1, catalytic			· · · · ·		į				
subunit (DPM1)									
down-regulated by activation (immunoglobulin	1	AJ223183					+		
superfamily) (DORĀ)									
down-regulated in adenoma DRA (low match)	1	P40879				\neg	7		
D-type cyclin-interacting protein 1 (DIP1)	1	AF082569	В			-	+	+	
(Process 1 (DIF I)				l					

General								P	CT/CA00/00005
dual specificity phosphatase 1 (DUSP1)	4	X68277	+	+	+	+	+	+	
dual specificity phosphatase 11 (RNA/RNP complex 1-interacting)	1	AF023917	+	+	+	+	 	+	
(dusp11) dual specificity		I DEALY					Ĺ		
phosphatase 3 (vaccinia virus phosphatase VH1- related) (DUSP3)		L05147		+	+		+	+	
dual specificity phosphatase 6 (DUSP6)	6	X93920	+	+	+	 	+	+	
dynactin 1 (p150, Glued (Drosophila) homolog) (DYTN1)	3	X98801						ļ	
dynactin 1 (p150, Glued (Drosophila) homolog) (DYTN1) (low match)	1	X98801	В	+	+				
dynamin 2 (DNM2)	1 1	L36983	 	+		├	-		
dynamitin (dynactin complex 50 kD subunit) (DCTN-50) (non-exact 88%)	1	U50733							
dynein, axonemal, heavy polypeptide 17-like (non- exact, 57%aa)	1	X99947		-					
dynein, cytoplasmic, light intermediate polypeptide 2 (DNCLI2)	1	AF035812	В	+	+			+	·
dynein, cytoplasmic, light intermediate polypeptide 2 (DNCLI2) (non-exact, 69%)		AF035812						-	
dyskeratosis congenita 1, dyskerin (DKC1)	1	U59151	В	+			+	+	
dystonia 1, torsion (autosomal dominant) (DYT1)		AF007871		+	+	+		+	
dystrobrevin, beta (DTNB)	1	AF022728		+			-		
dystrophia myotonica- containing WD repeat motif (DMWD)		L19267		+	+		+	+	
dystrophia myotonica- protein kinase (DMPK)	1	L08835	+	+	+			+	
dystrophin (muscular dystrophy, Duchenne and Becker types) (DMD) (low match, 59%aa)		X14298							
E1B-55kDa-associated protein	1	AJ007509	W	+	+		+	Ŧ	
E2F transcription factor 3 (E2F3)	2	D38550		+	+	+	7	+	
E2F transcription factor 4, p107/p130-binding (E2F4)	1	X86096	В	+			+		
E2F transcription factor 5, p130-binding (E2F5)	2	U15642	+	1		+		+	
E74-like factor 1 (ets domain transcription factor) (ELF1)	1	M82882	В		+		+	+	**
E74-like factor 4 (ets domain transcription factor) (ELF4)	3	U32645		+	+			+	
E74-like factor 4 (ets domain transcription factor) (ELF4) (non-exact, 71%)	1	U32645							
early development regulator 2 (homolog of polyhomeotic 2) (EDR2) EBV induced G-protein	4	U89278	+	+	+	7	1	+	
Coupled receptor (EBI2)	1	L08177	W			7	\dashv	\dashv	
ecotropic viral integration site 2B (EVI2B)	3	M60830		+		+	7	7	

110 00/40/49								T.	C1/CA00/00005
ectin, galactoside-binding, soluble, 1 (galectin 1) (LGALS1)	1	J04456						+	
EGF-like-domain, multiple 4 (EGFL4)		AB011541		 		\vdash	_	-	
elF-2-associated p67 homolog	3.	U13261	В	+		-	<u> </u>	+	
elastin (supravalvular aortic stenosis, Williams-Beuren syndrome) (ELN) (low match)	1	M24782		+	+				
elav-type RNA-binding protein (ETR-3)	3	U69546		1					
electron-transfer- flavoprotein, alpha polypeptide (glutaric aciduria II) (ETFA)	2	J04058		+					
ELK3, ETS-domain protein (SRF accessory protein 2) (ELK3)	2	Z36715			+			+	
elongation factor 1-beta	1	L26404		 		 	-		
elongation factor Ts (mitochondrial protein)	1	AF110399							
elongation factor 1 u- nuclear encoded mitochondrial	1	X84694							
eMDC II protein	1	AJ242015.1			-	├		-	
ems1 sequence (mammary tumor and squamous cell carcinoma-associated (p80/85 src substrate) (EMS1)	1	M98343		+	+		+	+	
endogenous retroviral element HC2	1	Z70664		+					
endosulfine alpha (ENSA)	1	X99906		++		-	-		
endothelial differentiation, sphingolipid G-protein- coupled receptor, 1 (EDG1)	2	M31210		+	+	+		+	
endothelial differentiation, sphingolipid G-protein- coupled receptor, 1 (EDG1) (low match 68%)		M31210							
endothelial monocyte- activating polypeptide (EMAPII)	1	U10117	+	+	+	+		+	
enolase 1, (alpha) (ENO1)	12	M14328	+	+	+	+	+	+	
enolase 2, (gamma, neuronal) (ENO2)	1	X51956		+					
enolase-alpha	1	D28437						-	
enoyl Coenzyme A hydratase 1, peroxisomal (ECH1)	2	U16660		·					
enoyl Coenzyme A hydratase, short chain, 1, mitochondrial (ECHS1)	1	D13900	+	+	+	+	+	+	
ENOYL-COA HYDRATASE, MITOCHONDRIAL PRECURSOR (SHORT CHAIN ENOYL-COA HYDRATASE) (SCEH) (ENOYL-COA HYDRATASE 1) (low match, non-exact 56%)	1	P30084							
epidermal growth factor receptor pathway substrate 15 (EPS15)	2	U07707		+		+		+	

renewood									51, 0.1 00.100.10
EPIDIDYMAL SECRETORY PROTEIN E1 PRECURSOR (EPI-1) (HE1) (EPIDIDYMAL SECRETORY PROTEIN 14.6) (ESP14.6)	2	Q15668							
epithelial membrane protein 3 (EM[P3)	1	U87947	+	+	+	+	-	+	
Epoxide hydrolase 1, microsomal (xenobiotic)	7	L29766					-	\vdash	+ only
(EPHX1) ERCC2 (=L47234)		X52221	<u> </u>	<u> </u>				_	T
ERF-2	3	U07802	 	+	+	+	 	+	high in gall bladder
ERp28 protein	1	X94910	+	++	+	+	_	+	nigh in gan bladder
erythrocyte membrane	2	M81635		+		-		-	
erythroleukemic cells K562	2	L25343		+		-	_		
EST (Hs.189509)	2	U24166	· ·	 		-	-	-	
estrogen receptor-related protein (hERRa1)	1	L38487		1		\vdash			
ESTS, Highly similar to ADENYLOSUCCINATE SYNTHETASE	1	X66503	В, Т	+	+				
ESTs, Moderately similar to cysteine-rich fibroblast growth factor receptor	1	U28811	+	+	+	+		+	
ET binding factor 1 (SBF1)	1	U93181	+	+				+	
ets domain protein ERF	1	U15655	+	+	+	+	\vdash	+	
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1)	326	X03558	T	+	+			+	
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) (low match)	1	X03558							
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) (low match)	1	X03558							·
eukaryotic translation elongation factor 1 beta 2 (EEF1B2)	5	X60489	+	+	+	+		+	
eukaryotic translation elongation factor 1 delta (guanine nucleotide exchange protein) (EEF1D)	1	Z21507	+	+	+	+	+	+	
eukaryotic translation elongation factor 1 gamma (EEF1G)	31	Z11531							
eukaryotic translation elongation factor 2 (EEF2)	2	X51466		+				+	
eukaryotic translation initiation factor 2, subunit 1 (alpha, 35kD) (EIF2S1)	1	J02645							
eukaryotic translation initiation factor 2, subunit 2 (beta, 38kD) (EIF2S2)	1	M29536							
eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD) (EIF2S3)	3	L19161		+	+				
eukaryotic translation Initiation factor 3, subunit 10 (theta, 150/170kD) (EIF3S10)	2	U78311							
eukaryotic translation initiation factor 3, subunit 2 (beta, 36kD) (EIF3S2)	3	U36764	+	+	+	+	+	+	high in white blood cells
eukaryotic translation initiation factor 3, subunit 3 (gamma, 40kD) (EIF3S3)	6	U54559	+	+	+	+		+	high in spleen
eukaryotic translation initiation factor 3, subunit 4 (delta, 44kD) (EIF3S4)	9	AF020833		+	+	+		+	

110 00/40/49								I	PCT/CA00/00005
eukaryotic translation Initiation factor 3, subunit 6 (48kD) (EIF3S6)	4	U94175	+	1+	+	1+	Τ	+	high in bladder
eukaryotic translation initiation factor 3, subunit 6 (EIF3S6)	1	U62962		+	+	+	-	+	Highly represented (1.4833 pct) in library 36 human gall bladder
eukaryotic translation initiation factor 3, subunit 7 (zeta, 66/67kD) (EiF3S7)	3	U54558	+	+	+	+	T	+	Diagoer
eukaryotic translation initiation factor 3, subunit 8, 110KD (EIF3S8)	5	U46025	+	+	+	+	+	+	high in testis
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G)	1	AF012088							
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G) (low match)	1	AF012088						<u> </u>	
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G1)	2	D12686					† -		
eukaryotic translation initiation factor 4 gamma, 2 (EIF4G2)	6	U73824	+	+	+	+	+	+	
eukaryotic translation initiation factor 4 gamma, 2 (EIFG2)	2	U76111	+	+	+	+	+	+	
eukaryotic translation initiation factor 4A, isoform 1 (EIF4A1)	29	D13748							
eukaryotic translation initiation factor 4A, isoform 2 (EIF4A2)	11	D30655	+	+	+	+	+	+	
eukaryotic translation initiation factor 4B (EIF4B) eukaryotic translation	18	X55733	+	+	+	+		+	
initiation factor 4E (EIF4E) Eukaryotic translation	1	P06730							
initiation factor 4E binding protein 2 (EIF4EBP2) eukaryotic translation	3	L36056	Т, В	+			+	+	
initiation factor 4H (EIF4H) eukaryotic translation	2	Q15056							
linitiation factor 5 (EIF5)	2	U49436	+	+	+	+	+	+	
eukaryotic translation termination factor 1 (ETF1)	2	U90176	+	+	+	+		+	
EV12 protein	1	M55266		+					
Ewing sarcoma breakpoint region 1 (EWSR1)	1	X66899	+	+	+	+		+	
EWS/FLI1 activated transcript 2 homolog (EAT-2)	2	AF020264							
EWS-E1A-F chimeric protein	1	U35622						_	
excision repair cross- complementing rodent repair deficiency, complementation group 1 (includes overlapping antisense sequence)	7	M28650	+	+	+	+		+	
(ERCC1) excision repair cross- complementing rodent	-1-	X69978	· · · · · · · · · · · · · · · · · · ·	+	+	+		+	
repair deficiency, complementation group 5 (xeroderma pigmentosum, complementation group G (Cockayne syndrome)) (ERCC5)									
exostoses (multiple)-like 3 (EXTL3)	1	AF001690		+	+	+	_	7	
F11	1	X77744			\dashv	+	\dashv	-+	
		41						<u></u>	

WO 00/40749

PCT/CA00/00005

1-1-Allege between	·	1 1/2							C1/CAUU/00005
F1-ATPase beta subunit (F-1 beta)	2	X03559				Π	Τ	Τ	
Fanconi anaemia group A	2	Z83095		+	+-	╁╌	╁╌	╁╌	
Fanconi anemia, complementation group A	1	X99226	+	+	+	+	+-	+-	· · · · · · · · · · · · · · · · · · ·
(FANCA)		1				1			
far upstream element (FUSE) binding protein 1	2	U05040	+	-	+	T	+-	+	
(FUBP1)					1				
famesyl diphosphate	1	J05262	+	+	+	+	╁	++	
synthase (farnesyl pyrophosphate						1		1	
synthetase,dimethylallyltra					1			1	
Instransferase, geranyltranstransferase)			ı	1				1	
(FDPS)					İ				
farnesyl-diphosphate farnesyltransferase 1	2	X69141	+	+	+	+	+	+	
(FDFT1)		•							
farnesyltransferase, CAAX box, beta (FNTB)	2	L00635		+	+	t	t	 	
Fas ligand (gene and		AF044583			ļ	<u> </u>	ــ	 	
promoter region) Fas-ligand associated					<u> </u>	L			
factor 1	1	U70667		T					
fatty-acid-Coenzyme A	4	D10040	+	+	+	+	+	+	
ligase, long-chain 1 (FACL1)					ł	ŀ			
Fc fragment of IgA,	1	X54150	<u> </u>	╅┈┈	 	-	-	\vdash	
receptor for (FCAR) Fc fragment of IgE, high	1	M33195	 	++	-	<u> </u>		L.	
affinity I, receptor for:	ļ ·	1,1100100	1	-	+	+		+	
gamma polypeptide (FCER1G)	İ			1			1		
Fc fragment of IgE, low	2	X04772	+	+		-	├─	╁	
affinity II, receptor for (CD23A) (FCER2)			1	1					
Fc fragment of lgG, low	6	M31932	+	++	+	+	+	+	
affinity IIa, receptor for (CD32)		1	1]	
Fc fragment of IgG, low	1	X62572	+	+	+	+	+	+	
affinity IIa, receptor for (CD32) (FCGR2A)								ĺ	
Fc tragment of IqG, low	34	X07934	+	+	+	+	-	+	
affinity Illa, receptor for (CD16) (FCGR3A)								l	
Fc fragment of IgG	3	U12255	 	+	+	+	+	+	high in many libraries
receptor, transporter, alpha (FCGRT)		ĺ							l l l l l l l l l l l l l l l l l l l
fc-fgr	1	Z13983		┼		├		├-	
Fc-gamma-receptorIIIB (FCGR3B)	2	M90746	 		_	┝		-	
feline sarcoma (Snyder-	3	X06292	ļ	↓			_		
Theilen) viral (v-	•	A00292		1					
fes)/Fujinami avian sarcoma (PRCII) viral (v-			}	1					
fDS) Oncodene				1					
homolog(FES) c-fes/fps) female sterile homeotic-	2	X96670	+	ļ.,			L_		
related gene 1 (mouse	_	790070		+	+	+		+	
homolog) (FSRG1) ferritin L-chain	9	Y09188	<u> </u>						
territin, heavy polypeptide 1	4	M11146	+	-	+	+	+	L_	
(FTH1)		1			7	•	T :	+	
fertilin alpha pseudogene fetal Alzheimer antigen	1	Y09232							
(FALZ)	2	U05237		+					
fetal ig heavy chain variable region	1	M34024	 	1				\vdash	
vanable region fibrillarin (FBL)		X56597		+	+				
fibrinogen-like protein 2	3	Z36531	 	\vdash		+ +	+	+	
(T49)			<u></u>						
			12						

42

								r	C1/CA00/00005
receptor 2 (bacteria-	1	M35718	+	+	+	+	+	+	
expressed kinase, keratinocyte growth factor						1			
receptor, craniofacial dysostosis 1, Crouzon]							1	
syndrome) syndrome, Pfeiffer syndrome,				Ì			l		
Jackson-Weiss) (FGFR2) ficolin (collagen/fibringen	19	D83920				Ļ		<u> </u>	
domain-containing) 1 (FCN1)		003920				+		+	
filamin A, alpha (actin- binding protein-280) (FLNA)	2	X53416							
filamin B, beta (actin- binding protein-278) (FLNB)	1	AF043045		+	+		+		
Finkel-Biskis-Reilly murine sarcoma virus (FBR-MuSV)	2	X65923	+	+	+	+	+	+	Highly represented in
ubiquitously expressed (fox derived); ribosomal protein S30 (FAU)									intraepithelial neoplasia and invasive prostate
FK-506 binding protein	1	M80199	+	+	+	+	├	+	tumor
FK506-binding protein 1A (12kD) (FKBP1A)	2	M34539							
FK506-binding protein 1B (12.6 kD) (FKBP1B)	1	M92423		+	 	+	_	+	
FK506-binding protein 5 (FKBP5)	4	U71321		+	+	+		+	
Flightless I (Drosophila) homolog (FLII)	3	U80184		+					
Flightless I (Drosophila) homolog (FLII) (low match) FLN29 (FLN29)	1	U80184							
flotillin 2 (FLOT2)	5	AB007447 M60922	+	+		+		+	
folate receptor 2 (fetal)	1	AF000380	+	+	+	+	+	+	
(FOLR2) forkhead (Drosophila)	1	AF032886	+	+		+		Ļ	
homolog \((rhabdomyosarcoma) like 1 \((FKHRL1) \)	,	7.11 002000	,	Ť		Ť		•	
Formyl peptide receptor 1 (FPR1)	9	M60627	+	+	+	+		+	
formyl peptide receptor-like 1 (FPRL1)	1	M84562							Found only in libraries from placenta
formyl peptide receptor-like 1 (FPRL1) (low score)	1	M84562							расена
fragile X mental retardation 1 (FMR1)	1	L29074	+	+		+		+	
fragile X mental retardation, autosomal homolog 1 (FXR1)	1	U25165	+	+	+	+			
Friend leukemia virus integration 1 (FLI1)	3	M93255	+	+					
fructose-bisphosphatase 1 (FBP1)	1	D26054				+		+	, , , , , , , , , , , , , , , , , , , ,
FSHD-associated repeat DNA, proximal region	1	U85056							
fucose-1-phosphate guanylyttransferase (FPGT)	1	AF017445		+	+	+			
full length insert cDNA clone ZA78A09	1	AF086122	· · · · · · · · · · · · · · · · · · ·				\vdash		
full length insert cDNA YP07G10	1	AF075061							
fumarate hydratase (FH)	1	U59309		+	+	+	$\vdash \vdash \mid$	+	
FUS (low match)	1	X99006							
FYN-binding protein (FYB- 120/130) (FYB)	16	U93049		+		+			

WO 00/40/49								P	CT/CA00/00005
G alpha interacting protein (GAIP) (low score)	1	X91809					Γ	Γ	-
G protein beta subunit-like protein 12.3	2	D28398				 	 	十一	
G protein-coupled receptor 64 (HE6) (non-exact 59%)	1	X81892		+	_	+			
G protein-coupled receptor kinase 6 (GPRK6)	2	L16862	+	+	+	\vdash	\vdash	+	
G1 to S phase transition 1 (GSPT1)	2	X17644		+	+	+	+	+	
GA-binding protein transcription factor, beta subunit 2 (47kD) (GABPB2)	1	D13316		+	+	+	+	+	
galactose-1-phosphate uridylyltransferase (GALT)	2	M60091		1					
galactosidase, beta 1 (GLB1)	3	M27508		+			+	+	
galactosyltransferase (=X13223 N- acetylglucosamide-(beta 1- 4)-galactosyltransferase)	1	M13701							
galectin-9 isoform	1	AB006782	+			+		+	
gamma2-adaptin (G2AD)	1	AF068706	+	+		+	_	+	· · · · · · · · · · · · · · · · · · ·
gamma-actin	2	M37130		+		╁─		-	
gamma-aminobutyric acid (GABA) B receptor 1 (GABBR1)	2	AJ012187		++	+		-	+	
GATA-binding protein 2 (GATA2)	1	M68891				+		+	
GATA-binding protein 3 (GATA3)	1	M69106			+	+		+	
GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 1 (GCN5L1)	3	D64007	+	+	+	+		+	
GDP dissociation inhibitor 1 (GDI1)	1	D45021	+	++	+	+		+	high in adult brain
GDP dissociation inhibitor 2 (GCI2)	4	Y13286						-	
GDS-related protein (HKE1.5)	4	U68142	+	1+1	+	+		+	
gelsolin (amyloidosis, Finnish type) (GSN)	3	X04412		+ +	+	+	+	Ŧ	
general transcription factor II, I (GTF2I)	4	Y14946	+	+	+	+	+	+	
general transcription factor III, i, pseudogene 1 (GTF2IP1)	f	AF038968	+	+	+	+	+	+	high in fetal brain
general transcription factor IIF, polypeptide 1 (74kD subunit) (GTF2F1)	4	X64037	+	+	+	+		+	
general transcription factor IIH, polypeptide 3 (34kD subunit) (GTF2H3)	2	Z30093	В, Т				,		
general transcription factor IIH, polypeptide 4 (52kD subunit) (GTF2H4)	3	Y07595		+		+		+	
general transcription factor IIIA (GTF3A)	1	U14134	+	+		+		+	
general transcription factor IIIC, polypeptide 1 (alpha subunit, 220kD) (GTF3C1)	1	U02619		+		+			
general transcription factor IIIC, polypeptide 2 (beta subunit, 110kD) (GTF3C2)	3	D13636	+	+	+	+	+	+	
germline immunoglobulin heavy chain (IGHV@)	1	L06612							
germline immunoglobulin heavy chain, variabl region	1	X92236	·						
germline immunoglobulin heavy chain, variable region, (21-2)	1	X92343							

11.0 00/40/49								r	CT/CA00/00005
GLE1 (yeast homolog)-like, RNA export mediator (GLE1L)	1	AF058922		+	+		Ī		£.
glia maturation factor, beta (GMFB)	1	AB001106	+	+		+	\vdash	+	
glioma-associated oncogene homolog (zinc finger protein) (GLI)	1	X07384							
glioma-associated oncogene homolog (zinc finger protein) (GLI) (low score)	1	X07384							
globin, alpha 2	1	V00516				├	₩		
glucocorticoid receptor (=M69104)	1	M32284				\vdash	-	_	
glucocorticoid receptor (GRL)	2	U80947	+	+	+	+		+	
glucos phosphate isomerase (CONTAINS LARGE REPEAT)	1	L09105							
glucosamine (N-acetyl)-6- sulfatase (Sanfilippo disease IIID) (GNS)	1	Z12173	+						
glucosamine (N-acetyl)-6- sulfatase (Sanfilippo disease IIID) (GNS) (non- exact 56%)	1	Z12173							
glucose transporter-like protein-III (GLUT3)	1	M20681		+	+	+	+	+	
glucose transporter-like protein-III (GLUT3) (low match)	1	M20681							
glucosidase, alpha; acid (Pompe disease, glycogen storage disease type II) (GAA)	1	Y00839	+	+		+		+	
glucosidase, beta; acid (includes glucosylceramidase) (GBA)	1	K02920	+	+	+	+		+	
glutamate dehydrogenase 1 (GLUD1)	1	M20867		+	+	+	+	+	
glutamate-ammonia ligase (glutamine synthase) (GLUL)	12	X59834	+	+	+	+		+	
glutamate-ammonia ligase (glutamine synthase) (GLUL) (low score)	1	Y00387							
glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), catalytic (72.8kD) (GLCLC)	1	M90656				+			-
glutamine cyclotransferase	1	X71125		++	+		├─	\vdash	
glutamine-fructose-6- phosphate transaminase 1 (GFPT1)	1	M90516		+		+			
glutaminyl-tRNA synthetase	1	X72396				-	_		
glutaminyl-tRNA synthetase (QARS)	6	X76013	+	+	+	+		+	
glutamy-proly-tRNA synthetase (EPRS)	1	X54326							
glutathione peroxidase 1 (GPX1)	2	M21304	+	+	+	+	+	+	
glutathione peroxidase 4 (phospholipid	1	X71973	+	+	+	+		+	
hydroperoxidase) (GPX4) glutathione S-transferase pi (GSTP1)	1	U30897		+	+	+	+	+	
glutathione S-transferase subunit 13 homolog	1	AF070657				\vdash			
glyceraldehyde-3- phosphate dehydrogenase (GAPD)	12	J02642					+		
···-		<u>_</u>							

45

								-	2C1/CA00/00005
glycogenin (GYG)		U31525		+	+	+	Γ	TŦ	7
glycophorin C (Gerbich blood group) (GYPC)	1	X12496		+	+	+		+	
glycoprotein M6B (GPM6B)	1	U45955		+	+	1	 	+	
glycyl-tRNA synthetase (GARS)	1	U09587		+	+	+	-	+	<u>† </u>
glyoxalase I (lactoyl glutathione lyase) (GLYI)	1	L07837	+	+	+	+		+	
golgi autoantigen, golgin subfamily a, 1 (GOLGA1)	1	U51587		+		+		\vdash	
golgi autoantigen, golgin subfamily a, 2 (GOLGA2) (non-exact, 70%)	1	L06147							
golgi autoantigen, golgin subfamily a, 4 (GOLGA4)	. 1	U31906						_	<u> </u>
golgi autoantigen, golgin subfamily b, macrogolgin (with transmembrane signal), 1 (GOLGB1)	1	X75304		+	+	+		+	
gp25L2 protein	4	X90872		 		-		-	
grancalcin	8	M81637		+	+	+	-	-	
granulin (GRN)	16	X62320	+	+	+	+	_	+	
granulin (GRN) (low match)	1	X62320		-				<u> </u>	
Granulysin (NKG5)	5	M85276	+	 	ļ	 	-	+	
granzyme A (granzyme 1, cytotoxic T-lymphocyte-associated serine esterase 3) (GZMA)	1	M18737	+	+	+	+		+	
GRB2-related adaptor protein (GRAP)		U52518	Tonly					-	-
Grb2-related adaptor	1	AF090456		[+		
GRO1 oncogene (melanoma growth stimulating activity, alpha) (GRO1)	1	X54489				+		+	
growth arrest and DNA- damage-inducible gene (GADD153)	1	S40706	· · · · · · · · · · · · · · · · · · ·						
growth arrest-specific 7 (GAS7)	4	AB007854		+	+				
growth factor receptor- bound protein 2 (GRB2)	1	X62852	В	+			Ŧ	+	
GS1 (protein of unknown function)	1	M86934		+	+	+			
GS3955	4	D87119	··	+	+	+	\dashv	+	
GTP binding protein 1 (GTPBP1)	1	U87964		+	+	+			
GTP binding protein similar to S. cerevisiae HBS1 (HBS1)	1	U87791		+	+	+		+	
GTPase activating protein- like (GAPL)	1	AB011110		+	+	+	\dashv	+	high fetal brain
GTP-binding protein (low match)	- 1	Z49068				\dashv	\dashv		
GTP-binding protein G(K), alpha subunit (=G(I) ALPHA-3)(=GTP-binding regulatory protein Gi alpha- 3 chain)	1	P08754							
Gu protein (GURDB)	2	U41387	+		+	+	\dashv	+	
guanine nucleotide binding protein	1								
guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 (GNAI2)	4	J03004	+	+	+	+		+	

guanino muelo el de la como									PC1/CA00/00005
guanine nucleotide binding protein (G protein), alpha inhibiting activity	7	M20597	+	+	+	+		1	
polypeptide 3 (GNAI3) guanine nucleotide binding	2	- VALUED					L		
protein (G protein), alpha stimulating activity polypeptide 1 (GNAS1)	2	X04409	B, T	+			+	•	
guanine nucleotide binding protein (G protein), alpha transducing activity	1	218859			+-	\dagger	\dagger	+	
DOIVDeptide 2 (GNAT2)									
guanine nucleotide binding protein (G protein), beta 5 (GNB5)	2	AF017656		+	+	+		+	
guanine nucleotide binding protein (G protein), beta polypeptide 1 (GNB1)	5	M36430	+	+	+	1	+	+	
guanine nucleotide binding protein (G protein), q polypeptide (GNAQ)	2	AF011496		+	+	+			
guanine nucleotide binding protein-like 1 (GNL1)	1	L25665	+	+	+	+		+	
guanine nucleotide exchange factor	1	L13857	+	+	+	+	-	+	
guanine nucleotide regulatory factor (LFP40)	1	X15610	+	+	+	+	-	╁	
guanine nucleotide regulatory factor (LFP40)	1	U72206	+	+	+	+	\vdash	+	
GUANINE NUCLEOTIDE- BINDING PROTEIN BETA	1	P25388	<u> </u>	╁	 	╄	╄	+	-
SUBUNIT-LIKE PROTEIN 12.3 (P205) (RECEPTOR OF ACTIVATED PROTEIN KINASE C 1) (RACK1)									
GUANINE- MONOPHOSPHATE SYNTHETASE (GMPS)	1	U10860		 	+			-	
guanosine monophosphate reductase (GMPR) (non- exact, 72%)	1	M24470		-				\vdash	
guanosine-diphosphatase like protein	1	AF016032		+	ļ	-	-	-	
guanylate binding protein 1, interferon-inducible, 67kD (GBP1)	2	M55542		+	+	+	+	+	
guanylate binding protein 2, interferon-inducible (GBP2)	6	M55543	+	+	+	+		+	
H2A histone family, member C (H2AFC)	1	Z83742		1		_			
H2A histone family, member Y (H2AY)	2	AF041483	+	+	+	+		+	
H2B histone family, member L (H2BFL)	2	Z80783	+	+	+	+	+	+	high in adrenal gland
h2-calponin	1	D86059		 	-	-		-	tumor
H-2K binding factor-2 H3 histone family, member	1	L08904		+	+	+	-	+	
K (H3FK) H3 histone, family 3A	1	Z83735							
(H3F3A) · [7	M11353	+	+	+	+		+	high in ovary
H3 histone, family 3B (H3.3B) (H3F3B) hbc847	15	Z48950	+	+	+	+		+	high in endothelial cells
heat shock 27kD protein 1	1	U68494 U12404		+	+	+	+	+	
heat shock 40kD protein 1	4	D85429	+	+	+	+	+	+	high in testis
heat shock 60kD protein 1	3	M22382	+	<u> </u>	+	<u> </u>	+	+	mga m teatis
(chaperonin) (HSPD1) heat shock 70kD protein 1	7	M59828	+						
(HSPA1A)		19155020		+	+	+	+	+	high in activated T cells

lhoot shook //I/N					_				C1/CA00/00005
heat shock 70kD protein 5 (glucose-regulated protein, 78kD) (HSPA5)	13	X87949		+	+		+		
heat shock 70kD protein 6 (HSP70B') (HSPA6)	4	X51757	+	+	+	\vdash	\vdash	H	
heat shock 70kD protein 9B (mortalin-2) (HSPA9B)	2	L15189		+	+	+	+	+	
HEAT SHOCK COGNATE 71 KD PROTEIN	1	P11142		†					
heat shock factor binding protein 1 (HSBP1)	2	AF068754						T	
heat shock protein 90	13	M27024	+	+	+	+	+	+	high in many libraries
heat shock protein, DNAJ- like 2 (HSJ2)	1	D13388		+	+		+	+	
Hect (homologous to the E6-AP (UBE3A) carboxyl terminus) domain and RCC1 (CHC1)-like domain	1	U50078		+	+	+			
(RLD) 1 (HERC1) hect domain and RLD 2	1	AB002391	+	+	+	+		+	
(HERC2)					T	۲	Ì	•	
helicase-like protein (HLP) helix-loop-helix protein	1	X98378	+	+		+		+	
HE47 (E2A) hematopoietic cell-specific	1	M65214						+	
Lyn substrate 1 (HCLS1) heme oxygenase	18	X16663	+		+	+		+	
(decycling) 1 (HMOX1)	1	X06985		+		+	+	+	
HEMOGLOBIN ALPHÁ CHAIN	1	P19015							
hemoglobin beta (beta globin)	5	AF117710							
hemoglobin, alpha 1 (HBA1)	301	√00491			+		+	+	
hemoglobin, alpha 1 (HBA1) (low match)	1	V00491						-	
hemoglobin, alpha 1 (low match)	1	V00493							
hemoglobin, alpha 1 (non- exact, 76%)	1	J00153						-	
hemoglobin, alpha 1 (non- exact, 82%)	1	V00493							
hemoglobin, beta (HBB)	129	V00497	+	+	+	+	+	+	high in many libraries
hemoglobin, beta (HBB) (low match)	1	V00497							
hemoglobin, beta (HBB) (low match)	1	L48220							
hemokine (C-X-C motif), receptor 4 (fusin) (CXCR4)	1	D10924	+	+	+	+		+	
hemopoletic cell kinase (HCK)	5	M16591				+		+	
hepatitis C-associated microtubular aggregate protein p44	2	D28908							
hepatoma-derived growth factor	1	D16431	+	+	+	+	-	+	
Hermansky-Pudlak syndrome (HPS)	2	U65676	· · · · · · · · · · · · · · · · · · ·						
HERV-E integrase (non- exact 76%aa)	1	AF026248					\neg		
heterogeneous nuclear protein similar to rat helix destabilizing protein (FBRNP)	2	S63912		+	+	+		+	
heterogeneous nuclear ribonucleoprotein (C1/C2) (HNRPC)	4	M16342							
heterogeneous nuclear ribonucleoprotein A/B (HNRPAB)	1	M65028	+	+	+	+	+	+	

W 0 00/40/49								F	C1/CA00/00003
heterogeneous nuclear ribonucleoprotein A1 (HNRPA1)	20	X12671	+	+	+	+	+	+	High in alveolar rhabdomyosarcoma
heterogeneous nuclear ribonucleoprotein A2/B1 (HNRPA2B1)	3	M29064	+	+	+	+	+	+	High in activated T cell, fetal brain
heterogeneous nuclear ribonucleoprotein D (hnRNP D)	2	D55673	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein D-like (HNRPDL)	5	D89092	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein F (HNRPF)	1	L28010	+	+	+	+		+	
heterogeneous nuclear ribonucleoprotein F (HNRPF) (83%)	1	L28010							
heterogeneous nuclear ribonucleoprotein G (HNRPG)	2	Z23064		+	+	+		+	
heterogeneous nuclear ribonucleoprotein H (HNRPH) (FTP-3)	3	P55795							
heterogeneous nuclear ribonucleoprotein H (HNRPH) (low match)	1	P31943							
heterogeneous nuclear ribonucleoprotein H1 (H) (HNRPH1)	2	L22009	+	+	+	+		+	
heterogeneous nuclear ribonucleoprotein K (HNRPK)	21	S74678	+	+	+	+	+	+	
heterogéneous nuclear ribonucleoprotein R (HNRPR)		AF000364		+	+	+	+	+	
neterogeneous nuclear ribonucleoprotein U (scaffold attachment factor A) (HNRPU)	3	X65488	+	+	+	+	+	+	
hexokinase 1 (HK1)	2	X66957		+	+	+		+	
hexokinase 2 (HK2)	3	Z46376	+	+	+	+		+	
hexokinase 3 (HK3)	2	U51333							
hexosaminidase A (alpha polypeptide) (HEXA HGMP07I gene for	1	S62047							
olfactory receptor	2	U76377							
High density lipoprotein	2	M64098	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein 1 (HMG1)	5	X12597	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein 1 (HMG1) (non- exact 60%)	1	D63874							
High-mobility group (nonhistone chromosomal) protein 17 (HMG17)	2	M12623	+	+	+	+		+	
high-mobility group (nonhistone chromosomal) protein 2 (HMG2)	2	M83665	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein isoforms I and Y	2	L17131	+	+	+		+	+	
high-risk humanpapilloma viruses E6 oncoproteins targeted protein E6TP1 beta (=AB007900 KIAA0440)	1	AF090990.1	-				-		
histidine ammonia-lyase (HAL)	1	D16626	· · · · · · · · · · · · · · · · · · ·		+,	only	,		
(· - ·-/	<u></u>	1		Ц					

PCT/CA00/00005

(acticate)								-	01,01100.0000
histidyl-tRNA synthetase (HARS)	2	Z11518	+ -	+	+	+	+	+	1,
histocompatibility antigen (HLA-Cw3), class I	1	U31372							
histone deacetylase 1 (HDAC)	4	U50079	+	+	+	+		+	
histone deacetylase 1 (HDAC1)	2	D50405	+	+	+	+		+	
histone deacetylase 5 (NY-CO-9)	į	AF039691		+	+	\vdash			
HK2 gene for hexokinase II	1	Z46362	 	†—		 	\vdash	\vdash	
HL9 monocyte inhibitory receptor precursor	2	U91928				+		<u> </u>	
HLA class I heavy chain (HLA-Cw*1701)	1				 				
HLA class I locus C heavy chain	1	X58536		 	-		┢	-	
HLA class II SB 4-beta chain	1	X03022		 			\vdash	-	
HLA class III region containing NOTCH4 gene	1	U89335	+	+	+	+		+	
HLA-A	1	Z72423	 	┼	_	 	├	-	
HLA-A	2	AJ006020		+	 	-	\vdash	├-	
HLA-A 7402	1	AJ223060	 	+	 		 	-	
HLA-A11	1	U02934	-	+	 	-	\vdash		
HLA-B	2	X75953	 	∔	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
HLA-B	1	X83401	 	 -	<u> </u>	<u> </u>	ļ	ļ	
нса-в	1-1-	X78426	 	 	L	 _		<u> </u>	
HLA-B associated	 	Z37166	 	+	+		L	L_	
transcript-1 (D6S81E)	1		_	*	*	+	+	+	
HLA-B associated transcript-2 (D6S51E) HLA-B*1529	2	M33509	+	+	+	+			
	4	D44501							
HLA-Bw72 antigen	119	L09736	+	+	+	+	+	+	high in many libraries
HLA-C gene (HLA- Cw*0701 allele) HLA-Cw*0701	1	D83957							
	9	246810	Ŀ						
HLA-Cw*0801	1	D64151						_	
HLA-Cw*1203	1	D64146							
HLA-DC classII histocompatibility antigens alpha-chain (=K01160) HLA-DR alpha-chain	2	X00370							
	17	M60333	+	+	+	+	+	+	high in spleen
HLA-F (leukocyte antigen F)	3	X17093			+	+		+	
HMG box containing protein 1	3	AF019214							
MLH1 (=U83845)	1	AB017806.1							
Hmob33	3	Y14155				\neg			<u> </u>
HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 1 (HRMT1L1)	2	U80213	+	+	+	+		+	
hnRNP C1/C2	2	D28382	 	\vdash					
homeobox (=X58250 Mouse homeo box protein, put. transcription factor involved in embryogenesis and hematopoiesis)	1	M60721							
homeobox protein (HLX1) (=M60721)	1	U14326		\Box		\dashv			
homeodomain-interacting protein kinase 3 (HIPK3)	1	AF004849	+		+	7	\dashv	+	
homolog of Drosophila past (PAST)	2	AF001434	+	+	+	+		+	
homolog of yeast (S. cerevisiae) ufd2 (UFD2)	3	D50916		+	+	+		+	

,							P	CT/CA00/00005
1	U96131		+	+		Т	+	*
1	AB015344	 -	++	+	┼	╁	+	<u> </u>
1	Y08836	†	+-	╁─	╁	╁╴	+	
3	Y00371	 	+	-	-	-	\vdash	
1	AF077036.1	 	- 		╄		┼	<u> </u>
1	AF077207.1	 	+	 	├	├	┼—	ļ
1	U71374	 -	+		-	├	↓	
1	U87836	+	+	+	1	-	1	ļ
1	U80644	 	+	<u> </u>	<u> </u>		<u>⊢</u>	
1	U63533		+	 	┾	├ ─	+	
1	Y12059	+	+	<u> </u>		+	<u> </u>	
1	AF049528							
	U87309		1-		_		 	
	U04627		+	+		+		
1	D16481	+	+	+	+		+	
1	U34879		+			+		
			 					
1			1		_			
1	U96629		\vdash	-	\dashv			
1	AF055004		-		_	_		
					İ			
1	Z70222				\neg		一	
1	AL022238				7	7		
2	AL031432							
2	AL008730			\dashv	7	\dashv	+	
	AL023653					7	7	
					\dashv	\dashv	7	
				\top	7	\dashv	\neg	
1	AB007900			\dashv	7	1		
						.		
1		<u> </u>		\dashv	\dashv	\dashv	4	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 AB015344 1 Y08836 3 Y00371 1 AF077038.1 1 AF077207.1 1 U71374 1 U87836 1 U80644 1 U83533 1 Y12059 1 AF049528 1 U87309 1 U04627 1 U34879 1 U96629 1 AF055004 1 Z70222 1 AL022238 2 AL031432 2 AL03730 2 AL023653 1 AL050131.1 1 AL008729	1 AB015344 1 Y08836 3 Y00371 1 AF077036.1 1 AF077207.1 1 U71374 1 U87836 + 1 U80844 1 U83533 1 Y12059 + 1 AF049528 1 U87309 1 U04627 1 U34879 1 U96629 1 AF055004 1 Z70222 1 AL022238 2 AL031432 2 AL08730 2 AL023653 1 AL050131.1 1 AL008729	1 AB015344 + 1 1 Y08836 3 Y00371 1 AF077036.1 1 AF077207.1 1 U71374 1 U87838 + + 1 1 U80844 1 U83533 + 1 1 Y12059 + + 1 1 AF049528 1 U04627 + + 1 1 U34879 + + 1 1 U96629 1 AF055004 1 Z70222 1 AL022238 2 AL031432 2 AL008730 2 AL028653 1 AL050131.1 1 AL008729	1 AB015344 + + + + + + + + + + + + + + + + + +	1 AB015344 + + + + 1 1 Y08836 3 Y00371 1 AF077036.1 1 AF077207.1 1 U71374 1 U87838 + + + + + + + 1 1 U80844 1 U83533 + + + + + + + + + + + + + + + + + +	1 AB015344 + + + + + + + + + + + + + + + + + +	1

									C1/CA00/00003
hypothetical protein (similar to thrombospondin) (non- exact 56%)	1	AF109907							
hypothetical protein 3	1 .		 	╁		╁	┼-	\vdash	
hypothetical protein B (HSU47926) (non-exact, 56%)	1	U47926							
hypothetical protein from BCRA2 region (CG005)	3	U50532	+	+	+	+		+	
hypoxia-inducible factor 1, alpha subunit (basic helix- loop-helix transcription factor) (HIF1A)	1	AF050115							
la-associated invariant gamma-chain (clones lambda-y (1,2,3))	1	M13555							
iduronate 2-sulfatase (Hunter syndrome) (IDS)	2	M58342	+	+	+	+		+	
lg heavy chain V region (=D11016)	7	L20779					 		
lg heavy chain variable region	2	M34024						-	
Ig heavy chain variable region (VH4DJ) (clone T14.4)	1	Z75378							
Ig heavy chain variable region (VH4DJ) (clone T22.18)	1	275392						-	
lg J cháin	1	M12378	 	\vdash	├		-		
lg kappa	1	549007	 	 	 	├	╁		
IG kappa light chain variable region A20	1	X63398		<u> </u>					
lg kappa light chain, V- and J-region (≃X59315)	1	D90158				\vdash			
lg lambda light chain variable region (26- 34ITIIIF120)	1	Z85052							
lg mu-chain VDJ4-region	1	M16949	 	-	 	 	-	\vdash	
Ig rearranged anti-myelin kappa-chain (V-J4-region, hybridoma AE6-5)	1	M29469		-					
lg rearranged H-chain mRNA V-region	2	M97920							
lg rearranged light-chain V region (=D90158)	1	M74020							
IGF-II mRNA-binding protein 3 (KOC1) (non- exact, 75%)	1	U97188	+	+	+				
IgG Fc binding protein (FC(GAMMA)BP)	1	D84239	+	+		+		+	
lgG heavy chain variable region (vH26)	1	M83136				\vdash		H	
IgM heavy chain (C mu, membrane exons)	1	X14939			<u>-</u>				
IKB kinase-beta (IKK-beta)	1	AF029684						\vdash	
IL-1 receptor type II	1	U14177		†				 	
IL2-inducible T-cell kinase (ITK)	2	S65186							
immediate early protein (ETR101)	1	M62831	+		+	+		+	
immunogloblin light chain (lambda)	1	D87018							
immunoglobulin (CD79A) binding protein 1 (IGBP1)	1	Y08915	В, Т	+	+		+		
immunoglobulin C (mu) and C (delta) heavy chain (=K02878)	2	X57331	-						
immunoglobulin G Fc receptor IIIB	1	Z46223	-						
immunoglobulin gamma 3 (Gm marker) (IGHG3)	3	Y14737	+		-	+		+	high in many libraries
									

WO 00/40749								P	CT/CA00/00005
immunoglobulin gamma heavy chain variable region (=X81011)	1	Z66542							
immunoglobulin heavy chain (VI-3B)	1	X62109						-	
immunoglobulin heavy chain J region	1	X86356							
immunogiobulin heavy chain J region, B1 haplotype	2	X86355	-,,						
immunoglobulin heavy chain variable region (IGH) (clone 21u-48)	1	AF062126							
immunoglobulin heavy chain variable region (IGH) (clone 23u-1)	1	AF052212							
immunoglobúlin heavy chain variable region V1-18 (IGHV@) (=X60503)	2	M99641							
immunoglobulin heavy chain variable region V3-43 (IGHV@)	2	M99672							
immunoglobulin heavy chain variable region V3-7 (IGHV@)	3	M99649							
immunoglobulin IgH heavy chain Fd fragment	1	U07986							
immunoglobulin kappa light chain		X58081							
immunoglobulin kappa light chain V-segment A27	1	X12686							
immunoglobulin light chain immunoglobulin light chain		D86990							
(low match)	1	D86996							
immunoglobulin light chain variable region (lambda IIIb subgroup) from IgM rheumatoid factor	1	L29157							
immunoglobulin M heavy chain V region=anti-lipid A antibody	1	S50735							
immunoglobulin mu (IGHM)	9	X57086	+	+		+		+	
immunoglobulin mu binding protein 2 (IGHMBP2)	1	L24544	1	+			+		
immunoglobulin superfamily, member 2 (IGSF2)		Z33642							
Immunoglobulin VH mRNA (487 bp) (=M99652 immunoglobulin heavy chain variable region V3-11 (IGHV@))	1	X61013							
imogen 38 (IMOGEN38)	1	Z68747		+	+	+		+	
IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1)		J05272	+	+	+	+			
IMP (inosine monophosphate) dehydrogenase 2 (IMPDH2)	2	L39210	+	+	+	+		+	
inc finger protein 151 (pHZ- 67) (ZNF151)	1	Y09723	+	+	+	+		+	
inc finger protein, C2H2, rapidly turned over (ZNF20)	1	AF011573		+	+				
inducible poly(A)-binding protein (IPABP)	1	U33818	+	+	+.	+		+	
inducible poly(A)-binding protein (IPABP) (low match)	1	U33818							

Influeble protein 2	WO 00/40/49								P	CT/CA00/00005
dominant negative helix: loop-fisity protoin (ID2) milbillor of Kappa light loop-fisity protoin (ID2) milbillor of Kappa light loop-fisity protoin (ID2) milbillor of Kappa light loop-fisity protoin (ID2) loop	(Hs.80313)	2	L47738	+	+	+	+	<u> </u>	+	T
Initiation of Kappa light 2	inhibitor of DNA binding 2, dominant negative helix- loop-helix protein (ID2)	4	M97796	+	+	+	+	+	+	
S68-kinase	inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex- associated protein	2	AF044195							
receptor type 1 (ITPR1)	5/6-kinase			+	+	+	+	+	+	
3-kinase 8 (IPPKB) Inositol polyphosphatase Inositol polyphosphatase Inositol polyphosphatase Inositol polyphosphatase Inositol polyphosphatase Inositol polyphosphatase Inositol polyphosphatase Initial Research	receptor type 1 (ITPR1)					+	+			
Incistion Dolyphosphaite-5 Dolyphosphaite-5 Dolyphosphaite-5 L4SkD Dolyphosphaite-5 L4SkD Dolyphosphaite-5 Dolyphosphaite-5 L4SkD Dolyphosphaite-5 Dolyphosphait	13-kinase B (ITPKB)			В	+	+		+		
Inschipation Insc		1	538980							
Insulin-like growth factor 2 receptor (IGF2R)	phosphatase, 145kD (INPP5D)			, +	+	+	+		+	
receptor (IGF2R) integral membrane protein 1 (ITM1) integral membrane protein 2C (ITM2C) Integral membrane protein 3 U61734 + + + + + + + + + + + + + + + + + + +	protein	·			+				+	
1 (TM4) Integral membrane protein 2C (TM2C) Integral membrane protein 3	receptor (IGF2R)			+	+	+	+		+	
10 10 10 10 10 10 10 10	1 (ITM1)		L38961			+	+		+	
Tintegrin beta 4 binding protein (ITGB4BP) integrin, alpha 2b (platelet glycoprotein lib of lib/filla complex, antigen CD41B) (ITGA2B) integrin, alpha 5	I2C (ITM2C)		AF038953			+		+	+	
protein (ITGB4BP) integrin, alpha 2b (platelet glycoprotein lib of lib/lila complex, antigen CD41B) (ITGA2B) integrin, alpha 5 (attigen CD41B) (ITGA5) integrin, alpha 1 (antigen CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL) integrin, alpha M (complement componentreceptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM) integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAN) integrin, beta 7 (ITGB1) integrin, beta 1 (fibronectin 2 receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1) integrin, beta 2 (antigen CD18 (p85), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) (ITGB2) integrin, beta 7 (ITGB7) 1 M68892 + + + + + + + + + + + + + + + + + + +	Tmp21-I (p23)	3	U61734	+	+	+	+	+	+	
glycoprotein lib of lib/lila complex, antigen CD41B) (ITGA2B) integrin, alpha 5 (fibronectin receptor, alpha polypeptide) (ITGA5) integrin, alpha L (antigen CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL) integrin, alpha M (complement componentreceptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM) integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAX) integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAX) integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1) integrin, beta 2 (antigen 32 M15395 + + + + + + + + + + + + + + + + + + +	protein (ITGB4BP)	2	AF047433		1	+	_		+	
(fibronectin receptor, alpha polypeptide) (ITGA5) integrin, alpha L (antigen CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL) integrin, alpha M (complement componentreceptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM) integrin, alpha X (antigen CD11c (p150), alpha polypeptide) (ITGAX) integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAX) integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1) integrin, beta 2 (antigen CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) (ITGB2) integrin, beta 7 (ITGB7) 1 M68892 + the component of the comp	glycoprotein IIb of IIb/IIIa complex, antigen CD41B)	3	M34480		+			+		
CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL) integrin, alpha M (complement componentreceptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM) integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAX) integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 inctudes MDF2 MSK12) (ITGB1) integrin, beta 2 (antigen CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) (ITGB2) integrin, beta 7 (ITGB7) Integrin, leta 7 (ITGB7) Integrin, leta 7 (ITGB7) Integrin, leta 7 (ITGB7) Integrin, leta 7 (ITGB7) Integrin, leta 7 (ITGB7) Integrin-linked kinase (ILK) Integrin-linked kinase (ILK) Integrin-linked kinase (ILK) Intercellular adhesion Intercellular ad	(fibronectin receptor, alpha polypeptide) (ITGA5)	4	X06256	+	+	+		+	+	
(complement componentreceptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM) integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAX) integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1) integrin, beta 2 (antigen CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) (ITGB2) integrin, beta 7 (ITGB7) 1 M68892 + Integrin, beta 7 (ITGB7) 1 M68892 + + + + + + + intercellular adhesion 1 J03132 + + + + + + + h molecule 1 (CD54), human rhinovirus receptor (ICAM1) intercellular adhesion 1 X15608 + + + + + + + + + + + h molecular adhesion 1 X15608 + + + + + + + + + h molecular adhesion 1 X15608 + + + + + + + + + + h molecular adhesion 1 X15608 + + + + + + + + + + + + + + + + + + +	CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL)	_	Y00796							
CD11C (p150), alpha polypeptide) (ITGAX) integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1) integrin, beta 2 (antigen 32 M15395 + + + + + + + + + + + + + + + + + + +	(complement componentreceptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM)		M18044							
receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1) integrin, beta 2 (antigen	CD11C (p150), alpha	1		+	+				+	
CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) (ITGB2) integrin, beta 7 (ITGB7) 1 M68892 + Integrin-linked kinase (ILK) 1 U40282 + + + + + + Intercellular adhesion 1 J03132 + + + + + + + Intercellular achesion 1 J03132 + + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + Intercellular adhesion 1 X15606 + + + + + + + Intercellular adhesion 1 X15606 + + + + + + Intercellular adhesion 1 X15606 + + + + + + + Intercellular adhesion 1 X15606 + + + + + + Intercellular adhesion 1 X15606 + + + + + + Intercellular adhesion 1 X15606 + + + + + + Intercellular adhesion 1 X15606 + + + + + + Intercellular adhesion 1 X15606 + + + + + + Intercellular adhesion 1 X15606 + + + + + Intercellular adhesion 1 X15606 + + + + + Intercellular adhesion 1 X15606 + + + + + Intercellular adhesion 1 X15606 + + + + Intercellular adhesion 1 X15606 + + Intercellular adhesion 1 X15606	receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1)	2								
Integrin-linked kinase (ILK) 1 U40282 + + + + + + + + + + + + + + + + + +	CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) ((TGB2)				+		+		+	
intercellular adhesion 1 J03132 + + + + + + + + + + + + + + + + + + +		•	1							
molecule 1 (CD54), human rhinovirus receptor (ICAM1) Intercellular adhesion 1 X15606 + + + + + + +	, -		1	+ _	+	+	+		+	
	molecule 1 (CD54), human rhinovirus receptor (ICAM1)			+			+	+	+	
		1	X15606	+	+	+	+		+	

WO 00/40749

PCT/CA00/00005

1	X69819 L27670 M91196	+					+	
1							+	
	M91196]_	!				1	1
	M91196		1					
1		W,	Tlymp	homa	1	-		
	M91196							
4	X15949	+	+	+	+			
	L05072	+	+	+	+		+	
	U51127	+	+		+			
_			+	+	+		+	
	<u> </u>	+	+		+		+	
1	P32455							
3	X84958		+	+	+		+	
5	M14660							
5	X57351	T		+		+	+	
	1			+		+	+	İ
	Y10313		+	+			+	
2	M87503		+		+		+	·
1	U64094				+			
1	U08988	Tactivat	ed	+			+	
		+						only found in T cell
			+	+	+	+	+	
6	U82972		+					
	U43672							
6	D11086	+		+			+	
3	X52425	+	+		+		+	
5	X12830		+				+	
1	M57230							
14	M29696	+ .					+	
7	AF043123				\vdash			
8	Y00787	+		+		Ŧ		High in activated T cells, bone and pancreatic islets
	3 5 1 3 5 1 2 1 2 2 6 1 9 6 3 5	4 L05072 1 U51127 2 M63838 9 J03909 1 P32455 3 X84958 5 M14660 5 X57351 1 X57352 5 Y10313 2 M87503 1 U64094 1 U08988 2 U03187 2 Y09328 6 U82972 1 U43672 9 M26062 6 D11086 3 X52425 5 X12830 1 M57230 14 M29698 1 AF043123 8 Y00787	4	4	4	4	4	4 L05072 + + + + + + + + + + + + + + + + + + +

55

770 00/40/49									C1/CA00/00005
interleukin 8 receptor alpha (IL8RA)	11	L19591				T		Γ	
interleukin 8 receptor, beta (IL8RB)	14	M94582		1	\vdash	┼	<u> </u>	\vdash	
interleukin enhancer binding factor 2, 45kD (ILF2)	3	U10323	+	+	+	+	+	+	high in uterus
interleukin enhancer binding factor 3, 90kD (ILF3)	2	U10324						-	
interleukin-1 receptor- associated kinase 1 (IRAK1)	2	L76191		+	+	+		+	
interleukin-1 receptor- associated kinase 1 (low match)	1	U52112							
interleukin-10 receptor, alpha (IL10RA)	5	U00672	+	+	+	+	-		
interleukin-11 receptor, alpha (IL11RA)	7	Z38102		+	+	\vdash			· · · · · · · · · · · · · · · · · · ·
INTERLEUKIN-14 PRECURSOR (IL-14) (HIGH MOLECULAR WEIGHT B-CELL GROWTH FACTOR) (HMW-BCGF) (non-exact 48%)	1	P40222							
intestinal carboxylesterase; liver carboxylesterase-2 (ICE)	1	U60553		+			+		
inversin protein (non-exact 52%)	1	AF084367		†					
IQ motif containing GTPase activating protein 1 (IQGAP1)	6	L33075							
IQ motif containing GTPase activating protein 2 (IQGAP2)	1	U51903		+		+			
isocitrate dehydrogenase 1 (NADP+), soluble (IDH1)	1	AF020038	+	+	+	+	+	+	
isocitraté dehydrogenase 2 (NADP+), mitochondrial (IDH2)	2	X69433	+	+	+	+	+	+	
isocitrate dehydrogenase 3 (NAD+) alpha (IDH3A)	2	U07681			+		\dashv		
isocitrate dehydrogenase 3 (NAD+) gamma (IDH3G)	1	Z68907	+	+	+	+		+	
isolate Aus3 cytochrome b (CYTB)	1	AF042516							
isolate TzCCR5-179 CCR5 receptor (CCR5)	1	AF011524					_		
isopentenyl-diphosphate delta isomerase (IDI1)	5	X17025	+	+	+	+	$\neg \dashv$	+	
Janus kinase 1 (a protein tyrosine kinase) (JAK1)	4	M64174	+	+	+	+		+	
Janus kinase 2 (a protein tyrosine kinase) (JAK2)	1	AF005216					\dashv		
Jk-recombination signal binding protein (RBPJK)	2	L07876				\dashv	\dashv		
JM1 protein jumonji (mouse) homolog	1	AJ005890		+		+			
(JMJ) jun D proto-oncogene		U57592		+	+	+		+	
(JUND) I	1	X51346	+	+	+	+	\neg	+	
jun dimerization protein junction plakoglobin (JUP)	1	AF111167 M23410		+	+	+	\Box		only found in germ
				_ *				+	1

77 0 00/40/49								r	C1/CA00/00005
kangai 1 (suppression of tumorigenicity 6, prostate; CD82 antigen (R2		U20770	+	+	+	+	+	+	
leukocyte antigen, antigen detected by									
monocional and antibody IA4)) (KAI1)					1				
karyopherin (importin) beta 1 (KPNB1)	2	L39793	+	+	+	+	+	+	ļ ————————————————————————————————————
karyopherin (importin) beta 2 (KPNB2)	1	U72395	+	+	+	+	\vdash	十	
karyopherin alpha 1 (importin alpha 5) (KPNA1)	1	S75295	+	+	+	\vdash	+	\vdash	
karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	1	U09559	 	†	 	╁╌	\vdash	 	
(DPNA2)	1	D89618			<u> </u>	<u>_</u>	+	<u> </u>	
(importin alpha 4) (KPNA3)				'					
karyophenn alpha 4 (KPNA4)	1	M17887		+	+				
Katanin (80 kDa) (KAT)	1	AF052432		+	+	+	T	+	
KE03 protein	2	AF064604		1			1	 	
Kelch-like ECH-associated protein 1 (KIAA0132) (66%aa)	1	D50922							
Keratin 8 (KRT8)	1	X74929	 -	+	+	├ ∓	+	+	
ketohexokinase	1	X78678		+	-	+	+	┤	<u> </u>
(fructokinase) (KHK) KIAA0001 (KIAA0001)	1	045004	L	1			1		
(72% aa)	'	Q15391							
KIAA0001 (KIAA0001) (76% aa)	1	Q15391			<u> </u>	-		-	
KIAA0001 (KIAA0001) (non-exact 72%)	1	Q15391							
KIAA0002 (KIAA0002)	5	D13627	<u> </u>	+	+	+	┼─	+	
KIAA0005 (KIAA0005)	4	D13630		+	+	+	╁	+	
KIAA0010 (KIAA0010)	1	D13635		+	-	-	├	+	
KIAA0018 (KIAA0016)	1	D13641	+	+	+	+	 	+	
KIAA0017 (KIAA0017)	2	D87686		f	 		 	-	
KIAA0022 (KIAA0022)	2	D14664		+	+	+	\vdash	-	
KIAA0023 (KIAA0023)	1	D14689		+	-		-	-	
KIAA0024 (KIAA0024)	1	D14694	+	+	+	+	╁	+	
KIAA0025 (KIAA0025)	1	D14695		+	+	+	+	+	
KIAA0026 (KIAA0026)	2	D14812		+	+	+	 	+	
KIAA0027	1	D25217		+	├─		\vdash		
KIAA0032 (KIAA0032)	2	D25215		+	+	+		┢─	
KIAA0040 (KIAA0040)	1	D25539	+	+	+	+	-	+	
KIAA0050 (KIAA0050)	4	D26069		 	 		\vdash	-	
KIAA0053 (KIAA0053)	17	D29642	+	 	+	+		-	
KIAA0057 (KIAA0057)	1	D31762	+	+	+	+	+	+	high in fetal lung
KIAA0058 (KIAA0058)	11	D31767	+	 - -	+	+	-	+	
KIAA0063 (KIAA0063)	3	D31884	+	+	+	+		+	
KIAA0064 (KIAA0064)	1	D31764	+	+	+	+	-	+	
KIAA0066	1	D31886	+	+	+	+	-	+	
KIAA0068		D38549		+	+	+	+	+	
KIAA0073	3	D38552		+	+	+	\vdash	+	
KIAA0081	2	D42039		+		+	-	+	
KIAA0084	2	D42043	+	+	+	+	-	+	
KIAA0085	26	U30498	+	+	+	+	+	+	
KIAA0088	3	D42041	+	+	+	+	+	+	
KIAA0090	2	D42044	+	+	+	+	+	+	
KIAA0092 (KIAA0092)	1	D42054		+	+	+	\vdash	+	
				L		لــــــــــــــــــــــــــــــــــــــ	لــــا		

KIAA0094 3	+ + + + + + +	+ + +	+++	+ + + +	6.
KIAA0096 1 D43636 + + KIAA0097 (KIAA0097) 1 X92474 1 + KIAA0099 (KIAA0099) 3 D43951 + + KIAA0102 (KIAA0102) 2 D14658 + KIAA0105 1 D14661 B + KIAA0120 2 P37802 KIAA0120 (non-exact, 1 M83106 65%) KIAA0121 (KIAA0121) 1 D50911 + + KIAA0123 1 D21064 + KIAA0128 1 D50918 + +	+ +	+	+	+	
KIAA0097 (KIAA0097) 1	+ +	+	+	+	
KIAA0099 (KIAA0099) 3 D43951 + + KIAA0102 (KIAA0102) 2 D14658 + KIAA0105 1 D14661 B + KIAA0120 2 P37802 KIAA0120 (non-exact, 65%) 1 M83106 65%) KIAA0121 (KIAA0121) 1 D50911 + + KIAA0123 1 D21064 + + KIAA0128 1 D50918 + +	+ + +	+	+	+	
KIAA0102 (KIAA0102) 2 D14858 + KIAA0105 1 D14681 B + KIAA0120 2 P37802 KIAA0120 (non-exact, 1 M83106 65%) KIAA0121 (KIAA0121) 1 D50911 + + KIAA0123 1 D21064 + KIAA0128 1 D50918 + +	+ +	+	+	+	
KIAA0105 1 D14681 B + KIAA0120 2 P37802 KIAA0120 (non-exact, 1 M83106 65%) KIAA0121 (KIAA0121) 1 D50911 + + KIAA0123 1 D21064 + KIAA0128 1 D50918 + +	+				
KIAA0120 2 P37802 KIAA0120 (non-exact, 1 M83106 65%) KIAA0121 (KIAA0121) 1 D50911 + + KIAA0123 1 D21064 + KIAA0128 1 D50918 + +	+		+	+	
KIAA0120 (non-exact, 1 M83106 65%) KIAA0121 (KIAA0121) 1 D50911 + + KIAA0123 1 D21064 + KIAA0128 1 D50918 + +	+				
65%) KIAA0121 (KIAA0121)	+		<u> </u>	1	
KIAA0123 1 D21064 + KIAA0128 1 D50918 + +	+				
KIAA0128 1 D50918 + +		+		+	- ,
1 , 2000,0	1 +	+		+	
		+	 	+	, , , , , , , , , , , , , , , , , , , ,
KIAA0129 (KIAA0129) 1 D50919 + +	+	+			
KIAA0130 (KIAA0130) 1 AF055995 +	+	+		 	
KIAA0136 2 D50926	 	 	 	 	
KIAA0137 (KIAA0137) 1 AB004885 +	+	+	 	+	· · · · · · · · · · · · · · · · · · ·
KIAA0140 (KIAA0140) 1 D50930 + +		+	 	+	
KIAA0141 (KIAA0141) 3 D50931	 	\vdash			
KIAA0144 (KIAA0144) 3 D63478 + +	+	+		+	
KIAA0144 (KIAA0144) (low 1 D63478 match)		-		 	
KIAA0144 (non-exact 61%) 1 Q14157	 	\vdash			
KIAA0144 (non-exact 65%) 1 Q14157	 	├		-	
KIAA0146 2 D63480 +	+	+		+	
KIAA0148 (KIAA0148) 1 D63482 +	 	╁	-	+	
KIAA0154 2 D63876 + +	+	+		+	
KIAA0156 1 D63879 +	+	+		+	
KIAA0160 2 D63881	├	-	 	 	
KIAA0161 (KIAA0161) 1 D79983 + +		+	-	-	
KIAA0164 (KIAA0164) 3 D79986	├	<u> </u>		<u> </u>	
KIAA0167 (KIAA0167) 1 D79989 +	 	 			
KIAA0168 (KIAA0168) 3 D79990 +	+	+		+	
KIAA0169 3 D79991	<u> </u>	Ļ <u>`</u>	ļ	Ť	
KIAA0171 (KIAA0171) 3 D79993 +	+	+	<u> </u>	+	
KIAA0174 (KIAA0174)	+	+		+	
KIAA0179 2 D80001 +	+	+		+	
	1		L.		
	+	+	<u> </u>	+	
	+	+	+	+	
50000	+	+	<u> </u>	+	
KIAA0191 (non-exact 77%) 1	<u> </u>	<u> </u>	<u> </u>		
KIAA0193 (KIAA0193) 1 D83777 + +	+	+		+	
KIAA0200 (KIAA0200) 1 D83785 +	+	+		+	
KIAA0210 (KIAA0210) 3 D86965					
KIAA0217 2 D86971 + +	+	+		+	
KIAA0219 2 U77700 +	+	+		+	
KIAA0222 (KIAA0222) 1 D86975			Ι		
KIAA0223 2 D86976					
KIAA0229 1 D86982 + +	†		1		
KIAA0232 (KIAA0232) 1 D86985 +	+	+	\vdash	+	
KIAA0233 (KIAA0233) 1 D87071	t^-	<u> </u>		 	
KIAA0235 2 D87078 + +	+	+	 		
KIAA0239 1 D87076 + +	 	· · ·	-	 	

KIAA0239 (non-exact 80%)		1 1307030	,,					r	C1/CA00/00005
KIAA0240		D87076							
KIAA0242	- 4	D87077				T		T	
KIAA0248	i '	D87684	+	+	+	+	+	+	
	2	D87435		+	+	+		+	
KIAA0249 (KIAA0249)	3	087436	+	+	+	+		+	
KIAA0253	5	D87442	+	+	+	Ŧ	+	+	
KIAA0254 (KIAA0254)	1	D87443		+	+	+	1	t	
KIAA0255(KIAA0255)	4	D87444		+	+	+	 	+	† · · · · · · · · · · · · · · · · · · ·
KIAA0262 (KIAA0262)	3	D87451	+	+	+	+	+-	+	
KIAA0263 (KIAA0263)	1	D87452	+	+	+	+	1	+	
KIAA0264	3	D87453		+	+	+	 	+	
KIAA0268	1	D87742	+	+	+	+	┼	+	
KIAA0269	1	Q92558		+	 	┼	┼	 	<u> </u>
KIAA0275 (KIAA0275)	13	D87465	+	+	 	+	┼	+	
KIAA0304 (KIAA0304)	2	AB002302	+	++	+	+	+	+	
KIAA0308	2	AB002306		+	+	├		+	
KIAA0310 (KIAA0310)	1	AB002308		+-	+	+	├	+	ļ
KIAA0314 (=U96635 M.musculus ubiquitin	3	AB002312	-	 			\vdash	Ė	
protein ligase Nedd-4) KIAA0315 (KIAA0315)	4	AB002313		+	<u> </u>	+	+	+	
KIAA0325 (=1.08505	2	AB002323		 ` -	<u> </u>	ļ.,	ļ <u>, , , , , , , , , , , , , , , , , , ,</u>	<u> </u>	
R.norvegicus cytoplasmic dynein heavy chain (MAP 1C))									
KIAA0329 (KIAA0329)	1	AB002327		+	+	+		+	
KIAA0330	1	AB002328	+	+	+	_		+	
KIAA0332	1	AB002330		+	+	+		+	
KIAA0333	2	AB002331		+	+	+	+	+	
KIAA0336 (KIAA0336)	3	AB002334	+	+	+	+	\vdash	+	
KIAA0336 (KIAA0336) (low match)	1	AB002334		 					
KIAA0342 (KIAA0342)	1	AB002340		+	+			+	
KIAA0344 (KIAA0344)	2	AB002342		_	-	+	-	+	
KIAA0354 (KIAA0354)	1	AB002352	+	+	+	+		+	
KIAA0365 (KIAA0365)	3	AB002363	+	+	+	+	+	+	
KIAA0370	6	AB002368		+	+	+	+	+	
KIAA0372 (KIAA0372)	1	AB002370		 	 		-		
KIAA0373 (KIAA0373)	1	AB002371		+	-	+	Н		
KIAA0375 (KIAA0375)	1	AB002373		+		+	\vdash		
KIAA0377 (KIAA0377)	1	AB002375		+-		+	+		
KIAA0379	1	AB002377		 -	├	+	\vdash		
KIAA0379 (non-exact, 65%)	1	AB002377		-		•			
KIAA0380 (KIAA0380)	1	AB002378	+	+		+	┝╌┥	-	
KIAA0380 (KIAA0380) (60%aa)	1	AB002378		 		-			
KIAA0382 (KIAA0382)	2	AB002380		+	+	+	 	+	
KIAA0383		AB002381		<u> </u>	<u> </u>		$\vdash \vdash$		
KIAA0386 (KIAA0386)		AB002384		_				ļ	
KIAA0392	1	AB002390		 	Ļ				
KIAA0397 (KIAA0397)		AB002390 AB007857		ļ.,	لبط				
KIAA0403	3	L		+	+	+	+	+	
KIAA0404	- 1 -	AB007863 AB007864]				
KIAA0409		1		+		+	\Box		·
KIAA0421	1	AB007869 AB007881		+		+			
		I ABUU/NX3 I	+	+	+			7	
KIAA0424 (non-exact 82%)	- i	AB007884	<u> </u>						

WO 00/40749

PCT/CA00/00005

KIAA0428 (KIAA0428)	9	Y13829							C1/CA00/00005
KIAA0429 (KIAA0429)	- - 2 -	AB007889	 			丄			6
KIAA0430 (KIAA0430)	1 2	AB007890	 	+	+	1+		+	
KIAA0432 (KIAA0432)	- 2							T	only in ovary
KIAA0435 (KIAA0435)	+	U86753	1	*	*	T	Т	\top	
KIAA0438 (KIAA0438)		AB007895				T	T	T	
KIAA0447 (KIAA0447)	1	AB007898		+	+	+	T	+	
KIAA0449	3	AB007916	+	+	+	+	T	+	
KIAA0456	1	AB007918		+		1		+	
KIAA0458 (KIAA0458)	1	AB007925		+	+	+	_	+	
KIAA0462	1	AB007927				1			
KIAA0465	1	AB007931	+	+	+	+	T	+	
	1	AB007934		+	+	+	Ŧ	+	
KIAA0476 (KIAA0476)	1	AB007945		+	+	+	+-	+-	
KIAA0489		AB007958		 	1-	+-	t	+	
KIAA0494 (KIAA0494)	1	AB007963	+	+	+	+	\vdash	++	
KIAA0515	1	AB011087	+	++	+	++	┢	+	
KIAA0521	3	AB011093	+	+	+	╁	┢	+	
KIAA0525	1	AB011097		+	+	+-	-	-	
KIAA0530	1	AB011102		╅	+	+	┈	┼	
KIAA0532	1	AB011104	+	+	+-	+	┝	+	
KIAA0537 (KIAA0537)	1	AB011109		+-	+	 	<u> </u>	+	
KIAA0540	 	AB011112	+	++	+	+	L	+	······································
KIAA0543	1	AB011115		 	+	+	<u> </u>	+	
KIAA0544	 	AB011116		+	+	+	<u> </u>		
KIAA0549	1 2	AB011121		++	+	L	_	+	
KIAA0551	$+\frac{1}{2}$	AB011123		+	<u> </u>	+	L_	+	
KIAA0554	8	AB011126			<u> </u>	<u> </u>	<u> </u>	+	
KIAA0581	 	AB011133		+	+	+		+	
KIAA0562 (KIAA0562)	+	AB011134		+	<u> </u>	+			
KIAA0563 (KIAA0563)	+	AB011135		 	L				
KIAA0569 (KIAA0569)	2	AB011141		<u> </u>	L.				
KIAA0571 (KIAA0571)	 2	AB011143		+	+	+		+	
KIAA0573	1 1	AB011145		+	+	+			
KIAA0576	 i 			+		+		+	
KIAA0580	 	AB011148							
KIAA0584	 	AB011152							
KIAA0592	. 1	AB011156		+					
KIAA0598	3	AB011164	+	+	+	+		+	
KIAA0598 (KIAA0598)	1	AB011168		+	+				
KIAA0608	1	AB011170		+	+	+			
KIAA0614	1	AB011180			+	+			
	2	AB014514	+	+	+	+		+	
KIAA0615 (KIAA0615)		AB014515				_	-		
KIAA0621	1	AB014521		+	+			+	
KIAA0648	1	AB014548		+	+	+		+	
KIAA0652 (KIAA0652)	1	AB014552	+	+	+	+ 		++	
KIAA0668	1	AB014568						+	
KIAA0669	1	AB014569	· · · · · · · · · · · · · · · · · · ·	 -		\dashv			
KIAA0871 (KIAA0671)	7-7-	AB014571		\vdash	+	+		+	
KIAA0675 (KIAA0675)	1	AB014575		+		+	+		
KIAA0676	1	AB014576		+	+	+			
KIAA0677 (KIAA0677)	2	AB014577		+	+	+	ᆛ	+	
KIAA0678	1	AB014578	+	+			+	+	
KIAA0679	6	AB014579	7		+	± 1		+	
		/1001-578		+	+	+	I	+	

PCT/CA00/00005

KIAA0680 (KIAA0680)	T	AB014580							C1/CA00/00005
KIAA0692	 	AB014592	+				↓	\perp	<u> </u>
K/AA0697	+	AB014597	+	+	+	+		+	
KIAA0699	 	_1			<u>L</u> .				
KIAA0700	 	AB014599	+	+	+	+		+	
KIAA0737 (KIAA0737)	L .	AB014600		1 +	+	+		+	T
KIAA0748 (KIAA0748)	3	AF014837	+	+	+	+	\top	+	
	2	AB018291		+			1	1	
KIAA0763 (KIAA0763)	2	AB018306	+	+	+	+	1	+	
KIAA0769 (KIAA0769)	2	AB018312		+	+	+	\top	+	
KIAA0782	1	AB018325	+	+		+	1	+	high in BPH stroma
KIAA0796	1	AB018339	1	+	+	+	+	+	
KIAA0798 (KIAA0798)	1	AB018341	 	 	 	┼	+	H	
KIAA0823	1	AB020630	 	+-	 	╁	+-	+	<u> </u>
KIAA0854	1	AB020661	+ -	+	+	+	+	+	
KIAA0856	1	AB020663	 	+	+	+	+-	+	
KIAA0860	1	AB020667	 	$+\dot{+}$	<u>⊢</u> -	+	╂	Η.	
KIAA0862		AF054828	 	+	+	+	ـــ	 -	
KIAA0871 (non-exact 88%)	 	AB020678	 	+	<u> </u>	╀┷	<u> </u>	 	
KIAA0873	 	AB020680	ļ	+	<u> </u>	1.	_	<u> </u>	
KIAA0892	 	AB020699	+		+	+	<u> </u>	+	
KIAA0906	1	AB020099		+	+	+		+	
KIAA0991	-		+	+	+	+		+	
killer cell lectin-like	 	AB023208.1							
receptor subfamily B.	! '	U11276			+	+		+	
member 1 (KLRB1)			1				ļ	1	
killer cell lectin-like receptor subfamily C.	1	U96846		 	 	 		╁	
member 4 (KLRC4)			<u> </u>					ł	
kinectin 1 (kinesin receptor)	1	D13629		┼		├	├	ļ	
(KTN1) kinesin family member 5B					l	l		ļ	i
(KIF5B)	2	X65873		+	+	+			· · · · · · · · · · · · · · · · · · ·
kinesin-like DNA binding		AB017430		+	+	+	<u> </u>	I.,.	
protein			i '	1	*	*		+	
Krueppel-related DNA- binding protein (TF6) (low	1	M61869				┢		 	
match)]			
Kruppel related gene	1	M20675		-		 	 	<u> </u>	
(clone pHKR1RS) Kruppel-like zinc finger						1	ĺ	ĺ	
protein Zf9	3	U51869	+	+	+	+	+	+	
Kruppel-like zinc finger		U44975	··· -	+-	+		٠	<u> </u>	
protein Zf9 (non-exact	•	0,7,0,70			Τ.	1	+	+	
76%) kruppel-type zinc finger		1							
protein, ZK1	1	AB011414.1							
L apofemitin	3	X03742							
actate dehydrogenase A	3	X02152			+	+	+	+	
(LDHA) i					7	*	*	*	
actate dehydrogenase A (LDHA) (non-exact, 81%)	1	X02152							
actate dehydrogenase B	6	X13794	+	اـــا		لبا	<u></u>		
(LDHB)		7.13734	7	+	+	+	+	+	high in fetal lung fibrablast
actotránsferrin (LTF)	1	U07643	+	\vdash		+		+	high in bone marrow
aminin binding protein (low score)	1	D28372							
aminin receptor 1 (67kD):	20	X15005	+	+	+	+	+	+	high in many libraries
Ribosomal protein SA (LAMR1)	-		•			[*	7	ingit in many libraries
aminin receptor homolog		Carner							
(3' region)		S35960			I				
aminin, gamma 1 (formerly	2	J03202	+	+	+			+	
AMB2) (LAMC1)		<u> </u>				l		[

latent transforming growth factor beta binding protein 1 (LTBP1)	2	M34057		+	+	+		+	
LAZ3/BCL6 (=Z79582;D28522/4)	1	Z79581							
LDLC	2	Z34975	+	 + -	+	+		+	
lecithin-cholesterol	1	M17959		 			-		
acyltransferase (LCAT) (non-exact, 66%)	•	14117333							
lectin, galactoside-binding, soluble, 2 (galectin 2) (LGALS2)	1	M87842			·	+			
lectin, galactoside-binding, soluble, 3 binding protein (galectin 6 binding proteln) (LGALS3BP)	1	L13210	+	+	+	+		+	
leucine rich repeat (in FLII) interacting protein 1 (LRRFIP1)	5	AJ223075	+	+	+	+	+	+	
leucocyte immunoglobulin- like receptor-5 (LIR-5)	2	AF072099				+			
leucocyte immunoglobulin- like receptor-6a (LIR-6)	7	AF025530	~ .						
leucocyte immunoglobulin- like receptor-7 (LIR-7)	2	U82275		+					only found in CNS
leukemia virus receptor 1 (GLVR1)	1	L20859	+	+	+	+		+	
leukocyte adhesion protein p150,95 alpha subunit	1	M29484							
leukocyte antigen, HLA-A2	3	Y13267		1					
leukocyte immunoglobulin- like receptor (MIR-10)	3	AF025528		+					
leukocyte tyrosine kinase (LTK)	1	X60702	+						found only in blood
leukocyte-associated lg- like receptor 1 (LIAR1)	3	AF013249	-			+			
leukotriene A4 hydrolase (LTA4H)	6	J03459	+	+	+	+	+	+	
leupaxin (LDPL)	2	AF062075	+	T		+		+	
ligase I, DNA, ATP- dependent (LIG1)	1	M36067	В, Т	+	+		+	+	
LIM and SH3 protein 1 (LASP1)	2	X82456	+	+	+	+	+	+	
LIM domain kinase 2 (LIMK2)	2	AC002073	+	+	+	+		+	
line-1 protein	7								
Line-1 repeat mRNA with 2 open reading frames	1	U93566	+	+	+	+	+	+	
Line-1 repeat with 2 open reading frames	1	M22332	+	+	+	+	+	+	high in gastric tumor
LINE-T REVERSE TRANSCRIPTASE HOMOLOG	1	P08547							
lipase A, lysosomal acid, cholesterol esterase (Wolman disease) (LIPA)	4	X76488	+	+	+	+		+	
lipase, hormone-sensitive (LIPE)	1	L11706	+	+				+	
LMP7	1	L11045		1	T		T	Γ	
Lon protease-like protein (LONP)	2	X74215	+	+	+	+		+	
low density lipoprotein- related protein 1 (alpha-2- macroglobulin receptor) (LRP1)	2	AF058414					+		only in liver
low density lipoprotein- related protein-associated protein 1 (alpha-2- macroglobulin receptor- associated protein 1) (LRPAP1)	1	M63959		+	+		+	+	

.;

low density lipoprotein-								T.	C1/CA00/00005
related protein-associated protein 1 (alpha-2-imacroglobulin recentor-	1	M63959				T			
associated protein 1) (LRPAP1) (non-exact, 75%)									
low-affinity Fc-gamma receptor IIA	1	L08107	T			十	\top	-	
LPS-induced TNF-alpha factor (PIG7) LSI-1	9	AF010312	+	+	+	+	+	+	
	1	U00921	+	+	+	+	+	+	
L-type amino acid transporter subunit LAT1	1	AF104032		†		\dagger	T	\vdash	
lung resistance-related protein (LRP)	1	X79882	+	++	+	†+	+-	+	
Lymphocyte antigen 75 (LY75)	1	AF011333	В		 	十	1	 	
lymphocyte antigen 9 (LY9)	2	L42621		+	├	╁┈	╁	┼	
lymphocyte antigen HLA- B*4402 and HLA-B*5101	2	L42345		+-	\vdash	\vdash	+	-	
lymphocyte cytosolic protein 1 (L-plastin) (LCP1)	42	J02923		\dagger		\vdash	+		
lymphocyte cytosolic protein 2 (SH2 domain- containing leukocyte protein of 76kD) (LCP2)	4	U20158		<u> </u>	lym	phon	l na, T	activ	ated
lymphocyte glycoprotein T1/Leu-1	2	X04391	+	$\overline{}$	+	T	T		
lymphocyte-specific protein 1 (LSP1)	16	M33552	+	+	+	+	├	+	
lymphocyte-specific protein tyrosine kinase (LCK)	7	M36881		+		-		+	
lymphoid phosphatase LyP1	1	AF001847		╁		-	-		
lymphoid-restricted membrane protein (LRMP)	4	U10485	+	 	+	+	-		
lymphoid-specific SP100 homolog (LYSP100-A)	1	U36500		 				+	
lymphoma proprotein convertase (LPC)	2	U33849	+	+-	+	+		+	
LYSOSOMAL PROTECTIVE PROTEIN		P10619		-					
PRECURSOR (CATHEPSIN A) (CARBOXYPEPTIDASE C)									
lysosomal-associated membrane protein 1 (LAMP1) Lysosomal-associated	1	J04182	+	+	+	+	+	+	
membrane protein 2 (LAMP2) lysozyme (renal	1	J04183		+	+	+	+	*	
amyloidosis) (LYZ)	39	M19045	+	+	+	+		+	
lysyl-tRNA synthetase (KARS)	2	D32053	+	+	+	+		+	
M phase phosphoprotein 10 (U3 small nucleolar ribonucleoprotein) (MPP- 10)	1	X98494							
M1-type and M2-type pyruvate kinase m8A methyltransferase	2	X56494	 -				-	\dashv	
(M1-A70)	7	AF014837	+	+		+	+	\dashv	
mab-21 (C. elegans)-like 1 (MAB21L1)	1	U38810		+	+	+	\dashv	+	
MacMarcks		X70326	+	+		┯┤	+	+	
macrophage-associated	1	Z22968	· · · · · · · · · · · · · · · · · · ·	+	+	-		+	
antigen (MM130)							\perp		

								P	C1/CA00/00005
MADS box transcription enhancer factor 2.	1	U49020		+	+	+	7	T +	T :
polypeptide A (myocyte		İ	1	1	1		ı		
enhancer factor 2A)	1			1	İ		1		1
(MEF2A)	<u> </u>		_}	İ	ı	i	1	1	
MADS box transcription enhancer factor 2.	1	L08895		+	+	1+	1	+	
polypeptide C (myocyte	1		1	1	1		1	1	
enhancer factor 2C)	ļ		ł	1	ł	ł	1	1	
(MEF2C)			}	-				ļ	
major cytoplasmic tRNA- Val(IAC) (=M33940)	1	X17518	1	+		+	+-	+	
major histocompatibility	 1 	LIDEFAL	ļ		<u> </u>				
complex class I beta chain	<u> </u>	M95531	1	1			Γ		
I(HLA-B)		1	1	1	1		1		
major histocompatibility	41	Z93949	+	++	+	+	├	+	high in villous
complex, class I, A (HLA-A) major histocompatibility				_1	L	1	1		adenoma
complex, class I, A (HLA-A)	1	Z72422				T	Г		
(low match)	İ		İ	1			1	1	
major histocompatibility	82	M24097	+	++	+	+	+	+	
complex, class I, C (HAL-	1		1	1			1		
major histocompatibility	77	Manaa	 	1		<u> </u>			
Complex. class E (HI A-F)	''	M20022	+	+	+	+		+	
major histocompatibility	2	U15085	+	╅	+	+	+	+	
complex, class II, DM BETA (HLA-DMB)			1	[]	Ι΄.		1	1	[
major histocompatibility	10	1000	ļ <u>.</u>						
complex, class II. DP beta	"	M57466	+	+	+	+		+	
I1 (HLA-DPB1)	1		ŀ	1	ł	1	İ	1	
major histocompatibility	9	V00522	+	+	+	+	 	+	
complex, class II, DR beta 1 (HLA-DRB1)				1			1		
Major histocompatibility	2	M24070	 	 		ļ	<u>L</u>	L.	
Complex, class II. Y hove	_	10.24070		+	+	1	+	+]
binding protein I; DNA-		ľ					1		
binding protein B (YB1) malate dehydrogenase 1,	1	DEFRE				<u> </u>	<u> </u>	L	
INAD (soluble) (mdh1)		D55654	+	+	+	+	+	+	
malate dehydrogenase 1	3	D55654	 	+	+	-	+	+	
NAD (soluble) (MDH1) malonyl-CoA						ĺ			
decarboxylase precursor	2	AF097832							
maltase-glucoamylase		AF016833				+	-		
(mg)		1		1 1		*	ŀ		
manic fringe (Drosophila) homolog (MFNG)	1	U94352	+	+	+	+		+	
mannose phosphate	1	X76057		\perp					
isomerase (MPI)	•	A/605/		+	+	+		+	
mannose phosphate	2	X76057		+-	+	+	 	+	
isomerase (mpl) mannose-6-phosphate				1 1					
receptor (cation	3	X56253		+	+		+	+	
dependent) (M6PR)		1							
mannose-P-dolichol	1	AF038961		+	+	+		+	
utilitzation defect 1 (MPDU1)						1		1	
mannosidase, alpha B.	1	U60885							
livsosomal (MANB)	•	060665		+	i	+	+	+	
mannosyl (alpha-1,3-)-	1	M55621	+	+ 1	+	+	+	+	
glycoprotein beta-1,2-N- acetylglucosaminyttransfer] .			·			٠	
ase (MGAT1)]					
map 4q35 repeat region		AF064849		├		igsquare			
MAP kinase-interacting	<u>·</u>	AB000409		├		لبا			
serine/threonine kinase 1	_	VP000403		+	+	+	+	+	
(MKNK1)							ĺ		
MAP/ERK kinase kinase 3 (MEKK3)	5	U78876		+					
MAP/ERK kinase kinase 5		D84476		+					
(MEKK5)		50,7,0		*	+		+	1	
		·							

WO 00/40749

PCT/CA00/00005

MAP/microtubule affinity-	1 4	LIBOYER						P	C1/CA00/00005
regulating kinase 3 (MARK3)	"	M80359		+	+			+	
Marenostrin protein	1	Y14441	 		┼	+-	+	4-	
MASL1	1 1	AB016816	 		┿┈	+	┿	+	
MAX dimerization protein (MAD)	3	L06895	 		 	+	╁	+	
MaxiK potassium channel beta subunit	1	AF035046		+	_	+-	+	+	
MBP-2 for MHC binding protein 2	1	X65644		1+	+	+	+	+	-
Meis (mouse) homolog 3 (MEIS3)	1	U68385		+	+	+	+	+	
melanoma-associated antigen p97 (melanotransferrin)	1	M12154		1			T	1	
membrane cofactor protein (CD46, trophoblast- lymphocyte cross-reactive antigen) (MCP)	4	X59405		+	+	+	-	+	
membrane component, chromosome 17, surface marker 2 (ovarian carcinoma antigen CA125) (M17S2)	4	D14696		+-	+	+	+	+	
membrane metallo- endopeptidase (neutral endopeptidase	2	J03779	В		+	+	+	+	
enkephalinase, CALLA, CD10) (MME) membrane protein,	2	M64925							
palmitoylated 1 (55kD) (MPP1) meningioma expressed				+	+	+	+	+	
antigen (MGEA) meningioma expressed	1	U94780				+			
antigen 11 (MEA11) Menkes Disease (ATP7A)	1	U73682	+	+		+	+		
P-type ATPase		L06133		+					
metallo/hionein 2A (MT2A)	1	V00594		++	+	+	+	+	
metaxin 1 (MTX1)	1	U46920		+		+		+	
methionine adenosyltransferase II, alpha (MAT2A)	2	X68838	+	+	+	+		+	
methyl-CpG binding domain protein 1 (MBD1) (non-exact 59%aa)	1	Y10746						\dashv	
methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate	2	X16396	+	+	+	+		+	
cyclohydrolase (MTHFD2) methylenetetrahydrofolate		J04031							
denydrogenase (NADP+ dependent), methenyltetrahydrofolate cyclohydrolase, formyltetrahydrofolate					+	+	+	+	
synthetase (MTHFD1) methyltransferase, putative		K-1997 4 4 4 5				_			
MHC antigen (HLA-B) (=L42024)	1	AJ224442 U14943			\Box	4		_	
MHC class 1 region		AFOFF A		\square]	_]			
MHC class I antigen (HLA-	2	AF055066				7		\neg	
A2) MHC class I antigen (HLA-	1	U70863					\top	\top	
A33) MHC class l'antigen (HLA-		U19736				\neg			
C) (HLA-	1	U38975						\dashv	

MHC class I antigen							-	CI/CAUU/UUUUS
IB*5801 (HLA-B) ~	1	U52813				T		
MHC class I antigen HLA-A (HLA-A)		AF015930		\top				
MHC class I antigen HLA-A (HLA-A-2402 allele)	1	U36687		 	_	+	-	
MHC class I antigen HLA- A11K	2	X13112		+	_	+	├	
MHC class I antigen HLA-B	1	U67331		╁╌┼╴	-	╆	├	
(B*0801 variant) (=AF028596)							1	
MHC class I antigen HLA-B (B*0801 variant) (=U88254)	1	U67330						
MHC class I antigen HLA-B (B*48 allele)	1	AF017328		1 1		+		
MHC class I antigen HLA-B (HLA-B*1502 allele)	1	AF014770	<u> </u>		+	\vdash	 	
MHC class l'antigen HLA-B (HLA-B*40MD)	1	U58643		 	+	+		<u> </u>
MHC class I antigen HLA-B (HLA-B*4103 allele)	1	AF028598		╀╼┼╌		┼─	-	
MHC class I antigen HLA-B	1	AF035648		┼├-		├	_	
gene (HLA-B*4402 variant allele)								
MHC class I antigen HLA-B GN00110-B*3910	1	U52175			\top			
MHC class I antigen HLA- Cw*04011	1	D83030		1	_	┢		
MHC class I antigen R69772 HLA-A (A*0302)	1	U56434				\vdash		
MHC class I antigen SHCHA (HLA-B*4403	1	U58469						
(variant)								
MHC class I histocompatibility antigen	1	U06697						
(HLA-B) (clone C21/14) MHC class I HLA B71	·	10-00-0						
MHC class I HLA-A	1	L07950 Flp						
(Aw33.1) MHC class I HLA-B					- 1			
MHC class I HLA-B (HLA-	1	U18660						
B-07ZEL allele) (=X86704)	1	U18661						
MHC class I HLA-B (HLA- B-08NR allele)	1 -	U28759						
MHC class I HLA-B*3512	1	L76094		 				
MHC class I HLA-B41 variant (=U17572)	3	U17572	· · · · · · · · · · · · · · · · · · ·		\top			
MHC class I HLA-B44.2	1	M24038						
MHC class I HLA-B51- cd3.3	1	L41086				\vdash		
MHC class I HLA-C allele	2	Z33459					_	
MHC class HLA-Cw*0304 (=M84172; M99389)	1	D64150		\vdash	+	-		
MHC class I HLA-Cw*0803	3	215144		 				
MHC class THLA-CWB	1	M28206						
MHC class I HLA-J antigen		L56139				\sqcup	_	
MHC class I lymphocyte	1	M19670		 				
antigen A2 (A2.1) variant DK1						.		
MHC class I mic-B antigen	1	X91625			_			
MHC class I polypeptide- related sequence A (MICA)	1	L14848			+		\neg	
MHC class I protein HLA-C heavy chain (C*0701new allele) (=AF017331)	1	U61274						
MHC class II DNA Sequence (clone A37G7- 1C11)	1	L18885					1	
				<u> </u>				

PCT/CA00/00005

MHC class II DQ-alpha								r	C1/CA00/00005
associated with DRw6, DQw1 protein	1	M16995	+		+	T+		T	
MHC class II DQ-beta associated with DR2, DQw1 protein	2	M17564		+		+	\dagger	+	
MHC class II HAL-DQ- LTR5 (DQ,w8) DNA fragment, long terminal repeat region	1	M33842		1			-		
MHC class II hla-dr alpha- chain (=J00197;M60334;K01117 1;J00194;M60333;X00274)	1	J00195							
MHC class II HLA-DRB1	1	AF007883	 	+-	╂	┼	├	├-	
MHC class II HLA-DRw11- beta-I chain (DRw11.3)	1	M21966	 	┼─	+-	┼	├		
MHC class II lymphocyte antigen (DPw4-beta-1)	1	M23907		-	-	┝	-	_	
MHC CLASS II TRANSACTIVATOR CIITA (non-exact 57%)	1	P33076							
MHC HLA-E2.1 (=X87679)	1	M32507	 	+	├	╁		\vdash	
MHC HLA-E2.1 (alpha-2 domain) (low match)	1	M32507		†		-			
Mi-2 autoantigen 240 kDa protein (non-exact 84%)	1	U08379		 					
microsomal stress 70	1	U04735		 	 	<u> </u>			·
protein ATPase core (stch) microtubule-associated		U19727				L			
protein 4 (MAP4) microtubule-associated	<u> </u>	X73882	+	+	+	+		+	
(MAP7)	<u>'</u>	A/3882							
mineralocorticoid receptor (aldosterone receptor) (MLR)	2	M16801		+		+		+	
minichromosome maintenance deficient (S. cerevisiae) 3 (MCM31)	1	X62153		+	+	+		+	
minichromosome maintenance deficient (S. cerevisiae) 3-associated protein (MCM3AP)		AB011144		+	+	+		+	
minichromosome maintenance deficient (S. cerevisiae) 5 (cell division cycle 46) (MCM5)	2	X74795	+	+	+	+	+	+	
mitochondiral cytochrome b (CYTB)	-1	AF042517				-	十	\dashv	
mitochondrial 16S rRNA mitochondrial ATP	11	Z70759					\dashv	\dashv	
synthase (F1-ATPase) alpha subunit	2	X59066					\top	+	
mitochondrial ATP synthase c subunit (P1 form)	1	X69907				1	\dashv		
mitochondrial cytochrome b (CYTB)	6	AF042508			\dashv	\dashv	\dashv	_	
mitochondrial cytochrome b small subunit of complex II mitochondrial	1	AB006202	-		\dashv	\dashv	+	\dashv	
OXIDASE POLYPEPTIDE I	1	P00395				1	+	+	
mitochondrial CYTOCHROME C OXIDASE POLYPEPTIDE	1	P00403					+	1	
mitochondrial cytochrome C oxidase subunit II	2	P00403			+	\top	+	\top	

WO 00/40/49								P	CT/CA00/00005
mitochondrial cytochrome	5	U12691	T		7				
oxidase subunit II (COII) (=U12692 Hsa4	1							1	
mitochondrion cytochrome	1	1		- 1			1	1	
oxidase subunit II)	i	ļ		- 1	1			1	
mitochondrial DNA loop		X89763			 	-	┷	↓	
attachment sequences		7.007.00	ı	1	1	1			
(clone LAS34)					1			1	
mitochondrial DNA	1	U94703		+	+	+	+	+	
polymerase accessory subunit precursor (MtPolB)	l	1	1	1	1	1	1		
Inuclear gene encoding	1	· ·		1	i	1			
mitochondrial protein,	ŀ	İ	1	1		1	1		
mitochondrial DNA	1	X93334	 	+	 	+-	┿	╁	ļ
complete genome				1	1		1	1	
mitochondrial genes for several tRNAs (Phe, Val,	8	V00710		1	1	+	+	+	···
Leu) and 12S and 16S	ļ		1		1		1	1	
Iribosomai RNAs.			1	1	İ		1		
mitochondrial genes for	3	V00660			-	┼	↓	↓	
ItRNA (Phe) and 12S rRNA		1			1	1	1	ĺ	İ
(fragment) mitochondrial inner		L	İ	1	1	1	1		,
membrane preprotein		AF106622				 		 	
Itranslocase Tim17a		1	1		1		1	1	
mitochondrial isolate Afr7	1	AF042503		-	 -	₩.	↓_	ـــــ	
cytochrome b(CYTB)	,	AI 042505	İ	1				1	
mitochondrial loop	1	X89843		 	├	+	┼	┼—	
attachment sequence (clone LAS88)			1	ł		1	İ	Į.,	
mitochondrial NADH	14	 			<u>L</u>	<u> </u>			
dehydrogenase subunit 2	14	AF014893					T		
(ND2)		Ì	ŀ	1	l	l	İ	i i	
mitochondrial translational	1	L34600	 	++	+	+		+	
initiation factor 2 (MTIF2)			}	'	`	1		'	
mitochondrion cytochrome	1	U09500				t			
mitogen inducible gene	1	704706	ļ			_	<u> </u>	L_ l	
mig-2	•	Z24725	1	+	+	+		+	
mitogen inducible gene	1	Z24725	 	┼	 	 	┝-	-	
mig-2 (non-exact, 71%)			İ	1		1	1		
mitogen-activated protein kinase-activated protein	2	U43784		+	+	+	┰	+	
kinase 3 (MAPKAPK3)				1	1	1			
IMEN51		V90400		<u> </u>	<u> </u>	<u> </u>	L_		
MLN64 (=D38255 CAB1)		X80199		+	+	+	+	+	
moesin (MSN)		X80198	+	+	+	+			
	14	M69066	+	+	+	+	 	+	
monocytic leukaemia zinc finger protein (MOZ)	2	U47742		+	+	+	╌	+	
MOP1 ()						1			
	2	U29165							
motor protein (Hs.78504)	2	D21094	+	+	+	+	\vdash	+	
mouse double minute 2,	1	U39736		 	+	+	-	┝╼╾┥	
human homolog of; p53- binding protein (MDM2)		ł	1			[
M-phase phosphoprotein 6		VODERER		L		L	<u> </u>		
(MPP-6)	1	X98263		+	+	+		+	
M-phase phosphoprotein.		X98260		-		<u> </u>	-	_	
mpp11						1			
MPS1	1	L20314		+-+		 	-		
Mr 110,000 antigen	2	D64154		+		+	+	+	
MRC OX-2, V-like region	1	X05324	L . —	 		Ļ.	\vdash		
(=M17227)	•	700027							
mu-adaptin-related protein-	1	Y08387		\vdash		$\vdash \vdash$			
2; mu subunit of AP-4 (MU-1									į
ARP2) multifunctional polypeptide									
similar to SAICAR	1	X53793	+	+	+	+		+	
synthetase and AIR				1					
carboxylase (ADE2H1)								- 1	
				لـــــــل		لـــــا			

									.1/CA00/00003
murine leukemia viral (bmi- 1) oncogene homolog (BMI1)	1	L13689		+		+		+	·
mutant (Daudi) beta2 - microglobulin	44	X07621							
mutated in colorectal cancers (MCC)	1	M62397		+	+			+	
myeloid cell leukemia sequence 1 (BCL2-related) (MCL1)	9	L08246	+	+	+	+	+		
myeloid cell nuclear differentiation antigeN (MNDA)	11	M81750	+					+	
myeloid differentiation primary response gene (88) (MYD88)	4	U70451		+	+	+		+	
myeloid leukemia factor 2 (MLF2)	3	U57342		+		+		+	
myeloid/lymphoid or mixed- lineage leukemia (trithorax (Drosophila) homolog); translocated to, 7 (MLLT7)	8	U89867		+	+	+		+	
MYH9 (cellular myosin heavy chain)	1	M81105							
myomesin (M-protein) 2 (165kD) (MYOM2)		X69089							
myosin le (MYO1E)	11	X98411		+		+			
myosin light chain kinase (MLCK)	1	U48959	+		+	+		+	
myosin phosphatase, target subunit 1 (MYPT1)	2	D87930		+	+	+		+	
myosin regulatory light chain (=U26162)	2	D50372	· · · · · ·						
myosin VIIa (low match 71)	1	U55208							
myosin, heavy polypeptide 9, non-muscle (MYH9)	3	M81105	+	+	+	+		+	
myosin, light polypeptide, regulatory, non-sarcomeric (20kD) (MLCB)	6	X54304	+	+	+	+	+	+	
myosin-I beta	1	X98507	+	+	+	+		+	
myristoylated alanine-rich protein kinase C substrate (MARCKS, 80K-L) (MACS)	1	D10522		+	+				
myxovirus (influenza) resistance 1, homolog of murine (interferon-inducible protein p78) (MX1)		M30817	+	+	+	+		+	
myxovirus (influenza) resistance 2, homolog of murine (MX2)	3	M30818			+				
N-acetylgalactosaminidase, alpha- (NAGA)	2	M62783		+	+		+	+	
N-acetylglucosamine receptor 1 (thyroid) (NAGR1)	1	L03532		+	+	+		+	
NACP/alpha-synuclein	2	U46896				L			
N-acylaminoacyl-peptide hydrolase (APEH)	1	D38441		+	+		+	+	
N-acylsphingosine amidohydrolase (acid ceramidase) (ASAH)	11	U47674	+	+	+	+		+	
NAD+-specific isocifrate dehydrogenase beta subunit precursor (encoding mitochondrial protein)	1	U49283	+	+	+	+	+	+	
NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 5 (13kD, B13) (NDUFA5)		U53468.1	+	+	+	*	+	+	

								•	C1/CA00/00003
NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 5 (16kD, SGDH) (NDUFB5)	1	AF047181		+	+	+	+	+	
NADH dehydrogenese (ubiquinone) Fe-S protein 2	1	AF050640		+	+	+	+	+	
(49kD) (NAĎH-coenzyme Q eductase) (NDUFS2) NAĎH dehydrogenase									
(ubiquinone) flavoprotein 2 (24kD) (NDUFV2)	1	M22538			+	+	+	+	
NADH:ubiquinone dehydrogenase 51 kDa subunit (NDUFV1)	2	AF053070	+	+	+	+	+	+	
NADH-CYTOCHROME B5 REDUCTASE (B5R) (50%aa)	1	P00387							
NADH-ÚBIQUINONE OXIDOREDUCTASE CHAIN 1	1	P03886							
Nardilysin (N-arginine dibasic convertase) (NRD1)	2	U64898	+	+	+	+		+	
nascent-polypeptide- associated complex alpha polypeptide (NACA)	5	X80909		+	+		+	+	
natural killer cell group 7 sequence (NKG7)	8	S69115			_	+		+	
natural killer cell transcript 4 (NK4)	19	M32011	+	 				_	
natural killer-associated transcript 3 (NKAT3)	1	U30274	+	-					blood only
natural killer-associated	1	AF022045	+						blood only
transcript 5 (NKAT5) natural killer-tumor									J.000 01y
recognition sequence (NKTR)	1	L04288	В		+		+	+	
N-deacetylase/N- sulfotransferase (heparan glucosaminyl) 2 (NDST2)	2	AF042084	+	+		+		+	·
Ndr protein kinase	3	Z35102		+		-			
Nedd-4-like ubiquitin- protein ligase WWP1		U96113							
nel (chicken)-like 2 (NELL2)	3	D83018		+	+				
N-ethylmaleimide-sensitive factor attachment protein, alpha (NAPA)	1	U39412		+			+		
N-ethylmaleimide-sensitive factor attachment protein, gamma (NAPG)	1	U78107		+	+	+			
neural precursor cell expressed, developmentally down- regulated 5 (NEDD5)	3	X92544	+	+	+	+		+	high in testis
neural precursor cell expressed, developmentally down-	1	D23662	+	+	+	+	+	+	
regulated 8 (NEDD8) neuregulin 1 (NRG1)	1	U02330	 	+		+	<u> </u>		
neuroblastoma RAS viral (v-ras) oncogene homolog (NRAS)	4	AB020692	+	+	+	+		+	
Neuroblastoma RAS viral (v-ras) oncogene homolog (NRAS) (low match)	1	X68286							
Neurofibromin 2 (bilateral acoustic neuroma) (NF2)	1	S73853		+		\dashv		+	
neuronal apoptosis	2	U19251	+	+	+	_	\dashv	+	
neuronal cell adhesion molecule (NRCAM)	1	AB002341		+	+	+		+	
·		<u> </u>	·	ഥ니	1				L

neuropathy target esterase (NTE)	1	AJ004832		+	+	+		T	
neuropeptide Y3 receptor, 5'UTR (low score)	1	D28433			-				
neurotrophic tyrosine kinase, receptor, type 1 (NTRK1)	14	X03541	÷	*	÷	*	*	+	
neutrophil cytosolic factor 4 (40kD)	2	U50720							
NG31	1	AF129756					_		
NGAL (=X83006)	1	X99133		 		_	 		
nibrin (NBS)	1	AF051334		1		 	 	\vdash	
NIK	1	AB014587		+	+	+	-	+	
Ninjurin 1; nerve injury- induced protein-1	1	U72661		+	+	+	<u> </u>	+	
nitrilase 1 (NIT1) (=AF069984)	1	AF069987							
NKG2-D (low match) (non- exact, 58%)	1	X54870						-	
Nmi	1	U32849		+		_	 	-	
N-myristoyltransferase 1 (NMT1)	1	AF043324	····	+	+	+	+	+	
No arches-like (zebrafish) zinc finger protein (NAR)	1	U79569		+	+	+		+	
non-histone chromosome protein 2 (S. cerevisiae)- like 1 (NHP2L1)	1	D50420	+	+	+	+	+	+	
non-muscle (fibroblast) tropomyosin	1			1					
non-muscle alpha-actinin	1	U48734		+		\vdash	\vdash	├	
non-muscle myosin alkali light chain (Hs.77385)	3	M22918	+	+	+	+	+	+	High in fetal adrenal gland and BPH stroma
non-neuronal enolase (EC 4.2.1.11)	1	X16289		+		-			Storia
non-receptor tyrosine phosphatase 1	1	M33689							·
normal keratinocyte substraction library mRNA, clone H22a	3	X53778	+	+	+	+	+	+	high in many libraries
notch group protein (N)	3	M99437		1		 		├─	
novel protein	1	X99961		1		-	_	-	
novel T-cell activation protein	1	X94232		+	+	+		+	
N-ras protein NRU	1	A60196		1		-		<u> </u>	
N-sulfoglucosamine sulfohydrolase	1	U60111		+				+	
(sulfamidase) (SGSH)	1	U96876	+	+	+	+	+	ļ.,	
(INSIG1)							'	'	
ntegrin, alpha 4 (antigen CD49D, alpha 4 subunit of VLA-4 receptor) (ITGA14)	3	L12002	+			+			
nterferon, gamma-inducible protein 16 (IFI16)	1	M63838	+	+	+	+		+	
nterleukin 1, beta (IL1RB)	1	M15330		1			-	 	
nuclear antigen H731-like protein	2	U83908		+	+	+		+	
nuclear antigen Sp100 (SP100)	4	U36501	+	1 1		+	+	+	
Nuclear antigen Sp100 (SP100) (85%aa)	1	P23497							
Nuclear antigen Sp100 (SP100) (89%aa)	7	P23497							
nuclear autoantigenic								1	
sperm protein (histone- binding) (NASP)	1	M97856	+		+				

								P	C1/CA00/00005
nuclear corepressor KAP-1 (KAP-1) (=U95040; X97548 TIF1beta zinc finger protein)		U78773							
Nuclear domain 10 protein (NDP52)	4	U22897	+	+	+	+	+	+	
Nuclear factor (erythroid- derived 2)-like 2 (NFE2L2)	1	S74017		+	+	+	+	+	
Nuclear factor of kappa light polypeptide gene	2	M58603	 	+	+	-	+	+	
enhancer in B-cells 1 (p105) (NFKB1)									
nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha (NFKBIA)	3	M69043		+	+	+		+	
nuclear factor related to kappa B binding protein (NFRKB)	1	U08191		+	+	+		+	
nuclear mitotic apparatus protein 1 (NUMA1)	3	Z11583	+	+	+	+	+	+	
nuclear receptor coactivator 2 (GRIP1)	1	X97674							
nuclear receptor coactivator 3 (AIB3)	2	AF010227	+	+	+	\vdash		+	
nuclear receptor coactivator 4 (ELE1)	22	X77548		+	+	+	+	+	
nuclear receptor interacting protein 1 (NRIP1)	1	X84373		+		+		+	
nuclear respiratory factor 1 (NRF1)	1	U02683	В	+	+				
nuclear RNA helicase, DECD variant of DEAD box family (DDXL)	4	U90426	+	+	+	+		+	
nuclear transcription factor Y, alpha (NFYA)	1	X59711	В						
nuclear transcription factor, X-box binding 1 (NFX1)	3	U15306		+	+		+		
nuclear transport factor 2 (placental protein 15) (PP15)	1	X07315	+	+	+	+		+	·
nucleobindin (=M96824)	1	U31338		1				\dashv	
nucleobindin 1 (NUCB1)	2	M96824	+	+	+	+	\neg	+	
nucleolar phosphoprotein p130 (P130)	1	Z34289		+	+				
nucleolar protein (KKE/D repeat) (NOP56)	1	Y12065	+	+	+	+		+	
nucleolar protein (MSP58)	1	AF015308							
nucleolar protein 1 (120kD) (NOL1)	1	M32110	+	+					
nucleolar protein p40	1	U86602	+	+	+	+		+	
nucleolin (NCL)	2	M60858	+	+	+	+	_	+	
nucleophosmin (nucleolar phosphoprotein B23, numatrin) (NPM1)	14	M28699	+	+	+	+		+	
nucleophosmin-retinoic acid receptor alpha fusion protein NPM-RAR long form	1	U41742							
nucleoporin (NUP358) (=D42063 RanBP2 (Ran- binding protein 2))	2	L41840						1	
nucleoporin 153kD (NUP153)	1	Z25535					\neg		
nucleoporin 98kD (NUP98)	1	U41815					\dashv	_	
nucleosome assembly protein	1	D28430					1	+	
nucleosome assembly protein 1-like 1 (NAP1L1)	1	M86667		+	+	+	1	+	
nucleosome assembly protein 1-like 4 (NAP1L4)	2	U77456	+	+	+	+		+	
				ــــــــــــــــــــــــــــــــــــــ					

nucleosome assembly		1 1300 400							
protein, 5'UTR	1	D28430			Τ	Τ	T	Т	
olfactory receptor (OR7- 141)	1	U86281			1	T	\vdash	†	
OLFACTORY RECEPTOR-	1	P34982	 		┼	 	┼	┼	
LIKE PROTEIN HGMP07E (OR17-4) (non-exact 65%)	ļ	ł		1	1			1	
oligodendrocyte myelin	7	L05367	+	++	+	+-	+-	├	
glycoprotein (OMG) O-linked N-		U77413	ļ		<u> </u>				
acetylglucosamine	'	0//413	+	+		T *	+	+	
(GicNAc) transferase						ŀ	1		
acetylglucosamine:polypep tide-N-acetylglucosaminyl			1						
Itransferase) (OGT)				ŀ					
oncofetal trophoblast glycoprotein 5T4 precursor	1	A53531	 	+	 	+	╂─	┝	
I(non-exact 55%)									
Oncogene TIM (TIM) (non- exact 84%)	1	U02082	† 	+	-	+	 	-	
ORF (Hs.77868)	1	M68864	+	+-	+	+	+	+	
ORF1; MER37; putative	1	U49973		+	H	 	 	<u> </u>	
transposase similar to pogo element Length =		1			İ	Ì			
454]]			
origin recognition complex, subunit 2 (yeast homolog)-	2	U27459		1		† +	\vdash	-	
llike (ORC2L)					l				
origin recognition complex, subunit 4 (yeast homolog)-	1	AF022108						<u> </u>	
like (ORC4L) (low match) ornithine aminotransferase				1	ĺ	ı			
(gyrate atrophy) (OAT)	2	M23204		+	+	+			
ornithine decarboxylase (ODC)	1	M20372		†		┼	-	_	
omithine decarboxylase	11	D78361	+	+	+	+	+	+	High in pancreas.
antizyme, ORF 1 and ORF 2		1		`		ļ			and activated T cells
orphan receptor	2	U07132	+	+	+	+		+	and activated T cells
2	2		+	+		L.		+	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-		U07132 AB002806 D28381			+	+	+		and activated T cells
orphan receptor (Hs.100221) US-9 precurosor osteonectin (=X82259 BM-40)	6	AB002806 D28381		+	+	+	+	+	and activated T cells
2 orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM- 40) ovel centrosomal protein RanBPM (RANBPM)	6	AB002806		+		L.	+	+	and activated T cells
2 orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein	6	AB002806 D28381		+	+	+	+	+	and activated T cells
orphan receptor (Hs.100221) US-9 precurosor Osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviducial glycoprotein 1	6	AB002806 D28381 AB008515		+	+	+	+	+	and activated T cells
2 orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1)	6 1 1	AB002808 D28381 AB008515 L34839 U09550		+	+	+ +	+	+	and activated T cells
2 orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviducial glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL)	6	AB002806 D28381 AB008515 L34839 U09550 X80695		+	+	+		+	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM- 40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglularate dehydrogenase (lipoamide) (OGDH)	6 1 1	AB002808 D28381 AB008515 L34839 U09550		+	+	+ +	+	+	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM- 40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviducial glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide)	6	AB002806 D28381 AB008515 L34839 U09550 X80695		+ +	+ + + +	+ +	+	+ +	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM- 40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide) (OGDH) oxysterol binding protein (OSBP) OZF	6 1 1 1 1 1 1 4	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523	+	+ + + + + +	+ + + +	+ +	+ + +	+ +	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM- 40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide) (OGDH) oxysterol binding protein (OSBP) OZF (non-exact zinc finger)	6 1 1 1 1 1 4 1	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523	+	+ + + + + + + + + + + + + + + + + + + +	+ + + + +	+ + +	+ + +	+ + +	and activated T cells
orphan receptor (Hs.100221) US-9 precurosor osteonectin (=X82259 BM- 40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviducial glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide) (OGDH) oxysterol binding protein (OSBP) OZF (non-exact zinc finger) p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20- related) (PAK1)	6 1 1 1 1 1 1 1 1 2	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523 M86917 X70394	+	+ + + + + + + + + + + + + + + + + + + +	+ + + + +	+ + +	+ + +	+ + +	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide) (OGDH) oxysterol binding protein (OSBP) OZF OZF (non-exact zinc finger) p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20- related) (PAK1) P35-related protein (= S80990 ficolin)	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523 M86917 X70394 X70394	+	+ + + + + + + + + + + + + + + + + + + +	+ + + + +	+ + +	+ + +	+ + +	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide) (OGDH) OZF OZF (non-exact zinc finger) p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20- related) (PAK1) P35-related protein (= S80990 ficolin)	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523 M86917 X70394 X70394 U51120	+	+ + + + + + + + + + + + + + + + + + + +	+ + + + +	+ + +	+ + +	+ + +	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM- 40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide) (OGDH) oxysterol binding protein (OSBP) OZF OZF (non-exact zinc finger) p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20- related) (PAK1) P35-related protein (= S80990 ficolin) p40 p40phox (=U50720)	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523 M86917 X70394 X70394 U51120 D83392 U93589 X77094	+	+ + + + + + + + + + + + + + + + + + + +	+ + + + +	+ + +	+ + +	+ + +	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide) (OGDH) oxysterol binding protein (OSBP) OZF OZF (non-exact zinc finger) p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20- related) (PAK1) P35-related protein (= S80990 ficolin) p40 p40phox (=U50720) P47 LBC oncogene	6 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523 M86917 X70394 X70394 U51120 D83392 U93589 X77094 U03634	+	+ + + + + + + + + + + + + + + + + + + +	+ + + + +	+ + +	+ + +	+ + +	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglularate dehydrogenase (lipoamide) (OGDH) oxysterol binding protein (OSBP) OZF OZF (non-exact zinc finger) p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20- related) (PAK1) P35-related protein (= S80990 ficolin) p40 p40phox (=U50720) P47 LBC oncogene p53-induced protein (PIG11)	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523 M86917 X70394 X70394 U51120 D83392 U93589 X77094	+	+ + + + + + + + + + + + + + + + + + + +	+ + + + +	+ + +	+ + +	+ + +	and activated T cells
orphan receptor (Hs.100221) OS-9 precurosor osteonectin (=X82259 BM-40) ovel centrosomal protein RanBPM (RANBPM) over-expressed breast tumor protein oviductal glycoprotein 1, 120kD (OVGP1) oxidase (cytochrome c) assembly 1-like (OXAIL) oxoglutarate dehydrogenase (lipoamide) (OGDH) OZF OZF (non-exact zinc finger) p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20- related) (PAK1) p35-related protein (= S80990 ficolin) p40 p40phox (=U50720) P47 LBC oncogene p53-induced protein	6 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	AB002806 D28381 AB008515 L34839 U09550 X80695 D10523 M86917 X70394 X70394 U51120 D83392 U93589 X77094 U03634	+	+ + + + + +	+ + + +	+ + + +	+ + +	+ + +	and activated T cells

p62 nucleoponin								•	PCT/CA00/00005
p63 mRNA for		X58521			T	T	Т	Т	1
transmembrane protein	1	X69910	+	+	+	+		+	
PAC clone DJ0701016		Q07108	 			╂	+-	╄	
from 7q33-q38 (non-exact 54%)			į		İ			İ	
palmitoyl-protein	10	U44772	 	+	+	╁	+	╅	
thioesterase (ceroid- lipofuscinosis, neuronal 1,	1			1		1			
infantile; Haltia-Santavuori disease) (PPT)									
papillary renal cell	+	X99720	 			L_	!	L.	
carcinoma (translocation- associated) (PRCC)		7,33720	*	+	+	+	+	+	
PAR protein	1	AF115850	 	++	├	+	├-	+-	
partial EST (clone c-1gh04)	1	Z43627	 	+	 -	ļ.	╄	┼-	<u> </u>
PAX3/forkhead	 	U02368	 		<u> </u>	├	├	↓	
transcription factor gene			1			l			
fusion paxillin (PXN)			<u></u>			l		1	1
r , ,	4	D86862		+	+	+		+	
PBK1 protein	2	AJ007398	+	1 +	+	+		+	
PBS-EST (nz92e01.s1 NCI_CGAP_GCB1 clone	1	AA732534				 	H	+-	
IMAGE:1302936) (low		1	İ						
(score)	1				i		l	ļ	
PDZ domain protein	1	AJ224747	+	+		+	-	+	
(Drosophila inaD-like) (INALD)									
PEBP2aC Runt domain encoding gene (=Z35728)	1	Z38108					_	1	
peptidase D (PEPD)	 	J04605		4			<u> </u>	<u> </u>	
peptidylprolyl isomerase A	3	Y00052					L	<u> </u>	
(cyclophilin A) (PPIA)	"	100052		+	+	+	+	+	high in many libraries
peptidylprolyl isomerase D (cyclophilin D) (PPID)	2	L11667	T	+	+		+	+	
peptidylprolyl isomerase E (cyclophilin E) (PPIE)	1	AF042386		+	+		+	+	
PERB11.1 (=Ú56942 MHC	1	U69630		+					
class I chain-related protein A)									
perforin 1 (preforming protein) (PRF1)	14	M28393						_	
peróxisomal acyl-CoA thioesterase (PTE1)	2	X86032		 	- 			-	
Peroxisomal acyl-	- 1	777770						<u></u>	
coenzyme A oxidase peroxisomal famesylated		X71440		+	+	+	+	+	
protein (PXF)	1 1	X75535		+	+	+	+	+	
phorbol-12-myristate-13-	1	D90070	B, W	1		\dashv		L	
acetate-induced protein (PMAIP1)	·		D, V V		1				
phosphate carrier	1	X77337		1-1					
(mitochondrial gene?) Phosphate camer,				<u> </u>		l			
mitochondrial (PHC)	3	X60036	+	+	+	+		+	
cytidylyltransferase 1	1	L28957	T		+		+		
choline, alpha isoform (PCYT1A)									
PHOSPHATIDATE	1	Q92903		 					
CYTIDYLYLTRANSFERAS E (CDP-DIGLYCERIDE)	•								
phosphatidylinositol 3-	2	U57843		╁┈┤		-		-	
kinase delta catalytic subunit	-								
phosphatidylinositol 4-	3	AB005910	+	+++	++	+		+	
kinase, catalytic, beta polypeptide (PIK4CB)									
phosphatidylinositol glycan, class H (PIGH)	1	L19783		1	+ 1	+	+	+	
AGG II (FIORI)		<u> </u>					[-	

(-E								P	CT/CA00/00005
phosphatidylinositol transfer protein (PI-TPbeta)	2	D30037		Π	T	Т	1	T	
phosphatidylinositol transfer protein.	2	X98654	В, Т	+	+-	+	+	┿	
membrane-associated			lymphoma	l				1	
(PITPNM) phosphatidylinositol		<u> </u>		L	1	L	1		1
transfer protein.	1	X98654							
membrane-associated (PITPNM) (non-exact 64%)			}	l	1			1	
phosphatidylinositol-4-	1	U14957	<u> </u>	├	+	↓_	┿	↓_	<u> </u>
phosphate 5-kinase, type II, alpha (PIP5K2A)				1	`				
phosphatidylinositol-4-	1	U85245	 	+	+	+	↓	+	
phosphate 5-kinase, type			l		ŀ			'	
phosphodiesterase 7A	1	L12052	B, W	+	+	╁	+	┼	
(PDE7A) phosphodiesterase IB	. 1	U56976					L	_	
(PDES1B)	·			Or	VLY-	l			
phosphoglucomutase 1 (PGM1)	2	M83088		+	+	+	1	+	
phosphogluconate dehydrogenase (PGD)	1	U30255			+	+	-	-	
phosphoglycerate kinase 1	12	V00572			ļ	ـــ	_	<u> </u>	
(PGK1) phosphoglycerate mutase	3	l					L	L	
1 (brain) (PGAM1)	. 3	J04173	+	+	+	+	+	+	
phosphoglycerate mutase 2 (muscle) (PGAM2)	1	M55673		+	+		\vdash	+	
phosphoinositide-3-kinase, catalytic, alpha polypeptide	1	Z29090		+	+	+	\vdash	T	
(PIK3CA)					l	ł			
phosphoinositide-3-kinase, catalytic, delta polypeptide	4	U86453		+	+	+		+	
(PIK3CD) phosphoinositide-3-kinase,				i			1		
catalytic, gamma	1	X83368				Π			
polypeptide (PIK3CG) phospholipase C						ĺ			·
phospholipase C, delta 1	1 2	X14034 U09117							
I(PLCD1)		009117		+	+	+		+	
phospholipase C, gamma 1 (formerly subtype 148)	1	M34667	+	+	+	+		+	
(PLCG1)				!					
phospholipid scramblase phosphoribosyl	1	AF008445							
pyrophosphate synthetase-	1	D61391		+	+			+	
associated protein 1 (PRPSAP1)									
phosphoribosylglycinamide	3	X54199		+	+	+	+	+	
formyltransferase, phosphoribosylglycinamide									
synthetase, phosphoribosylaminoimida									
zole synthetase (GART)									
phosphorylase kinase, alpha 2 (liver), glycogen	3	D38616		+	+	+	+	+	
storage disease IX	·	İ							
(PHKA2) phosphorylase, glycogen;	1	U47025	+						
ibrain (PYGB)				+	+			+	
phosphorylase, glycogen; brain (PYGB) (low match, non-exact, 75%)		U47025							
phosphorylase, glycogen:	1	Y15233	 -	+	+	+		+	
liver (Hers disease, lycogen storage disease			ļ						
type VI) (PYGL)									
phosphorylation regulatory protein HP-10	2								
phosphotidylinositol transfer protein (PITPN)	1	D30036	+	+	+	+	-	+	
uanoiei piotein (PITPN)									

75

niamoni o ili								F	CT/CA00/00005
pigment epithelium-derived factor (PEDF)	1	U29953	+	+	+	T+	TŦ	+	-
pim-1 oncogene (PIM1)	1	M24779	+	++	+	+	+	+	<u> </u>
pinin, desmosome associated protein (PNN)	1	U77718		B	, mo	nocy	te. T	lymr	phoma
placenta (Diff33)	5 -	U49188						-,	
placenta (Diff33) (non-	 	U49188		+	+	+		+	
exact, 69%)	'	049100				\mathbf{I}^{-}	1 -		
placenta (Diff48)	18	U49187	+	+	\vdash	+-	╂╌	+	
placenta (Diff48) (low match)	1	U49187		+		+	╁	\vdash	
placenta(Diff48) (low match)	1	U49187		1		+-	\vdash		
plasminogen activator, urokinase receptor (PLAUR)	1	X74039		+		+		+	
platelet factor 4 (PF4)	1	M25897		- 	+	+	-	+	
platelet/endothelial cell	8	M37780	 -	+	+	+	+	+	
adhesion molecule (CD31 ntigen) (PECAM1) platelet-activating factor					·			'	
acetylhydrolase 2 (40kD) (PAFAH2)	4	U89386		+	+	+			
platelet-activating factor acetylhydrolase, isoform ib, alpha subunit (45kD) (PAFAH1B1)	1	U72342	+	+	+	+	+	+	
platelet-activating factor receptor (PTAFR)	7	D10202		+		┢┈	-	+	
pleckstrin (PLEK)	10	X07743		+ -	+	+	├	+	
pleckstrin (PLEK) (low match)	1	X07743							
pleckstrin homology, Sec7 and coiled/coil domains 1(cytohesin 1) (PSCD1)	4	M85169	+	+		+		+	
pleckstrin homology, Sec7 and coiled/coil domains, binding protein (PSCDBP)	4	L06633	+			+			
pM5 protein	1	X57398	+	++	+	+		+	
PMP69	2	Y14322		╁─┤		├			
poly (ADP-ribose) polymerase (NAD (+) ADP- ribosyltransferase) (=X16874)	1	X56140							
poly(A) polymerase (PAP)	1	X76770	+	+-	+	+		+	
poly(A)-binding protein-like 1 (PABPL1)	19	Y00345	+	+	+	+	+	+	
poly(rC)-binding protein 1 (PCBP1)	3	X78137	+	+	+	+	+	+	
polyadenylate binding protein	1	U75686		\vdash				\dashv	
polycystic kidney disease 1 (autosomal dominant) (PKD1)	5	U24498							
polymerase (DNA directed), beta (POLB)	1	D29013		+		\dashv	+	+	
polymerase (DNA directed), gamma (POLG)	6	D84103		┝╌┼	-1		\dashv		
polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A)	1	X63564	+	+	+	+	+	+	
polymyositis/scleroderma autoantigen 2 (100kD) (PMSCL2)	1	L01457	+	+	+	+	+	7	
polypyrimidine tract binding protein (heterogeneous nuclear ribonucleoprotein I) (PTB)	1	X65372	+	+	+	+	+	+	

								F	C1/CA00/00005
positive regulator of programmed cell death ICH-1L (Ich-1)	3	U13021			+				
postmeiotic segregation increased 2-like 12 (PMS2L12)	1	M16514	+	+	+	+		+	
postmeiotic segregation increased 2-like 8 (PMS2L8)	7	U38964	+	+	+	+		+	
potassium inwardly- rectifying channel, subfamily J, member 15 (KCNJ15)	1	D87291				+		+	
potassium voltage-gated channel, KQT-like subfamily, member 1 (KCNQ1)	1	AF051426		+	+	+		+	
POU domain, class 2, associating factor 1 (POU2AF1)	1	Z49194				+			
POU domain, class 2, transcription factor 1 (POU2F1)	2	X13403		+		+			
PPAR binding protein (PPARBP) PPAR gamma2	1	Y13467	+	+	+	+		+	
	1	D83233							
pre-B-cell colony- enhancing factor (PBEF)	8	U02020							
prefoldin 1 (PFDN1)	1	Y17392	+	+	+	+	+	+	
prefoldin 5 (PRFLD5)	3	D89667	В	+	+		+	-	
prefoldin subunit 3 (=U96759 von Hippel- Lindau binding protein (VBP-1))		Y17394							
pregnancy-associated plasma protein A (PAPPA)	1	U28727		+		+			high in placenta
pre-mRNA splicing factor SF3a (60kD), similar to S. cerevisia. (spliceosome-associated protein 61) (SF3A60)	1	U08815	+	+	+	+		+	·
pre-mRNA splicing factor SF3a (60kD), similar to S. cerevisiae PRP9 (spliceosome-associated protein 61) (SF3A60) (low score)		U08815							
pre-mRNA splicing factor SRp20, 5'UTR	2	D28423							
preprotein translocase (TIM17)	3	X97544	+	+	+	+		+	
prion protein	1	X82545		Π					
prion protein (p27-30) (Creutzfeld-Jakob disease, Gerstmann-Strauster- Scheinker syndrome, fatal familial insomnia) (PRNP)	1	M13899		+	+	+		+	
pristanoyl-CoA oxidase (low match)	1	Y11411							
pristancyl-CoA oxidase (low score)	1	Y11411							
procollagen-lysine, 2- oxoglutarate 5- dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD)	1	M98252		+	+	+		+	
procollagen-proline, 2- oxoglutarate 4- dioxygenase (proline 4- hydroxylase), alpha polypeptide 1 (P4HA1)	1	M24488	+	+	+	+	+	+	

WO 00/40749								PC	T/CA00/00005
procollagen-proline, 2- oxoglutarate 4- dioxygenase (proline 4- hydroxylase), beta polypeptide (protein disulfide isomerase; thyroid hormone binding protein p55) (P4HB) profilin 1 (PFN1)	4	X05130 J03191	+	+	+	+	+	+	
1 1			+	+	+	+	+	+	
progesterone receptor- associated p48 protein (P48)	2	U28918		+					
prohibitin (PHB)	1	S85655		+	+	+	+	+	
proliferating cell nuclear antigen (PCNA) proliferation-associated	3	J04718	+	+	+	+		+	
gene A (natural iller- enhancing factor A) (PAGA)	4	L19184	+	+	+	+	+	+	
proline-rich protein BstNI subfamily 2 (PRB2) (non- exact, 43%aa)		S62936							
proline-serine-threonine phosphatase interacting protein 1 (PSTPIP1)	1	U94778							
prolyl endopeptidase (PREP)	2	X74496		+		+		+	
prolylcarboxypeptidase (angiotensinase C) (PRCP)	5	L13977		+	+	+	+	+	
promyelocytic leukemia (PML)	1	M80185	+	+	+	+		+	
properdin P factor, complement (PFC)	4	X57748	+						
pro-platelet basic protein (includes platelet basic protein, beta- thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP) pro-platelet basic protein		M54995			+	+		+	
(includes platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP)	7	М54995	•		+		+		
subtilisin/kexin type 7 (PCSK7)	4	U40623							
prosaposin (variant Gaucher disease and variant metachromatic leukodystrophy) (PSAP)	89	D00422	+	+	+	+	+	+	
prostaglandin- endoperoxide synthase 1 (prostaglandin G/H synthase and cyclooxygenase) (PTGS1)	1	U63846	В	+			+	+	
prostaglandin- endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase) (PTGS2)	2	L15326							
prostaglandin- endoperoxide synthase-1 (=L08404; U84208) (all promoters)	1	D64068							
prostate carcinoma tumor antigen (pcta-1)	2	L78132							

WO 00/40/49								PC	1/CA00/00005
protease inhibitor 1 (anti- elastase), alpha-1- antitrypsin (PI)	17	K02212		+	+	+	+	+	high in many libraries
protease inhibitor 2 (anti- elastase), monocyte/neutrophil	1	м93056				+		+	
(ELANH2) (low match) proteasome (prosome,	3	L02426	В	+	+	_		+	
macropain) 26S subunit, ATPase, 1 (PSMC1) proteasome (prosome,		M34079	+	+	+	+		+	
macropain) 26S subunit, ATPase, 3 (PSMC3)			•		*			Ť	
proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4)	2	AF020736							
proteasome (prosome, macropain) 26S subunit, ATPase, 5 (PSMC5)	5	L38810	+	+	+	+	+	+	
proteasome (prosome, macropain) 26S subunit, ATPase, 6 (PMSC6)	2	D78275	+ -	+	+	+		+	
proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 (PSMD11)	1	AF001212	T	+			+		
proteasome (prosome, macropain) 26S subunit, non-ATPase, 2 (PSMD2)	2	D78151		+	+			+	
proteasome (prosome, macropain) 26S subunit, non-ATPase, 5 (PSMD5)	1	S79862	T	+	+		+		
proteasome (prosome, macropain) 26S subunit, non-ATPase, 7 (Mov34 homolog) (PMSD7)	1	D50063		+	+	+		+	high in many libraries
proleasome (prosome, macropain) 26S subunit, on-ATPase, 12 (PMSD12)	1	AB003103		+	+	+		+	
proteasome (prosome, macropain) activator subunit 1 (PA28 alpha) (PSME1)	3	L07633	+	+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 3 (PSMA3)	2	D00762		+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 5 (PSMA5)	3	X61970	+	+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7)	3	AF054185		+	+	+	+	+	
proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) (low match)	1	AF022815							
proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1)	1	D00761	+	+	+	+	+	+	
proteasome (prosome, macropain) subunit, beta type, 10 (PSMB10)	1	X71874	+	+		+	+	+	
proteasome (prosome, macropain) subunit, beta type, 6 (PMSB6)	1	D29012		+	+	+		+	
proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional protease 7)	1	U17497	+	+	+	+		+	
(PSMB8) proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional protease 2) (PSMB9)	3	Z14977	+			+		+	
·	•		70						

									.1/CA00/00005
proteasome (prosome, macropain) subunit, beta ype, 7 (PSMB7)	1	D38048	+	+	+	+	+	+	1
protective protein for beta- galactosidase (galactosialidosis) (PPGB)	3	M22960	+	+	+	+	+	+	
protein A alternatively spliced form 2 (A-2)	1	U47925		+	-	-			
protein activator of the interferon-induced protein kinase (PACT)	1	AF072860		+	+	+	-	+	high in testis
protein disulfide isomerase- related protein (P5)	2	D49489	+	+	+	+	+	+	
protein geranylgeranyltransferase type I, beta subunit (PGGT1B)	1	L25441	+	+	+				
protein homologous to chicken B complex protein, guanine nucleotide binding (H12.3)	20	M24194	+	+	+	+	+	+	high in many libraries
protein kinase A anchoring protein	1	AF037439		+					
protein kinase C substrate 80K-H (PRKCSH)	2	U50317	+	+	+	+	-	+	
protein kinase C, beta 1 (PRKCB1)	6	X06318	+	+	+	+		+	
protein kinase C, delta (PRKCD)	1	D10495	+	+	+	+		+	
protein kinase C, eta (PRKCH)	1	M55284	-		+			+	
protein kinase C, mu (PRKCM) (non-exact 78%)	1	X75756							
Protein kinase C-like 1 (PRKCL1)	2	D26181	+	+	+	+		+	
protein kinase, AMP- activated, gamma 1 non- catalytic subunit (PRKAG1)	1	U42412	B, T lymphoma	+	+				
protein kinase, cAMP- dependent, regulatory, type I, alpha (tissue specific extinguisher 1) (PRKAR1A)	4	M18468		+	+	+	+	+	
protein kinase, DNA- activated, catalytic polypeptide (PRKDC)	1	U47077		+	+		+	+	
protein kinase, mitogen- activated 1 (MAP kinase 1; p40, p41) (PRKM1)	1	Z11695	В	+			+		
protein kinase, mitogen- activated 6 (extracellular signal-regulated kinase, p97) (PRKM6)	1	L77964		+		+	+	+	
protein kinase, mitogen- activated, kinase 3 (MAP kinase kinase 3) (PRKMK3)	1	U66839	+	+	+	+	+		
protein phosphatase 1, catalytic subunit, alpha isoform (PPP1CA)	5	M63960	+	+	+	+	+	+	
protein phosphatase 1, regulatory subunit 10 (PPPR10)	3	Y13247		+	+	+		+	
protein phosphatase 1, regulatory subunit 7 (PPP1R7)	2	Z50749	+	+	+	+	+	+	
protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform (PPP2CB)	1	X12656	+	+	+	+	+	+	
protein phosphatase 2 (formerly 2A), regulatory subunit B" (PR 72), alpha isoform and (PR 130), beta isoform (PPP2R3)	1	L07590			+	+		+	

80

WO 00/40749

PCT/CA00/00005

			<u> </u>						21/CA00/00003
protein phosphatase 2, regulatory subunit B (B56), alpha isoform (PPP2R5A)	2	L42373	+	+	+	+		+	
protein phosphatase 2, regulatory subunit B (B56), delta isoform (PPP2R5D)	3	D78360		+	+	+		+	
protein phosphatase 2, regulatory subunit B (B56), gamma isoform (PPP2R5C)	1	D26445	+	+	+	+		+	
protein phosphatase 2A regulatory subunit alpha-isotype (alpha-PR65)	5	J02902	+	+	+	+		+	
protein phosphatase 4 (formerly X), catalytic subunit (PPP4C)	2	AF097996	+	+	+	+		+	
protein tyrosine kinase 2 beta (PTK2B)	4	L49207		+		+		+	
protein tyrosine phosphatase epsilon	1	X54134	<u> </u>						
protein tyrosine phosphatase type IVA, member 2 (PTP4A2)	2	L48723	+	+	+	+		+	
protein tyrosine phosphatase, non-receptor type 1 (PTPN1)	1	M31724	+	+	+	÷			
protein tyrosine phosphatase, non-receptor type 12 (PTPN12)	1	M93425		+	+	+		+	high in testis
protein tyrosine phosphatase, non-receptor type 12 (PTPN12) (non- exact, 70%)	1	M93425							
protein tyrosine phosphatase, non-receptor type 2 (PTPN2)	2	M25393		+	+	+		+	
protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte) (PTPN4)	1	M68941			+	+		+	
protein tyrosine phosphatase, non-receptor type 6 (PTPN6)	7	M74903	+	+	+	+		+	
protein tyrosine phosphatase, non-receptor type 7 (PTPN7)	1	D11327	+			+		+	
protein tyrosine phosphatase, receptor type, alpha polypeptide (PTPRA)		M34668	+	+	+	+		+	
protein tyrosine phosphatase, receptor type, c polypeptide (PTPRC)	44	Y00638	+	+		+		+	
protein tyrosine phosphatase, receptor type, M (PTPRM)	1	X58288		+	+	+		+	
protein tyrosine phosphatase, receptor type, N polypeptide 2 (PTPRN2)	2	U81561		+		+		+	
protein with polyglutamine repeat (ERPROT213-21)	1	U94836	+	+	+	+		+	
protein-kinase, interferon- inducible double stranded RNA dependent inhibitor (PRKRI)	1	U28424		+	+	+	+	+	
protein-L-isoaspartate (D- aspartate) O- methyltransferase (PCMT1)	4	D13892	·	+	+	1			
proteoglycan 1, secretory granule (PRG1)	7	J03223		+	_	+	+	+	
prothymosin, alpha (gene sequence 28) (PTMA)	12	M14483	+	+	+	+	+	+	

81

prp28, U5 snRNP 100 kd		I ALOGOTOTO							
protein (U5-100K) PRP4/STK/WD splicing	7	AF026402	+	+	+	1+		+	
Ifactor (HPRP4P)	1	AF001687		+	+	+		+	
PTK7 protein tyrosine kinase 7 (PTK7)		U40271		+	+	+	T	+	
purinergic receptor P2X, ligand-gated ion channel, 4 (P2RX4)	3	AF000234		+	+	+	<u> </u>	+	
purinergic receptor P2X, ligand-gated ion channel, 7 (P2RX7)	1	Y12851	+						macrophage only
puromycin-sensitive aminopeptidase (PSA)	1	Y07701		+	+			+	
putative ATP(GTP)-binding protein	2	AJ010842		+		1	T	+	
putative brain nuclearly- targeted protein (KIAA0765)	1	A8018308	+	+	+	+		+	
putative chemokine receptor; GTP-binding protein (HM74)	1	D10923	+						
putative dienoyl-CoA isomerase (ECH1)	1	AF030249	· · · · · · · · · · · · · · · · · · ·	1			\vdash		
putative G-binding protein	1	AF065393		1	 	 	 	 	
Putative human HLA class Il associated protein I (PHAP1)	1	U73477	В	+			+		
Putative L-type neutral amino acid transporter (KIAA0436)	7	AB007896							
putative mitochondrial space protein 32.1	1	AF050198							
PUTATIVE MUCIN CORE PROTEIN PRECURSOR 24 (MULTI- GLYCOSYLATED CORE PROTEIN 24) (MGC-24) (MUC-24)	1	Q04900			-				
putative nucleic acid	2	X76302	+	+-	+	+		+	
binding protein putative outer	1	U58970			+	+		+	
mitochondrial membrane 34 kDa translocase Htom34						·			
putative p150 (non-exact 88%)	1	U93568	·						
putative translation initiation factor (SUI1)	1	L26247	+	+	+	+	+	Ŧ	High in moderately differentiated colon adenocarcinoma
putative tumor suppressor protein (123F2)	1	AF061836		+	+	+	-	+	additional distribution
pyrroline 5-carboxylate reductase	1	M77836	+	1 +	+	+		+	
pyruvate dehydrogenase (lipoamide) alpha 1 (PDHA1)	1	D90084		+	+	+	+	+	
pyruvaté dehydrogenase (lipoamide) beta (PDHB)	2	J03576	+	+	+	+		+	
Pyruvate dehydrogenase complex, lipoyl-containing component X; E3-binding protein (PDX1)	3	Y13145		+	+				
pyruvate kinase, muscle (PKM2)	11	M23725					+		
RAB, member of RAS oncogene family-like (RABL)		U18420		+	+	+		+	
RAB1, member RAS oncogene family (RAB1)	3	M28209		+	+	7		+	
RAB11A, member RAS oncogene family (RAB11A)	2	X56740	+	+	+	+		+	high in spleen
				ــــــــــــــــــــــــــــــــــــــ	ئــــــ				<u> </u>

77 0 00,40,43								P	CT/CA00/00005
RAB11B, member RAS oncogene family (Rab11B)	1	D45418	T	+	T	T	Т	+	·
RAB27A, member RAS oncogene family (RAB27A)	3	U38654		+		+	┿	╁	
RAB5B, member RAS	1	X54871		++	 	+	┼-	+	
oncogene family (RAB5B) RAB6, member RAS		M28212		+		Ļ	1_	<u>.l</u>	
oncogene family (RAB6) RAB7, member RAS								1	
oncogene family (RAB7)	1	X93499	+	+	+	+	T	+	
RAB7, member RAS oncogene family-like 1	2	D84488		+	+	+	\vdash	+	
(RAB7L1) RAB9, member RAS	1								
oncogene family (RAB9)		U44103	ļ				T		
RAD50 (S. cerevisiae) homolog (RAD50)	2	U63139		+	+	+		T	
RAD51 (S. cerevisiae) homolog C (RAD51C)	1	AF029669		+	+	+	+-	+	
Radin blood group (RD)	2	L03411		+	+	+	├-	+	ļ
RAE1 (RNA export 1, S.pombe) homolog (RAE1)	3	U84720	+	+	+	+	 	+	
raiA-binding protein (RLIP76)	2	L42542	+	+	+	+	\vdash	┼	
RAN binding protein 2-like 1 (RANBP2L1)	2	AF012086		-		 	-		
Ran GTPase activating	3	X82260	+	+	+	+	<u> </u>	<u> </u>	
protein 1 (RANGAP1) RAN, member RAS	1	M31469			· ·		L.	+	
oncogene family (RAN)	•	WI31469							
RanBP2 (Ran-binding	1	D42063				_	_	_	
protein 2) (=U19248; L41840 sapiens									
nucleoporin (NUP358)) ransforming growth factor.	4	DEAGAA							
beta receptor II (70-80kD) (TGFBR2)	4	D50683	+	+	+	+		+	
RAP1A, member of RAS oncogene family (RAP1A)	10	M22995	+	+	+	+	+	+	
RAR-related orphan receptor C (RORC)	1	U16997		+-		\vdash	\vdash	+	
RAS guanyl releasing protein 2 (calcium and	1	Y12336	+	╁┯┨		<u> </u>	ļ.	-	
DAG-regulated)									
ras homolog gene family, member A (ARHA)	12	X05026	+	1+	+	+	+	+	high in ovary
ras homolog gene family, member G (rho G) (ARHG)	1	X61587	+	+	+	+	_	-	
ras homolog gene family	2	Z35227	+	+-	+			+	
member H (ARHH) ras inhibitor (RIN1)		M37191		+					
Ras-GTPase activating protein SH3 domain-	2	AF053535	+	+ +	+	+		+	
binding protein 2 (KIAA0660)									
Ras-GTPase-activating protein SH3-domain-	3	U32519	+	+	+	+		+	
binding protein (G3BP) ras-related C3 botulinum									
toxin substrate 2 (rho	11	M29871			+			+	
family, small GTP binding protein Rac2) (RAC2)									
RAS-RELATED PROTEIN RAP-1B (GTP-BINDING	1	P09526		 	-	\dashv			· · · · · · · · · · · · · · · · · · ·
PROTEIN SMG P21B)									1
rearranged T cell receptor	1	X85133		+	+	+		\dashv	
heta variable region	1	L06891							
(TCRB) (=X58810) regulator of Fas-induced apoptosis (TOSO)	1	AF057557	В	 		-	+	\dashv	
-hehiosis (1030)		LL			-				

									.1/CA00/00003
regulator of G protein signalling 6 (RGS6)	1	AF073920		+					
regulator of G-protein signalling 14 (RGS14)	2	AF037195	+	+	+	+			
regulator of G-protein signalling 2, 24kD (RGS2)	6	L13391	+	+	+	+		+	
regulator of G-protein signalling 5 (RGS5) (49%	1	O15539							
regulatory factor X, 4	1	M69297		1	+	+			
(influences HLA class II expression) (RFX4)					•	·			
regulatory factor X, 5 (influences HLA class II expression (RFX5)	2	X85786	T	+	+			+	
replication protein A1 (RPA1)	1	M63488	+	+	+	+		+	
replication protein A3 (14kD) (RPA3) (low match)	1	L07493							
reproduction 8 (D8S2298E)	1	D83767		1 + 1	+	+			
requiem, apoptosis response zinc finger gene (REQ)	2	U94585	+	+	+	+		+	
requiem, apoptosis response zinc finger gene (REQ) (=AF001433) (low match)	1	Ų94585							
restin (Reed-Steinberg cell- expressed intermediate filament-associated protein) (RSN)	1	M97501	В, Т	+	+				
retinoblastoma 1 (including osteosarcoma) (RB1)	3	L11910	+	+	+	+			
retinoblastoma binding protein 2 homolog 1 (RBBP2H1)	1	AF087481							
retinoblastoma-binding protein 1 (RBBP1)	1	566427	+	+					
retinoblastoma-binding protein 2 (RBBP2)	5	S66431	+	+	+	+		+	
retinoblastoma-binding protein 4 (RBBP4)	1	X71810		+	+	+		+	
retinoblastoma-binding protein 4 (RBBP4)	1	X74262		+	+	+		+	
retinoblastoma-binding protein 7 (RBBP7)	1	U35143							
retinoblastoma-like 2 (p130) (RBL2)	1	X76061		+	+	+		+	
retinoic acid receptor responder (tazarotene induced) 3 (RARRES3)	1	AF060228		+		+	+	+	
retinoic acid receptor, alpha (RARA)		X06538	+	+		+			
retinoic acid responsive (NN8-4AG)	1	U50383		+		+		+	
retinoid X receptor beta (RXR-beta)	2	X66424		+	+	+		+	
REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta (REV3L)	1	AF035537							
Rho GDP dissociation inhibitor (GDI) beta (ARHGDIB)	23	L07916	+	+	+	+	+	+	
Rho GTPase activating protein 4 (ARHGAP4)	2	X78817	+	+					
Rho GTPase activating protein 4 (ARHGAP4) (low match)	1	P98171							
Rho-associated, coiled-coil containing protein kinase 2 (ROCK2)	1	AB014519							
nbonucléase 6 precursor (RNASE6PL)	2	U85625	+	+	+	+	+	+	
			4						

ribonuclease 6 precursor	1 1	U85625							C1/CA00/00005
(RNASE6PL) (low match)					1				,,
ribonuclease, RNase A family, 2 (liver, eosinophil-	1	X55988		1	1	1	+	\top	
derived neurotoxin) (RNASE2)									
nbonuclease/angiogenin inhibitor (RNH)	3	M38717	+	+	+	+	T	+	
nbonucleoside diphosphate reductase M1 subunit	1	X65708			1	1	\top	T	
ribonucleotide reductase M2 polypeptide (non-exact 91%)	1	P31350			1	T	\vdash	1	
ribophorin I (RPN1)	1	Y00281	+	+	+	+	╁	+	
ribophonn II (RPN2)	1	Y00282	+	+	+	+	+	+	
ribosomal 185 rRNA	3	M10098		+	+-	-	\vdash	十	
nbosomal 28S RNA	1	M11167		1	1		 	+	
ribosomal phosphoprotein P0, 5'UTR (low match) Ribosomal protein	1	D28418							
nbosomal protein L10	30	125900							
(RPL10)		L25899	+	+	+	+	+	+	high in many libraries
RIBOSÓMAL PROTEIN L10A (CSA-19)	2	P53025		1					
ribosomal protein L11 (RPL11)	4	X79234	+	+	+	Ŧ	+	+	Alveolar
ribosomal protein L12 (RPL19)	2	L06505	+	+	+	+	+	+	rhabdomyosarcoma
nbosomal protein L13 (PRL13)	1	P26373	+	+	+	+	+	+	high in many libraries
ribosomal protein L14 (RPL14)	4	D87735	+	+	+	+	+	+	high in many libraries
ribosomal protein L17 (RPL17)	4	X53777	+						blood only
ribosomal protein L18 (RPL18)	10	L11566	+	+	+	+	-	+	
ribosomal protein L18a (RPL18A)	5	L05093		+	+	+	+	+	High in fetal adrenal gland and skin
ribosomal protein L18a homologue	2	X80821				+		\vdash	giano ano skii
ribosomál protein L19 (RPL19)	15	X63527	+	+	+	+	+	+	
ribosomal protein L21 (RPL21)	6	U14967	+	+	+	+	+	+	
ribosomal protein L22 (RPL22)	3	D17652	+	+	+	+		+	
ribosomal protein L23 (RPL23)	2	X55954	+	+	+	+	+	+	high in many libraries
nbosomal protein L23a (RPL23A)	5	U37230	+	+	+	+	+	+	high in many libraries
ribosomal protein L26 (RPL26)	8	X69392	+	+	+	+	+	+	
ribosomal protein L27 (RPL27)	6	L05094	+	+	+	+		+	
ribosomal protein L27a (RPL27A)	10	U14968	+	+	+	+	+	+	
ribosomal protein L28 (RPL28)	6	U14969	+	+	+	+	\neg	+	
ribosomal protein L29 (RPL29)	6	U10248	+	+	+	+	+	+	
ribosomal protein L3 (RPL3)	81		+	+	+	+	+	+	high in many libraries
ribosomal protein L3 homologue	81	X06323							
nbosomal protein L30 (RPL30)	6	X79238	+ .	+	+	+	+	+	high in lymphoma
ribosomal protein L30 (RPL30) (low score)	1	X79238					_		
ribosomal protein L31 (RPL31)	10	X15940	+	+	+	+	+	+	High in alveolar rhabdomyosarcoma
				— .					mendomyosarcoma

ribosomal protein L32	3	VANATA							C1/CA00/00003
(RPL32)	3	X03342	+	+	+	+	+	+	6
ribosomal protein L33-like (RPL33L)	1	AF047440		+	+	+		+	
nbosomal protein L34 (RPL34)	5	L38941		+	+	+	+	+	
ribosomal protein L34 (RPL34) (low match)	1	L38941				_			
nbosomal protein L37 (RPL37)	5	D23661	+	+	+	+	+	+	high in barstead prostate
ribosomal protein L37a	4	X66699	+	+	+	+	+	+	high in many libraries
ribosomal protein L38 (PRL38)	1	Z26876	+	+	+	+	+	+	high in many libraries
ribosomal protein L4 (RPL4)	27	D23660	+	+	+	+	+	+	high in many libraries
ribosomal protein L41 (RPL41)	4	AF026844	+	+	+	+	+	+	high in many libraries
ribosomal protein L5 (RPL5)	14	U14966	+	+	+	+	+	+	High in alveolar rhabdomyosarcoma
ribosomal protein L5 (RPL5) (low match) ribosomal protein L6	1	U14966					\vdash	 	mazadinyosarodina
I(RPL6)	7	X69391	+	+	+	+	+	+	high in many libraries
ribosomal protein L7 (RPL7)	14	X52967	+	+	+	+	+	+	high in conorm
ribosomal protein L7a (RPL7A)	15	M36072	+	+	+	+	+	+	High in uterus, and seminoma
ribosomal protein L8 (RPL8)	5	Z28407	+	+	+	+	+	+	high in ovary
ribosomal protein L9 (RPL9)	10	U09953		+	+	+	+	+	
ribosomal protein S10 (RPS10)	5	U14972	+	+	+	+	+	+	high in many libraries
ribosomal protein S11 (RPS11)	4	X06617	+	+	+	+	+	+	high in many libraries
ribosomal protein S11 (RPS11) (low match)	1	AB007152						<u> </u>	
ribosomal protein S12 (RPS12)	3	X53505	+	+	+	+	+	+	high in many libraries
ribosomal protein S13 (RPS13)	2	L01124		+	+	+	+	+	
ribosomal protein S14 (RPS14)	12	M13934	+	+	+	+	+	+	
ribosomal protein S15 (RPS15)	2	M32405	+	+	+	+	+	+	
ribosomal protein S16 (RPS16)	3	M60854	+	+	+	+	+	+	High in prostate invasive tumor
ribosomal protein S17 (RPS17)	2	M13932	+	+	+	+	+	+	high in many libraries
ribosomal protein S18	8	X69150				\dashv	-		
ribosomal protein S19 (RPS19)	7	M81757	+	+	+	+	+	+	high in many libraries
ribosomal protein S2 (RPS2)	4	X17206	+	+	+	+	+	+	high in many libraries
RIBOSOMAL PROTEIN SZ (RPS4)	2	P15880							
ribosomal protein S20 (RPS20)	7	L06498	+	+	+	+	+	+	high in many libraries
nbosomal protein S21 (RPS21)	3	L04483	+	+	+	+	+	+	high in CD34+/CD38- hematopoietic cells and skin tumor
ribosomal protein S23 (RPS23)	3	D14530		+	+	+	-	+	and skill tullof
ribosomal protein S24 (RPS24)	7	M31520	+	+	+	+	+	+	high in uterus
ribosomal protein S25 (RPS25)	3	M64716	+	+	+	+	+	+	high in barstead
ribosomal protein S26 (RPS26)	2	X69654	-	+	+	+	+	+	prostate
ribosomal protein S27 ((metallopanstimulin 1) (RPS27)	5	U57847	+	+	+	+	+	+	
		94							

ribosomal protein S28	T 3	U58682							
(RPS28)	1	038682	+	+	+	+		+	
ribosomal protein S29 (RPS29)	2	U14973	+	+	+	+	+	+	
ribosomal protein S3 (RPS3)	9	X55715	+	+	+	+	+	+	high in many libraries
ribosomal protein S3 (RPS3) (low match)	1 -	U14990		\vdash	 	\vdash	1-	\vdash	
ribosomal protein S3A (RPS3A)	21	Z83334		+	+	+	+	+	high in many libraries
ribosomal protein S3A (RPS3A) (low score)	1	M77234		<u> </u>	 	╁╌	-	H	
ribosomal protein S4, X- linked (RPS4X)	9	M58458	+	+	+	+	-	+	high in ovary and
ribosomal protein S4, Y- linked (RPS4Y)	2	M58459	+	+	+	+	+	+	Synovial sarcoma
ribosomal protein S5 (RPS5)	4	U14970	+	+	+	+	+	+	high in lymphoma
RIBOSOMAL PROTEIN SB (PHOSPHOPROTEIN NP33)		P10660							
ribosomal protein S6 (RPS6)	22	M20020	+	+	+	+	+	+	
ribosomal protein S6 (RPS6) (non-exact 86%)	1	M77232		_		-			
ribosomal protein S6 kinase, 90kD, polypeptide 1 (RPS6KA1)	3	L07597	+	+	+	+		+	
ribosomal protein S6 kinase, 90kD, polypeptide 2 (RPS6KA2)	1	X85106							
nbosomal protein S7 (RPS7)	4	Z25749		+	+	+	+	+	
ribosomal protein S8 (RPS8)	6	X67247		+	+	+	+	+	
ribosomal protein S9 (RPS9)	8	U14971	† 						colon tumor
ribosomal protein, large, P0 (RPLP0)	ŀ	M17885	T		+			+	
ribosomal protein, large, P1 (RPLP1)	12	M17886	T	+	+		+		
nibosomal RNA 185 (=M10098; K03432) (=polyadenylating sequence)	11	X03205							·
ribosomal RNA 28S	2	M11167							
nbosomal RNA, 16S	1	U25123							
ring finger protein (non- exact 58%)	1	AJ001019							
ring finger protein 3 (RNF3)		AJ001019							
ring finger protein 4 (RNF4)	3	AB000468		+	+	+		+	
ring zinc-finger protein (ZNF127-Xp)	3	U41315		+	+	+		+	
RNA (guanine-7-) methyltransferase (RNMT)	1	AB007858		+	+	+	-	+	
RNA binding motif protein 5 (RBM5)	4	U23946	+	+	+	+	-	+	
RNA binding motif, single stranded interacting protein 2 (RBMS2)	1	D28483		+	\neg	+		+	
RNA helicase (putative), (Myc-regulated DEAD box protein) (MRD8)	1	X98743	+	+	+	+	+	+	
RNA helicase-related protein	1	AF083255		+	+	+	+	+	
RNA pol II largest subunit	2	X74872			 -		-		
RNA polymerase I subunit (RPA40)	1	AF008442		+	+	\dashv	\dashv	+	
RTVP-1 protein	2	X91911	+	+	+	++	\dashv	+	
									

									C1/CA00/00003
S100 calcium-binding	2	M81457		T	+	T	+	+	T
protein A10 (annexin II ligand, calpactin I, light	1			İ		1	ļ		
polypeptide (p11))					ļ	1	l	l	
(S100A10)				1	l			l	
S100 calcium-binding	1	X80201		+	+	+	-	+	
protein A11 (calgizzarin)									
(\$100A11)					l	1			
S100 calcium-binding protein A4 (calcium protein.	3	M80563	В		+	Γ	Ŧ		
calvasculin, metastasin.				1	1	1	i		
murine placental				1					
homolog)(S100A4)				1					
S100 calcium-binding	7	M21005		 	+	+		+	high in bone marrow
protein A8 (calgranulin A) (S100A8)				ŀ				l	
S100 calcium-binding	14	Vocasa		 			L		
protein A9 (calgranulin B)	14	X06233		ı	+	+		ĺ	high in invasive
(S100A9)				1	i				llarynx squamous cell carcinoma
S164 gene	1	AF109907		 		₩	 	-	Carcinoma
S-adenosylmethionine	3	M88003	+	+-	+	+	<u> </u>	+	
decarboxylase 1 (AMD1)	Ĭ	11100000	•	*	*			7	
SB classII	5	M27487	+	+	+	+	 	+	
histocompatibility antigen									
alpha-chain SC35-interacting protein 1		A F 020000							
(SRRP129)	5	AF030234	+	+	+	+	+	+	
scaffold attachment factor	1	U72355	+	+	+	+		+	
B (SAFB)				'	Ċ	'		•	
scaffold attachment factor	1	U72355				\vdash	_		
B (SAFB) (non-exact 78%) scRNA molecule.					<u> </u>				
transcribed from Alu repeat	1	L13713							
SEC14 (S. cerevisiae)-like	4	D67029		+	+	+	_	+	
(SEC14L)	,	30.023		'	, T	*		T .	
SEC23-like protein B	2	X97065	+	+	+	+		+	
(SEC23B) SEC63 (SEC63)					<u> </u>				
		AF100141		+	+			+	·
secreted protein, acidic, cystelne-rich (osteonectin)	7	M25746		+	+	+	+	+	high in bone marrow
I(SPARC)			1	1					stroma
secretory carrier	1	AF038966		+	<u> </u>	+			
membrane protein 1		/ 4 000000	i	1		*]
(SCAMP1)			ı	1					<u> </u>
secretory carrier membrane protein 2	1	AF005038	+	+	+	+	+	+	
(SCAMP2)	ľ		ı	1	İ				[
secretory carrier	1	AF005039				\vdash			<u> </u>
membrane protein 3	•	/ 1 000000	ı	1	l				
(SCAMP3)				1					
secretory granule	1	M33649							
proteoglycan core (clones lambda-PG[8,7,8])					ĺ				
selectin L (lymphocyte	43	X17519	+	!	ļ	 _	\vdash		
ladhesion molecule 1)	70	^11318	.			+		+	
(SELL)	<u></u>]			į i				
selectin P ligand (SELPLG)	13	U02297	+	+			\vdash		
sema domain,	2	U60800		+	\vdash	+	\vdash	+	
immunoglobulin domain						1 1			
(lg), transmembrane domain (TM) and short					İ				
cytoplasmic domain.		j j							
(semaphorin) 4D					i !				
(SEMA4D)									
Ser/Arg-related nuclear	4	AF048977		+	+	+	+	+	
matrix protein (plenty of prolines 101-like)									
(SRM160)				1					
serine palmitovitransferase	1	Y08685		+	+	+		+	
Isubunit I (SPTI)								•	
		ADALLANA					$\overline{}$		·
serine palmitoyitransferase, subunit II (LCB2)	1	AB011098	+	+	+	+	1	+	1 1

serine protease	T-1-	J02907			<u>, , , , , , , , , , , , , , , , , , , </u>			r	C1/CA00/00005
serine protease inhibitor,	+ +	U78095	+	┵.	<u> </u>	1	\perp		
Kunitz type, 2 (SPINT2) serine/threonine kinase 10	+	AB015718	+	+	+	*		+	
(STK10) senne/threonine kinase 19	-	L26260		+	+	+		+	
(STK19) senne/threonine kinase 4			+	+	+	1+	T	T	
I(STK4)		U18297		+		T	T	7	
serine/threonine protein kinase KKIALRE (KKIALRE)	1	X66358		+	+	+	T	+	
serine/threonine protein- kinase (NIK)	1	Y10256	· · · · · ·	+	+	+	+-	+-	
SERINE/THREONINE- PROTEIN KINASE RECEPTOR R3 PRECURSOR (SKR3)		P37023		1		T			
serologically defined colon cancer antigen 16 (NY-CO-16)	2	AF039694				-		\dagger	
serologically defined colon cancer antigen 33 (SDCCAG33)	1	AF039698	8, T	+	+	<u> </u>	+	-	
serologically defined colon cancer antigen 33 (SDCCAG33) (low score)	1	AF039698		1.		T	T	1	
serologically defined colon cancer antigen 33 (SDCCAG33) (low score)	1	AF039698						\dagger	
serum deprivation response (phosphatidylserine-binding protein) (SDPR) (=S67386)		AF085481.1							
serum/glucocorticoid regulated kinase (SGK)	2	Y10032	+	+	+	+		+	
SET domain, bifurcated 1 (SETDB1)	2	D31891	+	+	+		┢	+	
SH2 domain protein 1A, Duncan's disease lymphoproliferative syndrome) (SH2D1A)		AF073019	T			-		+	
SH3 binding protein (SAB)	2	AB005047	+	+ +	+	+	┢	+	
SH3 domain protein 1B (SH3D1B)	4	U61167	+		-	+	-	+	
SH3BGR PROTEIN (=21- GLUTAMIC ACID-RICH PROTEIN;21-GARP) (non- exact 82%aa)	1	P55822	-				-		
SH3-binding domain glutamic acid-rich protein like (SH3BGRL) SH3-domain GRB2-like 1	1	AF042081	+	+	+	+		+	
(SH3GL1)	1	U65999	+	+	+	+		+	
SHC (Src homology 2 domain-containing) transforming protein 1 (SHC1)	2	X68148		+	+	+		+	
siah binding protein 1 (SiahBP1)	2	U51586		7	+	+		+	
siah binding protein 1 (SlahBP1) (non-exact, 69%)	1	U51586							
Sialomucin CD164 (CD164)	9	D14043				\dashv	•		
sialophorin (gpL115, leukosialin, CD43) (SNP)	2	J04538			\dashv	-		-	
sialyltransferase (STHM)		U14550		-	+-	+		+	
sialyltransferase 1 (beta- galactoside alpha-2,6- sialytransferase) (SIAT1)	2	X17247	+	+	+	+	+	+	

WO 00/40749

galactosidase alpha-2_3- sialytransferase (SIATAA) sialytransferase (SIATAA) sialytransferase (SIATAA) sialytransferase (SIATAA) sialytransferase (SIATAA) sialytransferase (SIATAA) signal recognition particle 14kD (thomologua Alu RRA-binding protein) SIGNEP (SIRPA) signal recognition particle 4kD (SIRPA) signal recognition particle 9kD (SIRPA) signal recognition particle 9kD (SIRPA) signal recognition particle 9kD (SIRPA) signal recognition particle 9kD (SIRPA) signal recognition particle 9kD (SIRPA) signal regulatory protein, 5kPR signal regulatory protein, 5kPR signal regulatory protein, 5kPR signal regulatory protein, 5kPR signal regulatory protein, 5kPR signal regulatory protein, 5kPR signal regulatory protein particle 9kD (SIRPA) signal sequence receptor, 10kB (SIRPA) signal sequenc									rc	1/CA00/00005
SiaPyltransferase 0 (alpha 2	sialyltransferase 4A (beta- galactosidase alpha-2,3- sialytransferase) (SIAT4A)	1	AF059321	В	+	+		+	+	
Signal proteins Signal protein	sialyltransferase 8 (alpha- 2, 8-polysialytransferase) D	1	L41680		+			-	 	
14kD (nomologous Alu RNA-binding protein) GRP14) GRP14) GRP14 GRP14	signal peptidase 25kDa subunit	1	L38950		 	<u> </u>	-	-	-	
S4D (SRPS4) signal recognition particle skD (SRPS) signal recognition particle receptor (docking protein) SRPR signal regulatory protein, beta 1, (SIRP-BETA-1) signal sequence receptor, apha (translocon- associated protein alpha) (SSR1) signal sequence receptor, apha (translocon- associated protein alpha) (SSR1) signal sequence receptor, apha (translocon- associated protein beta) signal sequence receptor, associated protein beta) signal transducer and adhystor of transcription S(STATSA) signal transducer and activator of transcription 2, 113KD (STAT2) signal transducer and activator of transcription 3 activator of transcription 3 activator of transcription 3 signal transducer and activator of transcription 5 SITATSA) signal transducer and activator of transcription 5 signal transducer and activator of transcription 5 signal transducer	signal recognition particle 14kD (homologous Alu RNA-binding protein) (SRP14)	1	X73459	+	+	+	+	+	+	
skD (SRPs) signal recognition particle receptor (docking protein) SRPR signal regulatory protein, beta, 1 (SiRP, BETA-1) signal sequence receptor, alpha (translocon-associated protein alpha) (SSR1) signal sequence receptor, 2 Z12830	54kD (SRP54)		U51920			+	+		+	
reiceptor (docking protein) SRPR Signal regulatory protein, 5 beta, 1 (SIRP-BETA-1) signal sequence receptor, alpha (translocon- associated protein alpha) (SSR1) signal sequence receptor, beta (translocon- associated protein beta) (SSR1) signal transducer and activator of transcription 2, signal transducer and activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 5A (STATSA) signal transducer and activator of transcription 5A (STATSA) signal transducing adaptor molecule (SH3 domain and TAM motif) 1 (STAM) silencing mediator of retinioid and thyroid hormone action (SMRT) similar to Seal-transducin superfamily proteins (SAZD) similar to Seal-transducin superfamily proteins (SAZD) SSM4 (TEBA) FOR TAM SHA (SEAD) SSM4 (TEBA) SSM4 (TEBA) Signal transcription 1 AJ01059-1 M62800 H + + + + + + + + + + + + + + + + + +	9kD (SRP9)				+	+	+	+	+	
beta, 1 (SIRP-BETA-1) signal sequence receptor, alpha (translocon- associated protein alpha) (SSR1) signal sequence receptor, beta (translocon- associated protein beta) signal transducer enceptor, beta (translocon- associated protein beta) (SSR2) signal transducer and activator of transcription (STATSA) signal transducer and activator of transcription 2, 113kD (STAT2) signal transducer and activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 3 activator of transcription 5A (STATSA) signal transducer and activator of transcription 5A (STATSA) signal transducer and activator of transcription 5A (STATSA) signal transducing adaptor molecule (StA domain and TAM motif) 1 (STAM) signal transducing adaptor molecule (StA domain and TAM motif) 1 (STAM) similar to beta-transducin superfamily protein (SAZD) similar to Sc cerevisiae SSM4 (TEPA) similar fo Sc cerevisiae SSM4 (TEPA) similar fo Sc cerevisiae SSM4 (TEPA) similar fo Sc cerevisiae SSM4 (TEPA) similar fo Sc cerevisiae SSM4 (TEPA) SIT protein 1 AJ01059-1 SiOgren syndrome antigen 4 (S2kD) ibonucleoprotein autoantigen SS-A/Ro) SSA1) SSA21 (non-exact 63%) match to zinc finger) SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue SKAPES homologue	receptor ('docking protein') SRPR		X06272							
alpha (translocon-associated protein alpha) (SSR1) signal sequence receptor, beta (translocon-associated protein beta) (SSR2) signal fransducer and activator of transcription (STATSA) signal transducer and activator of transcription 2, 113KU (STATSA) signal transducer and activator of transcription 2, 113KU (STATSA) signal transducer and activator of transcription 3 (acute-phase response factor) (STATSA) signal transducer and activator of transcription 3 (acute-phase response factor) (STATSA) signal transducer and activator of transcription 5A (STATSA) signal transducing adaptor molecule (SH3 domain and TRAM motif) 1 (STAM) signal transducing adaptor molecule (SH3 domain and TRAM motif) 1 (STAM) signal transducing adaptor molecule (SH3 domain and treatment of the signal transducin signal transducin superfamily proteins (SAZD) similar to beta-transducin superfamily proteins (SAZD) similar to beta-transducin superfamily proteins (SAZD) similar to beta-transducin superfamily proteins (SAZD) similar to beta-transducin superfamily proteins (SAZD) similar to Sc. cerevisiae SM4 (TEB4) similar to Sc. cerevisiae 1 AB011169 + + + + + + + + + + + + + + + + + + +	Ibeta. 1 (SIRP-BETA-1)		Y10376		+				+	
beta (translocon- associated protein beta) (SSR2) signal transducer and activator of transcription (STAT5A) signal transducer and activator of transcription 2, 113KD (STAT2) signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3) signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3) signal transducer and activator of transcription 5A (STAT5A) signal transducer and activator of transcription 5A (STAT5A) signal transducing adaptor molecule (SH3 domain and TAM motif) 1 (STAM) silencing mediator of retinoid and thyroid hormone action (SMRT) similar to beta-transducin similar to S. cerevisiae SSM4 (TEB4) similar to yeast pre-mRNA similar to yeast pre-mRNA 1 AF026031 + + + + + SIGNAT (SZND, 1 M52800 A (SZND, 1 M52800 A (SZND, 1 M62800 A (SSA1) Signal transducin subcantigen SS-A/Ro) (SSA1) Signal transducin subcantigen SS-A/Ro) (SSA1) (non-exact 63%) match to zinc finger) SKAPPS homologue 1 AJ004888 + + + + ** L41142 + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + + - + - + + - + - + + - + - + - + + - +	alpha (translocon- associated protein alpha) (SSR1)						+		+	
activator of transcription (STAT5A) signal transducer and activator of transcription 2, 113KD (STAT2) signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3) signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3) signal transducer and activator of transcription 5A (STAT5A) signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 (STAM) signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 (STAM) signal transducing adaptor felinoid and thyroid hormone action (SMR1) similar to beta-transducin superfamily proteins (SAZD) similar to S. cerevisiae 1 AB011169 + + + + + + + + + + + + + + + + + + +	beta (translocon- associated protein beta) (SSR2)			+	+	+	+		+	
activator of transcription 2, 113kD (STAT2) signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3) signal transducer and activator of transcription 5A (STAT5A) signal transducing adaptor activator of transcription 5A (STAT5A) signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 (STAM) silencing mediator of retinoid and thyroid hormone action (SMRT) similar to beta-transducin superfamily proteins (SAZD) similar to Sc crevisiae SMM (TEB4) similar to Sc crevisiae 1 AB011169 + + + + + + + + + + + + + + + + + + +	activator of transcription (STAT5A)			+	+	+	+	+	+	
activator of transcription 3 (acute-phase response factor) (STAT3) signal transducer and activator of transcription 5A (STAT5A) signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 (STAM) silencing mediator of retinoid and thyroid hormone action (SMRT) similar to beta-transducin superfamily proteins (SAZD) similar to beta-transducin similar to S. cerevisiae SSM4 (TEB4) similar to S. cerevisiae SSM4 (TEB4) similar to yeast pre-mRNA spilicing factors, Prp1/Zer1 and Prp6 SIT protein 1 AJ010059.1 Signar syndrome antigen A1 (SZkD, insolutional substantiagen SS-A/Ro) (SSAT) Signar syndrome antigen 1 M62800 A1 (SZkD, insolutional syndrome antigen A1 (SZkD, insolutional sy	activator of transcription 2, 113KD (STAT2)		U18671						+	
activator of transcription 5A (STAT5A) signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 (STAM) silencing mediator of retinoid and thyroid hormone action (SMRT) similar to beta-transducin superfamily proteins (SAZD) similar to S. cerevisiae SSM4 (TEB4) AB011169 + + + + + + + + + + + + + + + + + + +	activator of transcription 3 (acute-phase response factor) (STAT3)	3	L29277							·
molecule (SH3 domain and ITAM motif) 1 (STAM) Silencing mediator of retinoid and thyroid hormone action (SMRT) Similar to beta-transducin superfamily proteins (SAZD) Similar to S. cerevisiae 1 AB011169 + + + + + + + + + + + + + + + + + + +	activator of transcription 5A (STAT5A)	2	U48730	+	+	+	+	+	+	
retinoid and thyroid hormone action (SMRT) similar to beta-transducin (SAZD)	molecule (SH3 domain and ITAM motif) 1 (STAM)	•	U43899							
Superfamily proteins (SAZD) Similar to S. cerevisiae SSM4 (TEB4) Similar to yeast pre-mRNA Splicing factors, Prp1/Zer1 and Prp6 SIT protein Siggren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) Siggren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) Siggren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) Siggren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) Siggren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (SSA1) Siggren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (SS	retinoid and thyroid hormone action (SMRT)									
SSM4 (TEB4) similar to yeast pre-mRNA splicing factors, Prp1/Zer1 and Prp6 SIT protein 1 AJ010059.1 Sjogren syndrome antigen 2 M62800 A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) Sjogren syndrome antigen 1 M62800 A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (non-exact 63%) match to zinc finger) SKAP55 homologue 1 AJ004886 + + + + + SKAP-HOM) Skb1 (S. pombe) homolog 2 AF015913 + + + + +	superfamily proteins (SAZD)			+	+	+			+	
splicing factors, Prp1/Zer1 and Prp6 STT protein 1 AJ010059.1 Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (non-exact 63%) (match to zinc finger) SKAP55 homologue 1 AJ004886 + + + + + SKAP-HOM) SkD1 (S. pombe) homolog 2 AF015913 + + + + + + + + + + + + + + + + + + +	SSM4 (TEB4)				+	+	+		+	
Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (non-exact 63%) match to zinc finger) SKAP-HOM) SKAP-HOM) SKAP-HOM) SKD1 (S. pombe) homolog 2 AF015913 + + + + + + + + + + + + + + + + + + +	splicing factors, Prp1/Zer1 and Prp6			+	+	+	+		+	
A1 (52kD, independent of the state of the st] [1							
A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (non-exact 63%) (match to zinc finger) (SKAP55 homologue 1 AJ004886 + + + + + + SKAP-HOM) (SkD1 (S. pombe) homolog 2 AF015913 + + + + + + + + + + + + + + + + + + +	A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1)							+		
(SKAP-HOM) skb1 (S. pombe) homolog 2 AF015913 + + + + +	A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (non-exact 63%) (match to zinc finger)									
SKB1) + + + + + + + + + + + + + + + + + + +	(SKAP-HOM)									
	(SKB1)		AFU15913	+	[†]	+	+		+	

skeletal muscle abundant	1 1	V07040						- `	C1/CA00/00005
protein		X87613	+	+	+	+	T	TŦ	
SMA3 (SMA3)	1	X83300	+	+	 	+	├	╁	
small acidic protein	3	U51678	+	+	+	+	 .	+	
small EDRK-rich factor 2 (SERF2)	2	Y10351	+	+	+	+	+	+	high in fetal lung
small inducible cytokine A5 (RANTES) (SCYA5)	2	M21121	+	+	+	+	+	+	high in many libraries
small inducible cytokine subfamily C, member 2 (SCYC2)		D63789		\top	-				
small nuclear ribonucleoprotein polypeptide B" (SNRPB2)	2	M15841		+	+	+		+	
small nuclear ribonucleoprotein polypeptide N (SNRPN)	4	J04615	+	+	+	+	+	+	
small nuclear ribonucleoprotein polypeptides B and B1 (SNRPB)	2	J04564	+	+	+	+		+	
small nuclear RNA activating complex, polypeptide 5, 19kD (SNAPC5)	1	AF093593	+	+	+	+	_	+	
smallest subunit of ubiquinol-cytochrome c reductase	1	D55636	+	+	+	+	+	+	high in fetal lung
SMC (mouse) homolog, X chromosome (SMCX)	1	L25270	+	+ +	+	+		+	
SMT3B protein (2)	2	X99585	+	++	+-	+	┰┤	+	
SNARE protein (YKT6) (low match)	1	U95735		1 -		-	+	-	
SNC19	1	U20428	 	 			-		
SNC73 protein (SNC73)	2	J00220	+	++		+	++	+	high in many libraries
solute carrier family 1 (neutral amino acid transporter), member 5 (SLC1A5)	2	U53347		+		+		+	ingit it many intraries
Solute carrier family 11 (proton-coupled divalent metal ion transporters), member 1 (SLC11A1)	7	D50403	+						
solute carrier family 17 (sodium phosphate), member 3 (SLC17A3)	1	U90545				+	\dashv	7	
solute carrier family 19 (folate transporter), member 1 (SLC19A1)	1	U17566	B, lymphoma	+			+	7	
solute carrier family 2 (facilitated glucose transporter), member 1 (SLC2A1)	1	K03195	+	+	+	+	+	+	
solute carrier family 23 (nucleobase transporters), member 2 (SLC23A2)	3	D87075		+	+	+	1	+	
solute carrier family 25 (mitochondrial carrier; oxoglutarate carrier), member 11 (SLC25A11) solute carrier family 31	1	AF070548	В, Т	+	+	1	+	+	
member 2 (SLC31A2)	3	U83461		+		+	\dagger	\dashv	-
solute camer family 4, anion exchanger, member 2 (erythrocyte membrane protein band 3-like 1) (SLC4A2)	1	X62137		+	+			+	
solute carrier family 4, sodium bicarbonate cotransporter, member 8	1	AB018282		+	\top	\dagger	\dagger	+	

solute carrier family 7	7 2	DOMAG							C1/CA00/00005
(cationic amino acid transporter, y+ system), member 5 (SLC7A5)		M80244	1, W	+	+		+		
solute carrier family 7	3	D87432	├─	+-	+	╀-	ـ	+	<u></u>
(cationic amino acid transporter, y+ system), member 6 (SLC7A6)									
solute carrier family 7 (cationic amino acid	1	D87432		†	-	-		\vdash	
transporter, y+ system), member 6 (SLC7A6) (non- exact 77%) solute camer family 9									
(sodium/hydrogen exchanger), isoform 6 (SLC9A6)	1	AF030409		+	+	+		+	
somatic cytochrome c (HCS)	2	M22877		†	\vdash	1	-	 	
SON DNA binding protein (SON)	2	X63753		+	+	+	-	+	
(Drosophila) homolog 1	1	L13858	+	+		+			
soran (SRI)	1	M32886		†		 	\vdash	 	
sortilin 1 (SORT1) sortilin-related receptor.	2	X98248		+	 	+	-	+	
L(DLR class) A repeats- containing (SORL1)	6	Y08110							
sorting nexin 1 (SNX1)	3	U53225	+	+	+	+		+	
sorting nexin 2 (SNX2) sorting nexin 6 (SNX6)	2	AF043453							
(=U83194.1 TRAF4- associated factor 2)	1	AF121856.1							
Sp3 transcription factor (SP3)	1	X68560	+	+	+	+		+	
Sp3 transcription factor (SP3)	4	M97191	+	+	+	+		+	
special AT-rich sequence binding protein 1 (binds to nuclear matrix/scaffold- associating DNA's) (SATB1)	1	M97287							
speckle-type POZ protein (SPOP)	4	AJ000644						\dashv	
speckle-type POZ protein (SPOP) (non-exact)	1	AJ000644							
spectrin SH3 domain binding protein 1 (SSH3BP1)	6	U87166	+	+	+	+			
Spectrin, alpha, non- erythrocytic 1 (alpha-fodrin) (SPTAN1)	2	J05243		+	+			+	
spermidine/spermine N1- acetyltransferase (SAT)	11	M55580							
spermidine/spermine N1- acetyltransferase (SAT) (non-exact, 84%)	1	U40369							
spermine synthase (SMS)	1	AD001528	+	+	+	+	-	+	
SPF31 (SPF31)		AF083190	+	+	+	+	\dashv	+	
sphingomyelin phosphodiesterase 1, acid lysosomal (acid sphingomyelinase) (SMPD1)	1	X52679		+	+		+		
SPINDLÍN HOMOLOG (PROTEIN DXF34)	1	Q99865		$\neg \uparrow$	\dashv	+	十	7	
spinocerebellar ataxia 1 (olivopontocerebellar ataxia 1, autosomal dominant, ataxin 1) (SCA1)	3	X79204	В	+		\top	+	1	

WO 00/40749

									C1/CA00/00003
spinocerebellar ataxia 2 (olivopontocerebellar ataxia 2, autosomal dominant, ataxin 2) (SCA2)	1	U70323	В				+		÷
spinocerebellar ataxia 7 (olivopontocerebellar atrophy with retinal degeneration) (SCA7)	2	AJ000517		+					
spliceosome associated protein (SAP 145)	3	U41371		+	+	+	+	+	
splicing factor (CC1.3) (CC1.3)	2	L10910	+	+	+	+	7	+	
splicing factor SRp40-1 (SRp40)	7	U30826	+	+	+	+	+	+	
splicing factor, arginine/serine-rich 11 (SFRS11)	3	M74002	В	+	+		+	+	
splicing factor, arginine/serine-rich 7 (35kD) (SFRS7)	4	L41887		+	+	+		+	
Src-like adapter protein (non-exact, 76%aa)	1	U30473							
Src-like-adapter (SLA)	6	D89077		+	+	+		+	
Src-like-adapter (SLA) (low match)	1	D89077							
Src-like-adapter (SLA) (low score)	1	U44403						-	
stannin (SNN)	2	AF030196	+	+	+	+		+	
STAT induced STAT inhibitor 3 (SSI-3)	1	AB004904				+			
STE20-like kinase 3 (MST-3)	2	AF024636	+	+	+	+		+	
step II splicing factor SLU7 (SLU7)	1	AF101074		+		+	+	+	
steroid sulfatase	1	M17591				\vdash	-		
steroid sulfatase (microsomal), arylsulfatase C, isozyme S (STS)	1	J04964		+	+	+			
sterol carrier protein 2 (SCP2)	1	M55421		+	+	+	+	+	
sterol O-acyltransferase (acyl-Coenzyme A: cholesterol acyltransferase) 1 (SOAT1)	1	AF059202					+		
stimulated trans-acting factor (50 kDa) (STAF50)	6	X82200	+	+		+			
Striatin, calmodulin-binding protein (STRN) (low match, 71%aa)	1	U17989							
Stromal antigen 2 (STAG2)	2	Z75331			+	+	+	+	
stromal interaction molecule 1 (STIM1)	3	U52426	+	+	+	+		+	
structure specific recognition protein 1 (SSRP1)	1	M86737		+	+	+		+	
succinate dehydrogenase complex, subunit A, flavoprotein (Fp) (SDHA)	5	L21936			+				
succinate dehydrogenase complex, subunit B, iron sulfur (lp) (SDHB)	1	U17248	+	+	+	+		+	
succinate dehydrogenase complex, subunit C, integral membrane protein, 15kD (SDHC)	1	U57877	+	+	+	+		+	
succinate dehydrogenase complex, subunit D, Integral membrane protein (SDHD)	3	AB006202		+	+		+		
succinate-CoA ligase, GDP-forming, beta subunit (SUCLG2)	1	AF058954		+	+	+	+	+	

WO 00/40749								P	CT/CA00/00005
succinyl CoA synthetase	1	Z68204		Т	Τ	Т		т	T.
sudD (suppressor of bimD6, Aspergillus	2	AF013591		+		\vdash	+	+	
nidulans) homolog (SUDD) suifotransferase family 1A,					<u> </u>			<u> </u>	
phenol-preferring, member 1 (SULT1A1)	1	L19999		+			+	+	
sulfotransterase family 1A, phenol-preferring, member 3 (SULT1A3) (non-exact 67%)	1	U37686							
superoxide dismutase 1.	4	V00047		<u> </u>		<u> </u>	L_		
soluble (amyotrophic lateral	*	X02317		+	+		+	+	
superoxide dismutase 2, mitochondrial (SOD2)	5	Y00985		+	+	+	+	+	
supervillin (SVIL)	2	AF051851		┼		+	├	+	
suppression of	2	U15131	 	 	<u> </u>	+	ļ	+	
tumorigenicity 5 (ST5)				*	1	T		7	
suppression of tumorigenicity 5 (ST5) (non-exact 82%)		U15779							
suppressor of K+ transport defect 1 (SKD1)	1	AF038960		t	+	+			
suppressor of Ty (S.cerevisiae) 3 homolog	1	AF064804	+	+	+	+		+	
(SUPT3H) suppressor of Ty	2	U38817	+	 	+	+	<u> </u>	+	
(S.cerevisiae) 4 homolog 1 (SUPT4H1)	_		_ `	'				Ĭ	
suppressor of Ty (S.cerevisiae) 5 homolog (SUPT5H)	2	U56402		+				Ŧ	
suppressor of Ty (S.cerevisiae) 6 homolog (SUPT6H)	2	U46691	+	+	+	+	+	+	
suppressor of variegation 3-9 (Drosophila) homolog 1 (SUV39H1)	1	AF019968		+	+	+			
survival of motor neuron 1, telomeric (SMN1)	1	U18423		\vdash		-			
SWI/SNF related, matrix		M88163		ļ	+	+		+	
associated, actin dependent regulator of chromatin, subfamily a, member 1 (SMARCA1) (non-exact, 75%)									
SWI/SNF related, matrix		D26155	<u> </u>	+	<u> </u>				· · · · · · · · · · · · · · · · · · ·
associated, actin dependent regulator of chromatin, subfamily a, member 2 (SMARCA2)		330.00							
SWI/SNF related, matrix		D26156	+	+	+	+	+	+	L
associated, actin dependent regulator of chromatin, subfamily a, member 4 (SMARCA4)	·	520100	·		,		·		
SWI/SNF related, matrix associated, actin	4	U66616	+	+	+	+	+	+	
dependent regulator of chromatin, subfamily c, member 2 (SMARCC2)									
SWI/SNF related, matrix	2	AF035262	B, W	+	+		+	+	
associated, actin dependent regulator of chromatin, subfamily e, member 1 (SMARCE1)	-	33333	-, -,		,		Í	•	
synaptobrevin-like 1	1	X95803		+	+	+	$\vdash \vdash$	+	
(SYBL1) synaptosomal-associated	2	AJ011915		+	+	+	<u> </u>	+	
protein, 23kD (SNAP23) syndecan binding protein	15								
(syntenin) (SDCBP)	13	AF006636	+	+	+	+		+	

synovial sarcoma,								P	PCT/CA00/00005
translocated to X chromosome (SSXT)	2	X79201		7+	T	T		T	
syntaxin 16	+	AF038897	 		—		┷	4_	
syntaxin 3A (STX3A)	2	U32315		- - -	┦—	┵	4_	 	
syntaxin 6 (STX6)	 	AJ002078.1		→ Ť	 		\bot	+	
SYNTAXIN BINDING	+	000186		-	<u> </u>				
IPROTEIN 3 (UNC-18		000188	j	1	ı		-		
HOMOLOG 3) (UNC-18C)	<u> </u>		1		1	1	1	1	
SYT interacting protein	1	AF008937		\top		\top	1	<u> </u>	
(SIP)	1	AF080561		+	+	+	+	+	
T cell activation, increased late expression (TACTILE)	4	M88282			-	+	+	-	
Cell receptor V alpha	2	X58744	+		┞		1_	ـــ	
gene segment V-alpha-7 (clone IGRa11)									
T cell receptor V alpha gene segment V-alpha-w27	1	X58740		+-		╁	+-	-	
13 receptor-associating	5	583390	+		<u> </u>				
cotactor-1		000000	T	+	+	+	+	+	
tafazzin (cardiomyopathy, dilated 3A (X-linked);	1	X92763	+	+	 -	+	┼	+	
lendocardial fibroelastosis		İ	1				1		
2: Barth syndrome) (TAZ)				1	İ		1	i i	
TAFII100 protein (non- exact 53%)	1	U80191	 	+	 	+	├	\vdash	
tankyrase, TRF1-		A E DOME E D	<u> </u>			1	<u> </u>		
Interacting ankyrin-related	'	AF082556		+	+	+		+	
ADP-ribose polymerase (TNKS)		1	!			1	ł		
TAP1, TAP2, LMP2, LMP7		VANIBA				ļ	1		
land DOB	•	X66401							
TAR DNA-binding protein- 43	6	U23731	+	+	+	+	-	+	
Tat interactive protein (60kD) (TIP60)	2	U40989	+	++	+	+		+	
TATA box binding protein		000268						Ċ	
I(IBP)-associated factor	•	000268	1		_				
RNA polymerase II, C1, 130kD (TAF2C1) (non-			1						
(exact, 55%)			1			ł			
TATA box binding protein	4	X97999		$+$ $ \downarrow$		Ļ_			
(TBP)-associated factor, RNA polymerase II, F,	•	7,07,333		+	+	+	+	+	
55kD (TAF2F)				1 1					
TATA box binding protein	2	U21858							
I(IBP)-8880ciated factor	-	021000		+	+	+	+	+ 1	
RNA polymerase II, G, 32kD (TAF2G)				1 1					
TATA box binding protein		D63705							
(UBP)-associated factor	·	1003705	+	+ 1	+	+	T	+1	
RNA polymerase II, I, 28kD (TAF2I)									
Tax1 (human T-cell		1122024					l		
leukemia virus tyne I\	•	U33821		+	+	+	+	+	
binding protein 1 (TAX1BP1)				1 1					
1-box 2 (TBX2) (non-exact		U28049					1		
77%)	•	026049			+7	+	\neg	+1	
TBP-associated factor 172 (TAF-172)	1	AJ001017		+		+	-	+	
T-cell death-associated gene 8 (TDAG8)	1	U95218		 		+	-	\dashv	
T-cell leukemia/lymphoma 1A (TCL1A)	1	X82240	+	 		\dashv	\dashv	+	
-cell leukemia/lymphoma	1	X82240				_	_	_ _	
1A (TCL1A) (low match) 1-cell receptor (delta D2-									ļ
J1-region) (clone K3B)	1	M22197				\neg	\top	\neg	
					1		_	ı	

T-cell receptor (V beta 5.1,	· ·								C1/CA00/00005
J beta 1.5, C beta 1) (low match)		M97705			Τ	Τ		Τ	
T-cell receptor alpha delta (=M94081)	2	AE000662		+	†	+	+	\dagger	
T-cell receptor alpha enhancer-binding protein, short form (=X58838 Mouse LEF1 lymphoid enhancer binding factor 1 (=D16503))	1	B39625							
T-cell receptor delta gene D2-J1-region, clone K3B	1	M22197		+-	╁	+	╁	+	
T-cell receptor germline beta chain gene V-region (V) V-beta-MT1-1	1	M11955				+		\vdash	
T-cell receptor germline beta-chain gene J2.1 exon	1	M14159	+	 	-	╁	H	-	only in blood
I -cell receptor germline delta-chain D-1 region	2	M22152		 	 	╁	\vdash	\vdash	
T-cell receptor interacting molecule (TRIM) protein	2	AJ224878		+		\dagger	 	+	
T-cell receptor rearranged delta-chain, V-region (V- delta 3-J)	1	M21784	·	†		T		_	
T-cell receptor, alpha (V,D,J,C) (TCRA)	3	AE000660	+	+	+	╆	\vdash	+	
T-cell receptor, beta cluster (TCRB)	3	L34740	+	+	+	+	+	+	high in pancreas
T-cell receptor, delta (V.D.J.C) (TCRD)	2	X73617			+	+	┢	+	
T-cell, immune regulator 1 (TCIRG1)	3	U45285	·	†			 		only found in tumor
TCF-1 mRNA for T cell factor 1 TCF-1 mRNA for T cell	1	X59870					 		
factor 1 (splice form B) (low match)	1	X59870							
T-COMPLEX PROTEIN 1, ETA SUBUNIT (TCP-1- ETA) (CCT-ETA) (HIV-1 NEF INTERACTING PROTEIN)		Q99832							
T-COMPLEX PROTEIN 1. THETA SUBUNIT (TCP-1- THETA) (CCT-THETA) (KIAA0002)		P50990	<u> </u>						
TCR eta = T cell receptor(eta-exon)	1	S94421			-				
TCR V Beta 13.2	1	X75419 AC004472							
testis enhanced gene	33	X75861	+						
transcript (TEGT) tetracycline transporter-like				+	+	+	+	+	
protein (TETRAN) tetratricopeptide repeat	2	L11669		+	+	+		+	
domain 1 (TTC1) International control of the contro	1	U46570	+	+	+	+		+	
domain 2 (TTC2) tetratricopeptide repeat	1	U46571		+		+		+	
domain 3 (TTC3) TGFB1-induced anti-	1	D84296	+	+	+	+		+	
apoptotic factor 1 (TIAF1) thioredoxin reductase 1	1	D86970	+	+	+	+		+	
(TXNRD1) THIOREDOXIN-	3	S79851		+	+	+		+	
DEPENDENT PEROXIDE REDUCTASE PRECURSOR, mitochondrial (ANTI- OXIDANT PROTEIN 1) (AOP-1)	1	P30048							

threonyl-tRNA synthetase	1 1	M63180							PC1/CA00/00005
(TARS)		MI03180		+	+	+		+	6
thrombin inhibitor		Z22658	1	\dagger	1	+	\vdash	+	
thrombospondin 1 (THBS1)		X04665		+	+	+	+	+	
thromboxano A synthase 1 (platelet, cytochrome P450 subfamily V) (TBXAZ1) thymidine kinase 2,	1	M80647		1		+	+	+	
mitochondrial (TK2) thymidylate kinase (CDC8)	2	X76104		+	+		+		
thymine-DNA glycosylase	1	L16991		+	+	+		+	
(TDG) Thymosin, beta 10	2	U51166	+	+	+	+		+	
(TMSB10)	2	M20259	+	+	+	+	+	+	
thymosin, beta 4, X chromosome (TMSB4X)	29	M17733		+	+	+		+	
thyroid autoantigen 70kD (Ku antigen) (G22P1)	7	J04611							
thyroid hormone receptor coactivating protein (SMAP)	1	AF016270		+		+		+	
thyroid hormone receptor interactor 7 (TRIP7)	2	L40357		+	+	+		+	
thyroid hormone receptor interactor 8r (TRIP8)	4	L40411		+		\vdash		\vdash	
thyroid hormone recentor	1-1-	D83783		 				<u> </u>	
associated protein, 230 kDa subunit (TRAP230)		550.05		١.					
thyroid receptor interacting protein 15 (TRIP15)	2	L40388	+	+	+	+			
TI-227H	1	D50525				\sqcup			
TIA1 cytotoxic granule-		M77142		+	+	+	_		
associated RNA-binding protein (TIA1)					•	Ť		+	
tissue inhibitor of		X02598	+	+	+				
metalloproteinase 1 (erythroid potentiating activity, collagenase inhibitor) (TIMP1)	·	7.02.000	•		Ť	+	+	+	·
tissue inhibitor of metalloproteinase 2 (TIMP2)	1	M32304	+	+	+	+	7	+	high in placenta
tissue specific transplantation antigen P35B (TSTA3)	1	U58766	+	+	+	+	1	+	
titin (TTN)	1	X64697	+	+	+	++		+	high in muscle
TNF receptor-associated factor 2 (TRAF2)	1	U12597		+	+	+	_	+	
TNF receptor-associated factor 3 (TRAF3)	1	AF110908.1		+		_	\dashv		
TNF receptor-associated factor 6 (TRAF6) (low match)	1	U78798							
toll-like receptor 1 (TLR1)	1	U88540				++	-+		
toll-like receptor 2 (TLR2)	1	U88878	+	+		++	\dashv	+	
toll-like receptor 4 (TLR4)	77	U88880		+	- +	\dashv	+	\dashv	
toll-like receptor 5 (TILR5)	1	AF051151		+	$\neg +$	+	\dashv	\dashv	
topoisomerase (DNA) I (TOP1)	1	J03250		+	+	+	\top		
topolsomerase (DNA) II beta (180kD) (TOP2B)	2	X68060	+	+	+	+	\dashv	+	
topoisomerase (DNA) III beta (TOP3B) TR3beta	3	D87012	+			\top	.	7	
	1 -	D85245		+	\neg	+	\dashv	\dashv	
TRAF family member- associated NF-kB activator (TANK)	3	U63830	+	+	+	+	+	+	
TRANSALDOLASE	1	P37837		-	\dashv	\dashv	\dashv		
transaldolase 1 (TALDO1)	4	L19437		+	+	+	++	+	
			1			L	L		

W O 00/40/49								г	C1/CA00/00005
transaldolase-related protein	1	AF010398				Π			*
transcobalamin II (TCII)	1	AF047576		+-	 	+	 	┢	
transcription elongation factor B (Sill), polypeptide 1-like (TCEB1L)	2	Z47087	+	+	+	+		+	
transcription elongation factor B (SIII), polypeptide 3 (110kD, elongin A) (TCEB3)	1	L47345	+	+	+	+	+	+	
transcription factor 12 (HTF4, helix-loop-helix transcription factors 4) (TCF12)	1	M83233	+	+	+	+		+	
transcription factor 17 (TCF17)	2	D89928		+		+			
transcription factor 4 (TCR4)	2	X52079	1	+	+	+		+	
transcription factor 6-like 1 (mitochondrial transcription factor 1-like) (TCF6L1)	2	M62810	+	+	+	+			
transcription factor 7-like 2 (T-cell specific, HMG-box) (TCF7L2)		Y11306		+	+	+		+	
transcription factor binding to IGHM enhancer 3 (TFE3	1	X96717	+	+	+	+		+	
transcription factor IL-4 Stat	7	AF067575	+	+	+	+	+	+	
transcription factor IL-4 Stat (low match)	1	U16031	- VIII II II II II II II II II II II II I						
transcription factor ISGF-3 (=M97936)	4	M97935							
transcription factor REST	1	A56138							
transcription factor TFIID	1	Z22828							
transcriptional adaptor 2 (ADA2, yeast, homolog)- like (TADA2L)	1	AF064094							
transcriptional intermediary factor 1 (TIF1) (non-exact 72%)	1	AF009353							
transducin (beta)-like 1 (TBL1)	1	Y12781	+	+	+	+		+	
transducin-like enhancer of split 3, homolog of Drosophila E(sp1) (TLE3)	1	M99438	+	+					
Transformation/transcription domain-associated protein (TRRAP)	1	AF076974	+	+	+	+		+	
transformation-sensitive, similar to Saccharomyces cerevisiae STI1 (STI1L)	2	M86752		+	+	+		+	
transforming growth factor beta-activated kinase 1 (TAK1) (non-exact 78%)	1	AB009356			-				
transforming growth factor beta-stimulated protein TSC-22 (TSC22)	3	AJ222700	+	+	+	+		+	
transforming growth factor, beta receptor III (betaglycan, 300kD) (TGFBR3)	1	L07594		+	+	+		+	
fransforming growth factor, beta-induced, 68kD (TGFBI)	2	4507466	+	+	+	+	+	+	
TRANSFORMING GROWTH FACTOR-BETA INDUCED PROTEIN IG-H3 PRECURSOR (BETA IG- H3)	2	Q15582							
transforming, acidic coiled- coil containing protein 1 (TACC1) (non-exact 70%)	1	AF049910							

								г	C1/CA00/00005
transgelin 2 (TAGLN2)	14	D21261	+	+	+	+	+	+	6.
transgelin 2 (TAGLN2) (non-exact)	1	D21261							
trans-Golgi network protein (46, 48, 51kD isoforms) (TGN51)	2	AF029316		+		+			
transient receptor potential channel 1 (TRPC1)	1	X89066		+	+	+	<u> </u>	+	
transketolase (Wernicke- Korsakoff syndrome) (TKT)	7	L12711		+	+	+		+	
translation factor sui1 homolog (GC20)	1	AF064607		+	+	+	+	+	
tránslin (TSN)	3	X78627	+	+	+	+	 	+	
translin-associated factor X (TSNAX)	1	X95073		+	+	+		+	
transmembrane glycoprotein (A33)	1	U79725							
transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment (P63)	1	X69910	+	+	+	+		+	
transmembrane protein 1 (TMEM2)	- 1	AB001523		+		+		+	
TRANSMEMBRANE PROTEIN SEX PRECURSOR (non-exact 65%)	1	P51805							
transmembrane trafficking protein (TMP21)	2	X97442	+	+	+	+	+	+	
transporter 1, ABC (ATP binding cassette) (TAP1)	3	L21208	+	+	+	+		+	
Treacher Collins- Franceschetti syndrome 1 (TCOF1)	2	U40847	+	+	+	+		+	high in many libraries
triosephosphate isomerase 1 (TPI1)	2	X69723	+	+	+	+	+	+	
tropomyosin	2	X04201		+	+	+		+	
tropomyosin 4 (TPM4)	2	X05276	+	+	+	+		+	-
TRPM-2 protein	2	M63376							
tryptase I precursor (non- exact 64%)(=P20231)	1	A35863							
tryptophan rich basic protein (WRB)	1	Y12478							
tryptophanyl-tRNA synthetase (WARS)		X59892	+	+	+	+	+	+	
Ts translation elongation factor, mitochondrial (TSFM)	1	L37936	+	+		+		+	
ttopoisomerase (DNA) II beta (180kD)	1	Z15115		+	+			+	
Tu translation elongation factor, mitochondrial (TUFM)	4	L38995							
tuberous scierosis 1 (TSC1)	1	AF013168		+	+	+		+	
tuberous sclerosis 2 (TSC2)	1	X75621		+	+	+		+	
tubulin, alpha 1 (testis specific) (TUBA1)	1	X06956		+			+		
tubulin, alpha, ubiquitous (K-ALPHA-1)	11	K00558	+	+	+	+	+	+	high in many libraries
tubulin, alpha, ubiquitous (K-ALPHA-1) (low match)	1	K00558							
tubulin-specific chaperone c (TBCC)	1	U61234	,	+	+	+		+	
tumor necrosis factor (ligand) superfamily, member 10 (TNFSF10)	7	U37518		+	+	+		+	· · · · · · · · · · · · · · · · · · ·

WO 00/40749

								r	C1/CA00/00005
tumor necrosis factor (ligand) superfamily, member 13 (TNFSF13)		AF046888	+	+		7 +	T	1	^
tumor necrosis factor (ligand) superfamily, member 14 (TNFSF14)	1	AF036581		1		 			
tumor necrosis factor (ligand) superfamily, member 6 (TNFSF6)	1	D38122	+				 		Found only in library 386: T-cell lymphoma
tumor necrosis factor (ligand) superfamily, member 8 (TNFSF8)	1	L09753	B only			1			
tumor necrosis factor alpha-inducible cellular protein containing leucine zipper domains (FIP2)	1	AF061034		+	+	+		+	
Tumor necrosis factor receptor superfamily member 7 (TNFRSF7)	2	M63928		+			+		
tumor necrosis factor receptor superfamily, member 10b (TNFRSF10B)	1	AF016268		+	+	+	+	+	
tumor necrosis factor receptor superfamily, member 10c, decoy without an intracellular domain (TNFRSF10C)	3	AF012629					+		
tumor necrosis factor receptor superfamily, member 10d, decoy with truncated death domain (TNFRSF10D) (non-exact 84%)	1	AF023849							found only in prostate
tumor necrosis factor receptor superfamily, member 12 (translocating chain-association membrane protein) (TNFRSF12)	1	U94508	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator) (TNFRSF14)	1	U70321	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 1B (TNFRSF1B)	5	U52165	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 6 (TNFRSF6)	1	X63717	B, W					+	
tumor necrosis factor receptor superfamily, member 7 (TNFRSF7)	1	M63928	+	+	-				
tumor necrosis factor, alpha-induced protein 2 (TNFAIP2)	8	M92357		+	+		+		
tumor necrosis factor, alpha-induced protein 3 (TNFAIP3)	2	M59465			· .				
tumor protein 53-binding protein, 1 (TP53BP1)	1	AF078776		+	+	+		+	
tumor protein p53 (Li- Fraumeni syndrome) (TP53)	1	M14695	+	+		Н		+	
Tumor protein p53-binding protein (TP53BPL)	1	U82939	+			+	\dashv	+	
tumor protein, translationally-controlled 1 (TPT1)	35	X16064						\dashv	
tumor protein, translationally-controlled 1 (TPT1) (low score)	1	X16064					+	-	
tumor rejection antigen (gp96) 1 (TRA1)	9	X15187	+	+	+	+	+	+	
		100				\rightarrow			

tumorous imaginal discs									C1/CA00/00005
(Drosophila) homolog (TID1)	2	AF061749		+		T	Τ	T	
TXK tyrosine kinase (TXK)	2	L27071	 	+	+-	╂	┿		
type II integral membrano protein (NKG2-E)	1	AJ001685		-	 	+	+	+-	found only in feta
TYRO protein tyrosine kinase binding protein (TYROBP)	3	AF019562			+			+	liver/spleen
tyrosine 3- monooxygenase/tryptopha n 5-monooxygenase activation protein, beta polypeptide (YWHAB)	1	X57346	+	+	+	+		+	high in ecnorm
tyrosine 3- monooxygenase/tryptopha	1	M86400		+	 -	╁─	╁	╁	
n 5-monooxygenase activation protein, zeta polypeptide (YWHAZ)									
tyrosine 3- monooxygenase/tryptopha n 5-monooxygenase activation protein, zeta polypeptide (YWHAZ) Tyrosine kinase 2 (TYK2)	1	M86400							
	3	X54637		+	+	+	 	+	
TYROSINE-PROTEIN KINASE ZAP-70 (70 KD ZETA-ASSOCIATED PROTEIN) (SYK-RELATED TYROSINE KINASE)	2	P43403							
tyrosyl-tRNA synthetase (YARS)	1	U89436	+	+	+	+	_	+	
U1 small nuclear RNA	1	M14387		1-			├─	⊢	
U19H snoRNA (=M63485 R.norvegicus matrin 3)	1	AJ224166		+		-	<u> </u>	├-	
U2(RNU2) small nuclear				_				1	
RNA auxiliary factor 1 (non-standard symbol) (U2AF1)	1	M96982		+	+	+		+	
U22 snoRNA host gene (UHG)	2	U40580						\vdash	
U4/U6-associated RNA splicing factor (HPRP3P)	4	AF016370		+	+	+		+	
U49 small nuclear RNA	1	X96649		1					
U5 snRNP-specific protein	<u> </u>	AB007510							
(220 kD), ortholog of S, cerevisiae Prp8p (PRP8) U5 snRNP-specific protein,			+	+	+	+		+	
116 kD (U5-116KD) U5 snRNP-specific protein,	4	D21163	+	+	+	+		+	
200 KDa (DEXH RNA helicase family) (U5-200- KD)	3	270200							
Uba80 mRNA for ubiquitin	4	579522	+	+	+	+	+	+	high in ovary
ubiquinol-cytochrome c reductase (6.4kD) subunit (UQCR)	1	D55636	+	+	+	+	+		high in fetal lung
UBIQUÍNOL- CYTOCHROME C REDUCTASE IRON- SULFUR SUBUNIT PRECURSOR (RIESKE RON-SULFUR PROTEIN) (RISP) (low match)	1	P47985	· · · · · · · · · · · · · · · · · · ·						
ibiquitin A-52 residue ibosomal protein fusion	2	X56999				\dashv	\dashv	\dashv	
product 1 (UBA52)	· · · · · · · · · · · · · · · · · · ·				- 1	1		-	
John John John John John John John John	1	AF094516		1	7	+	\dashv	+	
IDIOUITIN C. (LIRC)	5	AB009010		 + 	++	++	++	+	high in ovary

								P	CT/CA00/00005
ubiquitin carboxyl-terminal esterase L3 (ubiquitin thiolesterase) (UCHL3)	1	M30496	+	+	+	+		+	
ubiquitin fusion degradation 1-like (UFD1L)	1	U64444	+	++	+	+	\dagger	+	<u> </u>
ubiquitin protein ligase E3A (human papilloma virus E6- associated protein, Angelman syndrome) (UBE3A)	1	U84404	В	+	+			+	
ubiquitin specific protease 10 (USP10)	4	D80012	+	+	+	+	╄-	+	
ubiquitin specific protease	1	U44839	+	+	+	+	+	+	
ubiquitin specific protease 15 (USP15)	3	AB011101	+	+	+	+	╁	+	
ubiquitin specific protease 19 (USP19)	1	AB020698		+	f	\dagger	\vdash	╁	
ubiquitin specific protease 4 (proto-oncogene) (USP4) ubiquitin specific protease	1	AF017305	В	+	+	1	+	+	
4 (proto-oncogene) (USP4) (non-exact, 66%) ubiquitin specific protease	1	AF017306							
(USP7)		272499		+	+	+		+	
ublquitin specific protease 8 (USP8)	5	D29956		+	+	+	_	+	
UBIQUITIN-ACTIVATING ENZYME E1 (A1S9 PROTEIN) (56%)	1	P22314				T			
ubiquitin-activating enzyme E1 (A1S9T and BN75 temperature sensitivity complementing) (UBE1)	1	M58028	+	+-	+	+		+	
ubiquitin-activating enzyme E1, like (UBE1L)	1	L34170	+	+	L	+		+	
UBIQUITIN-BINDING PROTEIN P62; phosphotyrosine independent ligand for the	1	U41806			+		+		·
Lck SH2 domain p62 (P62) ubiquitin-conjugating	2	11/00-70							
enzyme E2 variant 1 (UBE2V1)		U49278	+	+	+	+	+	+	
ubiquitin-conjugating enzyme E2 variant 2 (UBE2V2)		X98091							
UBIQUITIN- CONJUGATING ENZYME E2-17 KD (UBIQUITIN- PROTEIN LIGASE) ubiquitin-conjugating	1	Q16781							
enzyme E2B (RAD6 homolog) (UBF2R)	1	M74525	+	+	+	+		+	
ublquitin-conjugating enzyme E2G 2 (homologous to yeast UBC7) (UBE2G2)	1	AF032456	+	+	+	+	-	+	
ubiquitin-conjugating enzyme E2H (homologous to yeast UBC8) (UBE2H)	1	Z29328	+	+	+	+		+	
ubiquitin-conjugating enzyme E2L 1 (UBE2L1)	1	X92962		+	+			+	
ubiquitin-conjugating enzyme E2L 3 (UBE2L3)	3	AJ000519		+	+	+		+	
ubiquitin-conjugating enzyme E2L 6 (UBE2L6)	4	AF031141		+	+	+	+	+	
ubiquitin-like 1 (sentrin) (UBL1)	2	U61397	+	+	+	+	7	+	

UDP-N-acetyl-alpha-D-			_						PC1/CAUU/UUUUS
galactosamine:polypeptide	2	X85019		7			Τ	Τ	
acetylgalactosaminyltransf erase 2 (GalNAc-T2) (GALNT2)									
UDP-N-acetyl-alpha-D- galactosamine:polypeptide	1	X92689		+	+	+	╁	╁	
N- acetylgalactosaminyltransf									
erase 3 (GalNAc-T3) (GALNT3) (non-exact 65%)									
unactive progesterone receptor, 23 Kd (P23)	2	L24804		+	+	+		+	
unconventional myosin-ID (MYO1F)	3	U57053		+-	+-	+-	\vdash	╁	
uncoupling protein homolog (UCPH)	1	U94592		\dashv	-	+-	╁	+	
uncoupling protein homolog (UCPH) (low match 67%)	1	U94592		-		1	\vdash		
Unknown gene product	1	AC002310		+	┿	+-	├	⊢	
unknown mRNA (clone 24514)	1	AF070542		+	1	+	\vdash	\vdash	
unknown protein (clone ICRFp507L0677)	2	Z70223		+-	-	\vdash		-	
unknown protein (Hs.93832)	1	AF070626	+	+	+	+	+	+	
unknown protein IT14	1	AF040966			┼─	├-		┝	
uppressor of Ty S.cerevisiae) 6 homolog	1	D79984	+	+	+	+	+	+	
pregulated by 1,25- lihydroxyvitamin D-3 VDUP1)	74	S73591	+	+	+	+		+	high in heart
ipregulated by 1,25- tihydroxyvitamin D-3 VDUP1) (low match)	7	573591				_			
ipregulated by 1,25- lihydroxyvitamin D-3 VDUP1) (low match)	1	S73591		1	-				
pregulated by 1,25- lihydroxyvitamin D-3 VDUP1) (low score)	1	S73591		1-					
pstream binding factor nUBF)	1	X53461	+	+	_	+		+	
IV radiation resistance ssociated gene (UVRAG)	2	X99050		+	+	+		+	
acuolar proton-ATPase, ubunit D; V-ATPase, ubunit D (ATP6DV)	4	X71490		+	+	+	+	+	
-akt murine thymoma viral ncogene homolog 1	1	M63167	+	+	+	+		+	
anin 2 (VNN2)	3	AJ132100		+			\dashv		
asodilator-stimulated hosphoprotein (VASP)	3	Z46389	+	+	+	+	-	+	
av 1 oncogene (VAV1)	1	M59834		+		\dashv		+	
av 2 oncogene (VAV2)	1	S76992	+	+				$\dot{-}$	
crk avian sarcoma virus T10 oncogene homolog CRK)	1	D10656	W	+	+		+		
erb-b2 avian ythroblastic leukemia ral oncogene homolog 3 (RBB3)	1	M29368	-					+	
ERSICAN CORE ROTEIN PRECURSOR	1	P13811		1-1	_	1	7		
esicle-associated tembrane protein 1 tynaptobrevin 1) (VAMP1)	1	M36196		1 + 1	+	+		+	

vesicle-associated	1 1	TIBARNA						P	1/CA00/00005
membrane protein 3 (cellubrevin) (VAMP3)		U64520			T		T		
v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS)	26	K00650		+	+	+	+	+	high in aorta
v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS) (low match)	1	K00650			 	-			
villin 2 (ezrin) (VIL2)	1	X51521	+	+	+	+	-	+	
villin-like protein vimentin (VIM)	1	D88154		_	╁┯	+-	-		
	12	X56134		+	+	++	+	+	high in many libraries
vinculin (VCL)	4	M33308		+	+	+	 	+	, , , , , , , , , , , , , , , , , , ,
vitamin A responsive; cytoskeleton related (JWA) v-jun avian sarcoma virus	6	AF070523		+	+	+		+	
17 oncogene homolog (JUN)	2	U65928	+	+	+	*		+	
v-myb avian myeloblastosis viral oncogene homolog (MYB)	1	M15024			+		+		
voltage-dependent anion channel 1 (VDAC1) voltage-dependent anion	1	L06132	+	+	+	+		+	
channel 3 (VDAC3) von Hippel-Lindau	4	U90943		+	+	+		+	
syndrome (VHL) Von Willebrand factor	1	L15409		+	+	+		+	
(vWF) (low matched) v-raf munne sarcoma 3611		X06828					_		
Viral oncogene homolog 1 (ARAF1)	2	L24038	+	+	+	+			
v-raf-1 murine leukemia viral oncogene homolog 1 (RAF1)	1	X03484	+	+	+	+		+	
v-ral simian leukemia viral oncogene homolog B (ras related; GTP binding protein) (RALB)	3	M35416							
V-rel avian reticuloendotheliosis viral oncogene homolog A (nuclear factor of kappa light polypeptide gene enhancer in B-cells 3 (p65)) (RELA)	1	L19067		+	+	+		+	
v-yes-1 Yamaguchi sarcoma viral related oncogene homolog (LYN)	2	M16038	+	+		+		+	
WD repeat domain 1 (WDR1)	1	AB010427	+	+	+	+	+	+	
WDR1 (=AF020260)	1	AF020056		 		-+	\dashv	-+	
WD-repeat protein (HAN11)	2	U94747		+ 1	+	-+	\dashv	+	
(HAN11) Williams-Beuren syndrome chromosome region 1 (WBSCR1)	12	AF045555	+	+	+	+	+	+	
Wiskott-Aldrich syndrome protein interacting protein (WASPIP)	4	X86019	+	+	+	\dashv	+	+	
X (inactivé)-specific transcript (XIST)	2	M97168		 	\dashv	+	+	+	
xeroderma pigmentosum, complementation group C (XPC)	3	D21089	+	+	+	+	\dagger	+	
XIAP associated factor-1	2	X99699		 		+	-	+	
XIB	1	X90392		+	++	L	.	+	
X-linked anhidroitic ectodermal dysplasia	1	AF003528			\dashv	+	+	+	
				 -L				L_	

V = 14 = 2 = 2 = 1								,	PCT/CA00/00005
X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand- break rejoining; Ku autoantigen,		M30938	+	+	+	1			high in spleen
(80kD) (XRCC5)									
XRP2 protein yeloid differentiation	1	AJ007590			1	十	\dagger	+	
primary response gene (88) (MYD88)		U84408		+	+	+	T	+	
zeta-chain (TCR) associated protein kinase (70kD) (ZAP70)	1	L05148	+			+			
zeta-chain (TCR) associated protein kinase (70kD) (ZAP70) (low match)	1	L05148							
zinc finger protein (Hs.47371)	2	U69274	+	+	+	+	_	+	
zinc finger protein (Hs.78765)	1	U69645	+	+	+	+	+	+	
zinc finger protein 10 (KOX 1) (ZNF10)	1	X78933				+	╁	+	+ only
ZÍNC FINGER PROTEIN 124 (HZF-16) (non-exact 51%)	1	Q15973		-		+	 -	-	
zinc finger protein 124 (HZF-16) (ZNF124) (non- exact, 78%)	1	S 5464 1							
ZINC FINGER PROTEIN 133	1	P52736		+	 	十	\vdash	 	
zinc finger protein 136 (clone pHZ-20) (ZNF136)	1	U09367		 	+	+	十一	╁	<u> </u>
zinc finger protein 140 (clone pHZ-39) (ZNF140)	1	U09368		+	 	+	 	+	
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 59%)	1	AF060865				T	\vdash	 	
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 73%)	1	U09368		\vdash		 		-	
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 73%aa)	1	\$66508				-	T		
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact, 80%)	1	U09368						,	
zinc finger protein 143 (clone pHZ-1) (ZNF143)	2	U09850	+	+	+	+	+	+	
zinc finger protein 143 (clone pHZ-1) (ZNF143) (low match)		U09850							
zinc finger protein 148 (pHZ-52) (ZNF148)	1	AF039019	+				Г		
ZINC FINGER PROTEIN 151 (MIZ-1 PROTEIN) (low match)	1	Q13105							
zinc finger protein 173 (ZNF173)	1	U09825	В, Т	+	+	\vdash	+	-	
zinc finger protein 192 (ZNF192) (non-exact, 66%)	1	U57796					<u> </u>	 	
zinc finger protein 198 (ZNF198)	1	AJ224901		+	+	+	 	-	
zinc finger protein 2 (ZNF2)	1	X60152				-	 	-	
zinc finger protein 200	1	AF060866		+	, <u> </u>	+	 	\vdash	
zinc finger protein 207 (ZNF207) zinc finger protein 216 (ZNF216)	6	AF046001	+	+	+	+	+	+	high in prostate
	2	AF062072	+	1 1		1 1	<i>i</i> 1	ı	

WO 00/40749								F	PCT/CA00/00005
zinc finger protein 217 (ZNF217)		AF041259	Tacti	vated		Τ	Т	+	
ZINC FINGER PROTEIN 22 (ZINC FINGER PROTEIN KOX15) (non- exact 58%)	1	P17026					-	T	
zinc finger protein 230 (ZNF230)	1	U95044		+	<u> </u>	十	\dagger	\dagger	
Zinc finger protein 239 (ANF239)	1	L26914		+		+	1		
zinc finger protein 261 (ZNF261) zinc finger protein 262	1	AB002383		+	+	+		+	
(ANF262) zinc finger protein 263	1	AB007885		+	+	+		+	
(ZNF263) zinc finger protein 264	<u> </u>	D88827							
(ZNF264) ZINC FINGER PROTEIN	1	AB007872		+	+	+			
33A (ZINC FINGER PROTEIN KOX31) (KIAA0065) (HA0946)		Q00730							
zinc finger protein 42 (myeloid-specific retinoic cid- responsive) (ZNF42) zinc finger protein 43		M58297	+	+	+	+		+	
(HTF6) (ZNF43) (low match)	1	X59244							
zinc finger protein 43 (HTF6) (ZNF43) (non- exact, 54%)	1	X59244						-	
zinc finger protein 43 (HTF6) (ZNF43) (non- exact, 71%)	1	X59244							
ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6) (non-exact 67%)		P28160							
zinc finger protein 45 (a Kruppel-associated box (KRAB) domain polypeptide) (ZNF45)	1	L75847							only found in testis
ZINC FINGER PROTEIN 46 (ZINC FINGER PROTEIN KUP) (non-exact 62%)	1	P24278							
zinc finger protein 6 (CMPX1) (ZNF6)	1	X56465		+	+	+		+	
zinc finger protein 74 (Cos52) (ZNF74) (non- exact, 67%)	1	X71623							
zinc finger protein 76 (expressed in testis) (ZNF76)	1	M91592		+	+	+		+	
ZINC FÍNGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1) (non- exact 65%)	1	P51522							
zinc finger protein 84 (HPF2) (ZNF84)	1	M27878	Tactivated	+	+			+	
zinc finger protein 85 (ZNF85))	2	U35376		+	+	+	-		
zinc finger protein 9 (ZNF9)	5	M28372		+	+	+	+	+	
ZINC FINGER PROTEIN 93 (=ZINC FINGER PROTEIN HTF34) (non- exact 70%)	1	P35789							
zinc finger protein C2H2-25 (ZNF25)	3	U38904		+	+	+			
zinc finger protein clone L3-4	1	AF024706							
zinc finger protein homologous to Zfp-38 in mouse (ZFP36)	4	M92843	+						blood only

WO 00/40749	PCT/CA00/00005

ZINC FINGER PROTEIN HRX (ALL-1) (71%a.a.)	1	Q03164			Г			Γ	I	
zinc finger protein HZF4	1	X78927		- -	+	╫	-	-		
zinc finger protein RIZ	1	D45132	+	+	+	+	-	+	<u> </u>	
zinc finger protein, subfamily 1A, 1 (Ikaros) (LYF1)	1	U40462	+	1						
zinc finger protein, subfamily 1A, 1 (Ikaros) (LYF1) (low match)	1	U40462		1						
zinc finger transcriptional regulator (GOS24)		M92844		+-						
zinc-finger helicase (hZFH)	2	U91543	+	+	+	+		+		
Zn-15 related zinc finger protein (rtf)		U22377		+	+	+				
Zn-15 related zinc finger protein (rlf) (non-exact 56%)	1	U22377		1						
ZNF80-linked ERV9 long terminal repeat	1	X83497		 						
ZW10 (Drosophila) homolog, centromere/kinetochore protein (ZW10)	2	U54996	-	+						
zyxin (ZYX)	4	X95735				╂╼┤		-		

Column 1: List of unique genes derived from 6,283 known ESTs from blood cells.

Column 2: Number of genes found in randomly sequenced ESTs from blood cells.

Column 3: Accession number. Column 4: "+" indicates the presence of the unique gene in publicly available cDNA libraries of blood (Bl), brain (Br), heart (H), kidney (K), liver (Li) and lung (Lu). **Comparison to previously identified tissue-specific genes was determined using the GenBank of the National Centre of Biotechnology Information (NCBI) Database.

10

15

Discussion

Every cell and tissue comprising the human body share the necessary genetic information required to maintain cellular homeostasis. These "housekeeping" genes function in basic cellular maintenance, including energy metabolism and cellular structure in all cell types. However, in certain situations, even the housekeeping genes show altered expression. Thus, it is necessary to define the use of these genes as internal controls from one investigation to another. Current results from the human blood cell EST database indicate that over 50% of the transcripts are

widely expressed throughout the human body. Most of the cell or tissue specific genes are also detectable in blood cells by RT-PCR analysis.

For example, isoformic myosin heavy chain genes are known to be generally expressed in cardiac muscle tissue. In the rodent, the βMyHC gene is only highly expressed in the fetus and in diseased states such as overt cardiac hypertrophy, heart failure and diabetes; the αMyHC gene is highly expressed shortly after birth and continues to be expressed in the adult heart. In the human, however, βMyHC is highly expressed in the ventricles from the fetal stage through adulthood. This highly expressed βMyHC, which harbours several mutations, has been demonstrated to be involved in familial hypertrophic cardiomyopathy (Geisterfer-Lowrance *et al.* 1990). It was reported that mutations of βMyHC can be detected by PCR using blood lymphocyte DNA (Ferrie et al., 1992). Most recently, it was also demonstrated that mutations of the myosin-binding protein C in familial hypertrophic cardiomyopathy can be detected in the DNA extracted from lymphocytes (Niimura *et al.*, 1998).

15

10

Similarly, APP and APC, which are known to be tissue specific and predominantly expressed in the brain and intestinal tract, are also detectable in the transcripts of blood. These cell- or tissue-specific transcripts are not detectable by Northern blot analysis. However, the low number of transcript copies can be detected by RT-PCR analysis. These findings strongly demonstrate that genes preferentially expressed in specific tissues can be detected by a highly sensitive RT-PCR assay. In recent years, evidence has been obtained to indicate that expression of cell or tissue-restricted genes can be detected in the peripheral blood of patients with metastatic transitional cell carcinoma (Yuasa et al. 1998) and patients with prostate cancer (Gala et al. 1998).

25

Atrial natriuretic factor (ANF) and zinc finger protein (ZFP), which are known to be highly expressed in heart tissue biopsies and in the plasma of heart failure patients, are also detectable in the transcripts of blood. Differential expression of zinc finger protein among the normal, diabetic and asymptomatic preclinical

subjects may have additional value as a prophylactic "early warning system". On a related note, there is now more attention/discussion in the cardiovascular disease field being focused on Syndrome X, loosely defined as a continuum of hypertension, increasing sugar levels, diabetes, kidney failure, culminating in heart failure, with the possibility of stroke and heart attack at any time in the continuum. The early identification of patients at risk of organ failure has been a challenge to the medical community for some time and the present method has the potential of resolving or, at least, ameliorating this challenge.

10

15

20

25

The present invention demonstrates that a simple drop of blood may be used to determine the quantitative expression of various mRNAs that reflect the health/disease state of the subject through the use of RT-PCR analysis. This entire process takes about three hours or less. The single drop of blood may also be used for multiple RT-PCR analyses. There is no need for large samples and/or costly and time-consuming separation of cell types within the blood for this method as compared to the methods described by Kimoto (1998) and Chelly et al. (1989; 1988). It is believed that the present finding can potentially revolutionize the way that diseases are detected, diagnosed and monitored because it provides a non-invasive, simple, highly sensitive and quick screening for tissue-specific transcripts. The transcripts detected in whole blood have potential as prognostic or diagnostic markers of disease, as they reflect disturbances in homeostasis in the human body. Delineation of the sequences and/or quantitation of the expression levels of these marker genes by RT-PCR will allow for an immediate and accurate diagnostic/prognostic test for disease or to assess the efficacy and monitor a particular therapeutic.

In addition to RT-PCR, other methods of amplifying may also be used for the purpose of measuring/quantitating tissue-specific transcripts in human blood. For example, mass spectrometry may be used to quantify the transcripts (Koster et al., 1996; Fu et al., 1998). The application of presently disclosed method for detecting tissue-specific transcripts in blood does not restrict to subjects undergoing course of

therapy or treatment, it may also be used for monitoring a patient for the onset of overt symptoms of a disease. Furthermore, the present method may be used for detecting any gene transcripts in blood. A kit for diagnosing, prognosing or even predicting a disease may be designed using gene-specific primers or probes derived from a whole blood sample for a specific disease and applied directly to a drop of blood. A cDNA library specific for a disease may be generated from whole blood samples and used for diagnosis, prognosis or even predicting a disease.

The following references were cited herein:

Claudio JO et al. (1998). Genomics 50:44-52.

5

10 Chelly J et al. (1989). Proc. Nat. Acad. Sci. USA. 86:2617-2621.

Chelly J et al. (1988). Nature 333:858-860.

Drews J & Ryser S (1997). Nature Biotech. 15:1318-9.

Ferrie RM et al. (1992). Am. J. Hum. Genet. 51:251-62.

Fu D-J et al. (1998). Nat. Biotech 16: 381-4.

15 Gala JL et al. (1998). Clin. Chem. 44(3):472-81.

Geisterfer-Lowrance AAT et al. (1990). Cell 62:999-1006.

Groden J et al. (1991). Cell 66:589-600.

Hwang DM et al. (1997). Circulation 96:4146-4203.

Jandreski MA & Liew CC (1987). Hum. Genet. 76:47-53.

20 Jin O et al. (1990). Circulation 82:8-16

Kimoto Y (1998). Mol. Gen. Genet 258:233-239.

Koster M et al. (1996). Nat. Biotech 14: 1123-8.

Liew & Jandreski (1986). Proc. Nat. Acad. Sci. USA. 83:3175-3179

Liew CC et al. (1990). Nucleic Acids Res. 18:3647-3651.

25 Liew CC (1993). J Mol. Cell. Cardiol. 25:891-894

Liew CC et al. (1994). Proc. Natl. Acad. Sci. USA. 91:10645-10649.

Liew et al. (1997). Mol. and Cell. Biochem. 172:81-87.

Niimura H et al. (1998). New Eng. J. Med. 338:1248-1257.

Ogawa M (1993). Blood 81:2844-2853.

10

15

Santoro IM & Groden J (1997). Cancer Res. 57:488-494.

Yuasa T et al. (1998). Japanese J. Cancer Res. 89:879-882.

Any patents or publications mentioned in this specification are indicative of the levels of those skilled in the art to which the invention pertains. Further, these patents and publications are incorporated by reference herein in their entirety to the same extent as if each individual publication was specifically and individually indicated to be incorporated by reference.

One skilled in the art will appreciate readily that the present invention is well adapted to carry out the objects and obtain the ends and advantages mentioned, as well as those objects, ends and advantages inherent herein. The present examples, along with the methods, procedures, treatments, molecules, and specific compounds described herein are presently representative of preferred embodiments, are exemplary, and are not intended as limitations on the scope of the invention. Changes therein and other uses will occur to those skilled in the art which are encompassed within the spirit of the invention as defined by the scope of the claims.

5

15

20

WHAT IS CLAIMED IS:

- 1. A method for detecting expression of a gene in blood from a subject, comprising the steps of:
 - a) quantifying RNA from a subject blood sample; and
- b) detecting expression of said gene in the quantified RNA, wherein the expression of said gene in said quantified RNA indicates expression of said gene in the subject blood.
- 10 2. The method of claim 1, wherein the quantification is performed by mass spectrometry.
 - 3. A method for detecting expression of one or more genes in blood from a subject, comprising the steps of:
 - a) obtaining a subject blood sample:
 - b) extracting RNA from said blood sample;
 - c) amplifying said RNA;
 - d) generating expressed sequence tags from the amplified RNA product; and
 - e) detecting expression of said genes in the expressed sequence tags, wherein the expression of said genes in said expressed sequence tags indicates expression of said genes in the subject blood.
- 4. The method of claim 3, wherein said genes are non-cancer-25 associated genes.
 - The method of claim 3, wherein said genes are tissue-specific genes.

6. The method of claim 3, wherein said subject is a fetus, an embryo, a child, an adult or a non-human animal.

- 5 7. The method of claim 3, wherein the amplification is performed by RT-PCR.
 - 8. The method of claim 7, wherein said RT-PCR utilizes primers selected from the group consisting of random sequence primers and gene-specific primers.
 - 9. A method for detecting expression of one or more genes in blood from a subject, comprising the steps of:
 - a) obtaining a subject blood sample;

b) extracting DNA fragment(s) from said blood sample;

- c) amplifying said DNA fragment(s); and
- d) detecting expression of said genes in the amplified DNA product, wherein the expression of said genes in said amplified DNA product indicates expression of said genes in the subject blood.

20

25

15

- 10. A method for monitoring a course of therapeutic treatment in an individual, comprising the steps of:
 - a) obtaining a blood sample from said individual;
 - b) extracting RNA from said blood sample;
 - c) amplifying said RNA;
- d) generating expressed sequence tags from the amplified RNA product; and

e) detecting expression of genes in said expressed sequence tags, wherein the expression of said genes is associated with the effect of said therapeutic treatment; and

f) repeating steps a)-e), wherein the course of said therapeutic treatment is monitored by detecting the change of expression of said genes in the expressed sequence tags.

5

- 11. The method of claim 10, wherein the amplification is performed by RT-PCR.
- 12. The method of claim 11, wherein the change of expression of said genes in the expressed sequence tags is monitored by sequencing the expressed sequence tags and comparing the resulting sequences at various time points.
- 13. The method of claim 11, wherein the change of expression of said genes in the expressed sequence tags is monitored by performing single nucleotide polymorphism analysis and detecting the variation of a single nucleotide in the expressed sequence tags at various time points.
- 20 14. The method of claim 10, wherein said individual is monitored for the onset of overt symptoms of a disease, and wherein the expression of said genes is associated with the onset of said symptoms.
- 15. A method for diagnosing a disease in a test subject, comprising 25 the steps of:
 - a) generating a cDNA library for said disease from a whole blood sample from a normal subject;

b) generating expressed sequence tag (EST) profile from the normal subject cDNA library;

c) generating a cDNA library for said disease from a whole blood sample from a test subject;

5

20

- d) generating EST profile from the test subject cDNA library; and
- e) comparing the test subject EST profile to the normal subject EST profile, wherein if said test subject EST profile differs from said normal subject EST profile, said test subject might be diagnosed with said disease.
- 16. A kit for diagnosing, prognosing or predicting a disease, comprising:
 - a) gene-specific primers; wherein said primers are designed in such a way that the sequences of said primers contain the opposing ends of two adjacent exons for the specific gene with the intron sequence excluded; and
- b) a carrier, wherein said carrier immobilizes said primer(s).
 - 17. The kit of claim 16, wherein said gene-specific primer(s) are selected from the group consisting of insulin-specific primers, atrial natriuretic factor-specific primers, zinc finger protein gene-specific primers, beta-myosin heavy chain gene-specific primers, amyloid precurser protein gene-specific primers, and adenomatous polyposis-coli protein gene-specific primers.
 - 18. The kit of claim 17, wherein the sequences of said genespecific primers are selected from the group consisting of SEQ ID Nos. 1 and 2, and SEQ ID Nos. 5 and 6.
 - 19. A method for diagnosing, prognosing or predicting a disease in a test subject, comprising the step of:

applying the kit of claim 16 to a test subject whole blood sample, wherein quantitative expression levels of specific genes associated with said disease are detected and compared to the levels of said specific genes expressed in a normal subject, therefore, said disease may be diagnosed, prognosed or predicted.

5

- 20. The method of claim 19, wherein said method is used for monitoring a course of therapeutic treatment or monitoring the onset of overt symptoms of said disease.
- 10 21. A kit for diagnosing, prognosing or predicting a disease, comprising:
 - a) probes derived from a whole blood sample for a specific disease; and
 - b) a carrier, wherein said carrier immobilizes said probes.

15


20

25

22. A method for diagnosing, prognosing or predicting a disease in a test subject, comprising the step of:

applying the kit of claim 21 to a test subject whole blood sample, wherein quantitative expression levels of specific genes associated with said disease are detected and compared to the levels of said specific genes expressed in a normal subject, therefore, said disease may be diagnosed, prognosed or predicted.

- 23. The method of claim 22, wherein said method is used for monitoring a course of therapeutic treatment or monitoring the onset of overt symptoms of said disease.
- 24. A cDNA library specific for a disease, wherein said cDNA library is generated from whole blood samples.






FIGURE 1



FIGURE 2




FIGURE 3







FIGURE 4

A.


5/7







Standardized levels of insulin gene expressed in each fractionated cell from whole blood.



Fractionated Cell Type

FIGURE 5

CC diew Sept 1999

6/7

A

B




FIGURE 6

Total :13, 283 ESTs

Mitochondrial: 405 Known: 6,283


Ribosome: 498 Repeat: 868

☑ Cell Division

Novel: 2,718 Mis.: 156

Human Blood






☐ Cell Signalling/Communication

■ Cell structure/Motility


■ Cell/organism defense

Cene/Protein expression

Metabolism



29%



FIGURE

SEQUENCE LISTING

```
<110>
                 Liew, Choong-Chin
                 Method for the Detection of Gene Transcripts
      <120>
 in Blood and Uses Thereof
      <130>
                 2173/0003
      <150>
                 US Number not yet assigned
      <151>
                 2000-01-04
      <150>
                 US 60/115,125
      <151>
                 1999-01-06
      <160>
                 10
      <210>
                 1
      <211>
                 18
      <212>
                DNA
      <213>
                 artificial sequence
      <220>
      <221>
                primer_bind
                forward primer of exon 1 of insulin gene used
for quantitative RT-PCR analysis
      <400>
gccctctggg gacctgac
                                                        18
     <210>
                2
     <211>
                18
     <212>
                DNA
     <213>
                artificial sequence
     <220>
     <221>
                primer_bind
\, <223> reverse primer of exons 1 and 2 of insulin gene used for quantitative RT-PCR analysis
     <400>
                2
cccacctgca ggtcctct
```

WO 00/40749		PCT/CA00/00005	5
<210>	3		
<211>	24		
<212>	DNA		
<213>	artificial sequence		
<220>	_		
<221>	primer_bind		
<223> quantitative R	forward primer of βMyHC of CT-PCR analysis	gene used for	
<400>	3		
gctggaacgt aga	gactccc tgct	24	
<210>	4		
<211>			
<212>	DNA		
<213>			
<220>	aretricial sequence		
<221>	primer bind		
<223> quantitative R	reverse primer of RMvHC of	gene used for	
<400>	4	·	
ggatccttcc aga	tcatcca ctto	24	
3		24	
<210>	5		
<211>	20		
<212>			
<213>	artificial sequence		
<220>			
<221>	primer_bind		
<223> RT-PCR	forward primer of ANF used for	or quantitative	
	analysis		
<400>	5		
ggatttcaag aatt	tgctgg	20	

```
WO 00/40749
                                                      PCT/CA00/00005
     <210>
     <211>
               20
     <212>
               DNA
     <213>
               artificial sequence
     <220>
     <221>
               primer_bind
     <223>
               reverse primer of ANF used for quantitative
RT-PCR analysis
     <400>
gcagatcgat cagaggagtc
                                                  20
     <210>
               7
     <211>
               20
     <212>
               DNA
     <213>
               artificial sequence
     <220>
     <221>
               primer_bind
               forward primer of APP used for quantitative
     <223>
RT-PCR
               analysis
     <400>
               7
ggatgcttca tgtgaacgtg
                                                 20
     <210>
               8
     <211>
               19
     <212>
               DNA
     <213>
               artificial sequence
     <220>
     <221>
               primer_bind
     <223>
               reverse primer of APP used for quantitative
RT-PCR
               analysis
     <400>
               8
```

19

tcattcacac cagcacatg

WO 00/40749		PCT/CA00/00005
<210>	9	
<211>	21	
<212>	DNA	
<213>	artificial sequence	
<220>		
<221>	primer_bind	
<223> RT-PCR analysi	forward primer of ZFP used f	or quantitative
<400>	9	
cacargagre arg	gtcaacg a	21
<210>	10	
<211>	22	
<212>	DNA	
<213>	artificial sequence	
<220>		
<221>	primer_bind	
<223> RT-PCR analysi	reverse primer of ZFP used f	or quantitative
<400>	10	
ggattaaaat gaa	gcaccca ga	22

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
M FADED TEXT OR DRAWING
M BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потикр.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.